kaspersky

Kaspersky Industrial CyberSecurity for Nodes

© 2022 AO Kaspersky Lab

Contents

Kaspersky Industrial CyberSecurity for Nodes
- About Kaspersky Industrial CyberSecurity for Nodes
- Distribution kit
- Hardware and software requirements
- Monitoring the ICS security state: Kaspersky Security Center and SCADA
- Kaspersky Virus Removal Tool 2015
- Kaspersky Endpoint Agent
- Functional requirements and limitations
  - Installation and uninstallation
  - File Integrity Monitor
  - Firewall Management
  - Other limitations

What's new

Typical deployments

Installing and removing the application
- Installation planning
  - Selecting administration tools
  - Selecting the installation type
- Installing and uninstalling the application using a wizard
  - Installing using the Setup Wizard
    - Kaspersky Industrial CyberSecurity for Nodes installation
    - Kaspersky Industrial CyberSecurity for Nodes Console installation
    - Advanced settings after installation of the Application Console on another device
      - Allowing anonymous remote access to COM applications
      - Allowing network connections for the Kaspersky Industrial CyberSecurity for Nodes remote management process
      - Adding outbound rule for Windows Firewall
    - Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation
      - Starting and configuring Kaspersky Industrial CyberSecurity for Nodes Database Update task
      - Critical Areas Scan
  - Modifying the set of components and repairing Kaspersky Industrial CyberSecurity for Nodes
  - Uninstalling using the Setup Wizard
    - Kaspersky Industrial CyberSecurity for Nodes uninstallation
    - Kaspersky Industrial CyberSecurity for Nodes Console uninstallation
- Installing and uninstalling the application from the command line
  - About installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes from command line
  - Kaspersky Industrial CyberSecurity for Nodes software component codes for the Windows Installer service
    - Kaspersky Industrial CyberSecurity for Nodes software components
    - "Administration tools" set of software components
  - Installation and uninstallation settings and command line options for the Windows Installer service
  - Example commands for installing Kaspersky Industrial CyberSecurity for Nodes
  - Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation
  - Adding / removing components. Sample commands
  - Kaspersky Industrial CyberSecurity for Nodes uninstallation. Sample commands
  - Return codes
- Installing and uninstalling the application using Kaspersky Security Center
  - General information about installing via Kaspersky Security Center

Rights to install or uninstall Kaspersky Industrial CyberSecurity for Nodes
Installing Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center
Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation
Installing the Application Console via Kaspersky Security Center
Uninstalling Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center
Installing and uninstalling via Active Directory group policies
Installing Kaspersky Industrial CyberSecurity for Nodes via Active Directory group policies
Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation
Uninstalling Kaspersky Industrial CyberSecurity for Nodes via Active Directory group policies
Kaspersky Industrial CyberSecurity for Nodes install and uninstall logs
System changes after Kaspersky Industrial CyberSecurity for Nodes installation
Kaspersky Industrial CyberSecurity for Nodes processes
Checking Kaspersky Industrial CyberSecurity for Nodes functions. Using the EICAR test virus
About the EICAR test virus
Checking the Real-Time File Protection and On-Demand Scan features
Installing and removing Kaspersky Security Gateway
Installing Kaspersky Security Gateway using the Setup Wizard
Step 1. Verifying installation requirements
Step 2. Welcome page of the installation procedure
Step 3. Viewing the End User License Agreement and Privacy Policy
Step 4. Selecting the destination folder
Step 5. Selecting components
Step 6. Configuring the connection to the SCADA system
Step 7. Installing Kaspersky Security Gateway
Installing Kaspersky Security Gateway from the command line
Removing Kaspersky Security Gateway
Step 1. Saving Kaspersky Security Gateway data for future use
Step 2. Removing Kaspersky Security Gateway
Application interface
Kaspersky Security Center management tools comparison and limitations
Working with the Administration Plug-in
Managing Kaspersky Industrial CyberSecurity for Nodes from Kaspersky Security Center
Managing application settings
Navigation
Opening general settings via the policy
Opening general settings in the application properties window
Configuring general application settings in Kaspersky Security Center
Configuring scalability, interface, and scan settings in Kaspersky Security Center
Configuring security settings in Kaspersky Security Center
Configuring connection settings using Kaspersky Security Center
Configuring scheduled start of local system tasks
Configuring Quarantine and Backup settings in Kaspersky Security Center
Creating and configuring policies
Creating a policy
Kaspersky Industrial CyberSecurity for Nodes policy settings sections
Configuring a policy
Creating and configuring tasks using Kaspersky Security Center
About task creation in Kaspersky Security Center

Creating a task using Kaspersky Security Center
Configuring local tasks in the Application settings window of the Kaspersky Security Center
Configuring group tasks in Kaspersky Security Center
Activation of the Application task
Update tasks
Application Integrity Control
Configuring crash diagnostics settings in Kaspersky Security Center
Managing task schedules
Scheduling tasks
Enabling and disabling scheduled tasks
Reports in Kaspersky Security Center
Working with the Kaspersky Industrial CyberSecurity for Nodes Console
About the Kaspersky Industrial CyberSecurity for Nodes Console
Kaspersky Industrial CyberSecurity for Nodes Console interface
Kaspersky Industrial CyberSecurity for Nodes Console window
System Tray Icon in the notification area
Managing Kaspersky Industrial CyberSecurity for Nodes via the Application Console on another device
Configuring general application settings via the Application Console
Managing Kaspersky Industrial CyberSecurity for Nodes tasks
Kaspersky Industrial CyberSecurity for Nodes task categories
Starting, pausing, resuming, and stopping tasks manually
Managing task schedules
Configuring the task schedule settings
Enabling and disabling scheduled tasks
Using user accounts to start tasks
About using accounts to start tasks
Specifying a user account to start a task
Importing and exporting settings
About importing and exporting settings
Exporting settings
Importing settings
Using security settings templates
About security settings templates
Creating a security settings template
Viewing security settings in a template
Applying a security settings template
Deleting a security settings template
Viewing protection status and Kaspersky Industrial CyberSecurity for Nodes information
Working with the Web Plug-in from Web Console and Cloud Console
Managing Kaspersky Industrial CyberSecurity for Nodes from Web Console and Cloud Console
Web Plug-in limitations
Managing application settings
Configuring general application settings in Web Plug-in
Configuring scalability, interface, and scan settings in Web Plug-in
Configuring security settings in Web Plug-in
Configuring connection settings in Web Plug-in
Configuring scheduled start of local system tasks
Configuring Quarantine and Backup settings in Web Plug-in

- Creating and configuring policies
  - Creating a policy
  - Kaspersky Industrial CyberSecurity for Nodes policy settings sections
- Creating and configuring tasks using Kaspersky Security Center
  - About task creation in Web Plug-in
  - Creating a task in Web Plug-in
  - Configuring group tasks in Web Plug-in
    - Configuring Activation of the Application task in Web Plug-in
    - Configuring Update tasks in Web Plug-in
  - Configuring crash diagnostics settings in Web Plug-in
  - Managing task schedules
    - Scheduling tasks
    - Enabling and disabling scheduled tasks
- Reports in Kaspersky Security Center

Application licensing
- About the End User License Agreement
- About the license
- About license certificate
- About the key
- About the key file
- About activation code
- About subscription
- About data provision
- Activating the application with a key file
- Activating the application with an activation code
- Viewing information about current license
- Functional limitations when the license expires
- Renewing license
- Deleting the key

Starting and stopping Kaspersky Industrial CyberSecurity for Nodes
- Starting the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in
- Starting the Kaspersky Industrial CyberSecurity for Nodes Console from the Start menu
- Starting and stopping the Kaspersky Security Service
- Starting Kaspersky Industrial CyberSecurity for Nodes components in the operating system safe mode
  - About Kaspersky Industrial CyberSecurity for Nodes working in the operating system safe mode
  - Starting Kaspersky Industrial CyberSecurity for Nodes in safe mode

Compact Diagnostic Interface
- About the Compact Diagnostic Interface
- Reviewing the Kaspersky Industrial CyberSecurity for Nodes status via the Compact Diagnostic Interface
- Reviewing security event statistics
- Reviewing current application activity
- Configuring writing of dump and trace files

Real-Time File Protection
- About the Real-Time File Protection task
- About the task protection scope and security settings
- About virtual protection scopes
- Predefined protection scopes
- About predefined security levels

File extensions scanned by default in the Real-Time File Protection task
Default Real-Time File Protection task settings
Managing the Real-Time File Protection task via the Administration Plug-in
Navigation
Opening policy settings for the Real-Time File Protection task
Opening the Real-Time File Protection task properties
Configuring the Real-Time File Protection task
Selecting the protection mode
Configuring Heuristic Analyzer and integration with other application components
Scheduling tasks
Creating and configuring the task protection scope
Selecting predefined security levels for On-Demand Scan tasks
Configuring security settings manually
Configuring general task settings
Configuring actions
Configuring performance
Managing the Real-Time File Protection task via the Application Console
Navigation
Opening the Real-Time File Protection task settings
Opening the Real-Time File Protection task scope settings
Configuring the Real-Time File Protection task
Selecting protection mode
Configuring Heuristic Analyzer and integration with other application components
Configuring the task schedule settings
Creating a protection scope
Configuring the view for network file resources
Creating a protection scope
Including network objects in the protection scope
Creating a virtual protection scope
Configuring security settings manually
Selecting predefined security levels for Real-Time File Protection task
Configuring general task settings
Configuring actions
Configuring performance
Real-Time File Protection task statistics
Managing Real-Time File Protection task via the Web Plug-in
Configuring Real-Time File Protection task
Configuring the task protection scope
On-Demand Scan
About On-Demand Scan tasks
About the task scan scope and security settings
Predefined scan scopes
Online storage file scanning
About predefined security levels
About the Removable Drives Scan
About the Baseline File Integrity Monitor task
Default On-Demand Scan tasks settings
Managing On-Demand Scan tasks via the Administration Plug-in

- Navigation
  - Opening the On-Demand Scan task wizard
  - Opening the On-Demand Scan task properties
- Creating an On-Demand Scan task
  - Assigning the Critical Areas Scan status to an On-Demand Scan task
  - Running an On-Demand Scan task in the background
  - Registering execution of a Critical Areas Scan
- Configuring the task scan scope
- Selecting predefined security levels for On-Demand Scan tasks
- Configuring security settings manually
  - Configuring general task settings
  - Configuring actions
  - Configuring performance
- Configuring Removable Drives Scan
- Configuring a Baseline File Integrity Monitor task

Managing On-Demand Scan tasks via the Application Console
- Navigation
  - Opening the On-Demand Scan task settings
  - Opening the On-Demand Scan task scope settings
- Creating and configuring an On-Demand Scan task
- Scan scope in On-Demand Scan tasks
  - Configuring the view for network file resources
  - Creating a scan scope
  - Including network objects in the scan scope
  - Creating a virtual scan scope
- Configuring security settings
  - Selecting predefined security levels for On-Demand Scan tasks
  - Configuring general task settings
  - Configuring actions
  - Configuring performance
- Scanning removable drives
- On-Demand Scan task statistics
- Creating and configuring a Baseline File Integrity Monitor task

Trusted Zone
- About the Trusted Zone
- About industrial software exclusion profiles
- Managing the Trusted Zone via the Administration Plug-in
  - Navigation
    - Opening the Trusted Zone policy settings
    - Opening the Trusted Zone properties window
  - Configuring Trusted Zone settings via the Administration Plug-in
    - Adding an exclusion
    - Adding trusted processes
    - Applying the not-a-virus mask
- Managing the Trusted Zone via the Application Console
  - Applying the Trusted Zone to tasks in the Application Console
  - Configuring Trusted Zone settings in the Application Console
    - Adding an exclusion to the Trusted Zone

Adding trusted processes
Applying the not-a-virus mask
Managing the Trusted Zone via the Web Plug-in
Network Threat Protection
About the Network Threat Protection task
Default Network Threat Protection task settings
Configuring the Network Threat Protection task via the Application Console
General task settings
Adding exclusions
Configuring the Network Threat Protection task via the Administration Plug-in
General task settings
Adding exclusions
Configuring the Network Threat Protection task via the Web Plug-in
General task settings
Adding exclusions
Wi-Fi Control
About the Wi-Fi Control Task
Default Wi-Fi Control task settings
List of trusted Wi-Fi networks
Configuring the Wi-Fi Control task via the Administration Plug-in
Configuring Wi-Fi Control Task Settings
Deleting an Exclusion for a Wi-Fi Network
Manually adding a trusted Wi-Fi network
Adding a trusted Wi-Fi network using the list of trusted Wi-Fi networks
Configuring the Wi-Fi Control task via the Application Console
Configuring Wi-Fi Control task
Manually adding a trusted Wi-Fi network
Adding a trusted Wi-Fi network using the list of trusted Wi-Fi networks
Deleting an Exclusion for a Wi-Fi Network
Anti-Cryptor
About the Anti-Cryptor task
Anti-Cryptor task statistics
Default Anti-Cryptor task settings
Configuring the Anti-Cryptor task via the Administration Plug-in
General task settings
Creating the protection scope
Adding exclusions
Configuring the Anti-Cryptor task via the Application Console
General task settings
Creating the protection scope
Adding exclusions
Configuring the Anti-Cryptor task via the Web Plug-in
General task settings
Creating the protection scope
Adding exclusions
Applications Launch Control
About the Applications Launch Control task
About Applications Launch Control rules

About Software Distribution Control
About KSN usage for the Applications Launch Control task
About Applications Launch Control rules generation
Default Applications Launch Control task settings
Managing Applications Launch Control via the Administration Plug-in
Navigation
Opening policy settings for the Applications Launch Control task
Opening the Applications Launch Control rules list
Opening the Rule Generator for Applications Launch Control task wizard and properties
Configuring Applications Launch Control task settings
Configuring Software Distribution Control
Configuring the Rule Generator for Applications Launch Control task
Configuring Applications Launch Control rules via the Kaspersky Security Center
Adding an Applications Launch Control rule
Enabling the Default Allow mode
Creating allowing rules from Kaspersky Security Center events
Importing rules from a Kaspersky Security Center report on blocked applications
Importing Applications Launch Control rules from an XML file
Checking application launches
Creating a Rule Generator for Applications Launch Control task
Restricting the task usage scope
Actions to perform during automatic rule generation
Actions to perform upon completion of automatic rule generation
Managing Applications Launch Control via the Application Console
Navigation
Opening the Applications Launch Control task settings
Opening the Applications Launch Control rules window
Opening the Rule Generator for Applications Launch Control task settings
Configuring Applications Launch Control task settings
Selecting the mode of the Applications Launch Control task
Configuring the scope of the Applications Launch Control task
Configuring KSN usage
Software Distribution Control
Configuring Applications Launch Control rules
Adding an Applications Launch Control rule
Enabling the Default Allow mode
Creating allowing rules from Applications Launch Control task events
Exporting Applications Launch Control rules
Importing Applications Launch Control rules from an XML file
Removing Applications Launch Control rules
Configuring a Rule Generator for Applications Launch Control task
Restricting the task usage scope
Actions to perform during automatic rule generation
Actions to perform upon completion of automatic rule generation
Managing Applications Launch Control via the Web Plug-in
Device Control
About Device Control task
About Device Control rules

- About Device Control rules generation
- About Rule Generator for Device Control task
- Device Control default task settings
- Managing Device Control via the Administration Plug-in
  - Navigation
    - Opening policy settings for the Device Control task
    - Opening the Device Control rules list
    - Opening the Rule Generator for Device Control task wizard and properties
  - Configuring Device Control task
  - Configuring the Rule Generator for Device Control task
  - Configuring Device Control rules via the Kaspersky Security Center
    - Creating allowing rules based on system data in a Kaspersky Security Center policy
    - Generating rules for connected devices
    - Importing rules from the Kaspersky Security Center report on blocked devices
    - Creating rules using the Rule Generator for Device Control task
    - Adding generated rules to the Device Control rules list
- Managing Device Control via the Application Console
  - Navigation
    - Opening the Device Control task settings
    - Opening the Device Control rules window
    - Opening the Rule Generator for Device Control task settings
  - Configuring Device Control task settings
  - Configuring Device Control rules
    - Importing Device Control rules from XML file
    - Filling rules list basing on Device Control task events
    - Adding an allowing rule for one or several external devices
    - Removing Device Control rules
    - Exporting Device Control rules
    - Activating and deactivating of Device Control rules
    - Expanding Device Control rules usage scope
  - Configuring Rule Generator for Device Control task
- Managing Device Control via the Application Console Web Plug-in

Firewall Management

- About the Firewall Management task
- About Firewall rules
- Default Firewall Management task settings
- Managing Firewall rules via the Administration Plug-in
  - Enabling and disabling Firewall rules
  - Adding Firewall rules manually
  - Deleting Firewall rules
- Managing Firewall rules via the Application Console
  - Enabling and disabling Firewall rules
  - Adding Firewall rules manually
  - Deleting Firewall rules
- Managing Firewall rules via the Web Plug-in
  - Enabling and disabling Firewall rules
  - Adding Firewall rules manually
  - Deleting Firewall rules

KSN Usage
About the KSN Usage task
Default KSN Usage task settings
Managing KSN Usage via the Administration Plug-In
Configuring the KSN Usage task
Configuring Data Processing
Managing KSN Usage via the Application Console
Configuring KSN Usage task
Configuring Data handling
Managing KSN Usage via the Web Plug-in
Configuring additional data transfer
KSN Usage task statistics
File Integrity Monitor
About the File Integrity Monitor task
About file operation monitoring rules
Default File Integrity Monitor task settings
Manage File Integrity Monitor via the Administration Plug-in
Configuring the File Integrity Monitor task
Configuring monitoring rules
Manage File Integrity Monitor via the Application Console
Configuring File Integrity Monitor task settings
Configuring monitoring rules
Manage File Integrity Monitor via the Web Plug-in
Configuring the File Integrity Monitor task
Configuring monitoring rules
Registry Access Monitor
About the Registry Access Monitor task
About System registry monitoring rules
Default Registry Access Monitor task settings
Managing the Registry Access Monitor via the Administration Plug-in
Configure the Registry Access Monitor task settings
Configuring monitoring rules
Managing the Registry Access Monitor via the Administration Console
Configuring the Registry Access Monitor task settings
Configuring monitoring rules
Managing the Registry Access Monitor via the Web Plug-in
Configuring the Registry Access Monitor task
Configuring monitoring rules
Log Inspection
About the Log Inspection task
Default Log Inspection task settings
Managing Log Inspection rules via the Administration Plug-in
Configuring predefined task rules
Adding Log Inspection rules via the Administration Plug-in
Managing Log Inspection rules via the Application Console
Configuring predefined task rules
Adding Log Inspection rules via the Application Console
Managing Log Inspection rules via the Web Plug-in

Exploit Prevention
About Exploit Prevention
Managing Exploit Prevention via the Administration Plug-in
Navigation
Opening policy settings for Exploit Prevention
Opening the Exploit Prevention properties window
Configuring process memory protection settings
Adding a process to the protection scope
Managing Exploit Prevention via the Application Console
Navigation
Opening the Exploit Prevention general settings
Opening the Exploit Prevention process protection settings
Configuring process memory protection settings
Adding a process to the protection scope
Managing Exploit Prevention via the Web Plug-in
Configuring process memory protection settings
Adding a process to the protection scope
Exploit prevention techniques
Industrial Network Protection
About PLC Project Integrity Check
Configuring the PLC Projects Control tasks via the Application Console
Configuring PLC Project Investigation
Configuring PLC Project Integrity Check
Enabling and Disabling PLC Project Integrity Check
Configuring the PLC Projects Control tasks via the Administration Plug-in
About the PLC configurations Registry
Configuring PLC Registry
Configuring PLC Project Investigation
Configuring PLC Project Integrity Check
Enabling and Disabling PLC Project Integrity Check
Importing and Exporting Information for PLC Project Investigation
Using Kaspersky Security Gateway
About Kaspersky Security Gateway
Starting and stopping Kaspersky Security Gateway using standard Microsoft Windows tools
Kaspersky Security Gateway Console interface
Configuring the connection to the SCADA system
Configuring the DCOM protocol
Configuring data transfer settings using communication protocols
Configuring data transfer using IEC 60870-5-104 protocol via the Console
Configuring data transfer using OPC protocol via the Console
Configuring data transfer using IEC 60870-5-104 protocol vai the configuration file
Configuring data transfer using OPC protocol via the configuration file
Configuring additional Kaspersky Security Gateway settings
Viewing Kaspersky Security Gateway events
Integrating with third-party systems
Performance counters for System Monitor
About Kaspersky Industrial CyberSecurity for Nodes performance counters
Total number of requests denied

Total number of requests skipped
Number of requests not processed because of lack of system resources
Number of requests sent to be processed
Average number of file interception dispatcher streams
Maximum number of file interception dispatcher streams
Number of elements in the infected objects queue
Number of objects processed per second
Kaspersky Industrial CyberSecurity for Nodes SNMP counters and traps
About Kaspersky Industrial CyberSecurity for Nodes SNMP counters and traps
Kaspersky Industrial CyberSecurity for Nodes SNMP counters
Performance counters
Quarantine counters
Backup counter
General counters
Update counter
Real-Time File Protection counters
Kaspersky Industrial CyberSecurity for Nodes SNMP traps and their options
Kaspersky Industrial CyberSecurity for Nodes SNMP traps options descriptions and possible values
Integrating with WMI
Isolating objects and copying backups
Isolating probably infected objects. Quarantine
About quarantining probably infected objects
Viewing quarantine objects
Sorting quarantined objects
Filtering quarantined objects
Quarantine Scan
Restoring quarantined objects
Moving objects to Quarantine
Deleting objects from Quarantine
Sending probably infected objects to Kaspersky Kaspersky for analysis
Configuring Quarantine settings
Quarantine statistics
Making backup copies of objects. Backup
About backing up objects before disinfection or deletion
Viewing objects stored in Backup
Sorting files in Backup
Filtering files in Backup
Restoring files from Backup
Deleting files from Backup
Configuring Backup settings
Backup statistics
Blocking access to network resources. Blocked network sessions
About the List of blocked network sessions
Managing the List of blocked network sessions via the Administration Plug-in
Enabling untrusted network sessions blocking
Configuring settings for the List of blocked network sessions
Managing the List of blocked network sessions via the Application Console
Enabling untrusted network sessions blocking

Configuring settings for the List of blocked network sessions
Managing the List of blocked network sessions via the Web Plug-in
Enabling network sessions blocking
Configuring settings for the List of blocked network sessions
Updating Kaspersky Industrial CyberSecurity for Nodes databases and software modules
About Update tasks
About Software Modules Update
About Database Update
Schemes for updating anti-virus application databases and modules used within an organization
Configuring Update tasks
Configuring settings for working with Kaspersky Industrial CyberSecurity for Nodes update sources
Optimizing disk I/O when running the Database Update task
Configuring Copying Updates task settings
Configuring Software Modules Update task settings
Rolling back Kaspersky Industrial CyberSecurity for Nodes database updates
Rolling back application module updates
Update task statistics
Event registration. Kaspersky Industrial CyberSecurity for Nodes logs
Ways to register Kaspersky Industrial CyberSecurity for Nodes events
Configuring log settings via the Application Console
System audit log
Sorting events in the system audit log
Filtering events in the system audit log
Deleting events from the system audit log
Task logs
About task logs
Sorting task logs
Filtering task logs
Viewing statistics and information about a Kaspersky Industrial CyberSecurity for Nodes task in task logs
Exporting information from a task log
Deleting task logs
Security log
About SIEM integration
Configuring SIEM integration settings
Viewing the event log of Kaspersky Industrial CyberSecurity for Nodes in Event Viewer
Notification settings
Administrator and user notification methods
Configuring administrator and user notifications
Configuring logs and notifications settings via the Administration Plug-in
Configuring task logs settings
Configuring SIEM integration settings
Configuring notification settings
Configuring incident generation and interactions with the Administration Server
Kaspersky Industrial CyberSecurity for Nodes self-defense
About Kaspersky Industrial CyberSecurity for Nodes self-defense
Protection from changes to folders with installed Kaspersky Industrial CyberSecurity for Nodes components
Protection from changes to Kaspersky Industrial CyberSecurity for Nodes registry keys
Registering the Kaspersky Security Service as a protected service

Managing access permissions for Kaspersky Industrial CyberSecurity for Nodes functions
About permissions to manage Kaspersky Industrial CyberSecurity for Nodes
About permissions to manage registered services
About access permissions for the Kaspersky Security Management Service
About permissions to manage the Kaspersky Security Service
Managing access permissions via the Administration Plug-in
Configuring access permissions for Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service
Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions
Managing access permissions via the Application Console
Configuring access permissions for managing Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service
Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions
Managing access permissions via the Web Plug-in
Configuring access permissions for Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service
Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions
Working with Kaspersky Industrial CyberSecurity for Nodes from the command line
Commands
Displaying Kaspersky Industrial CyberSecurity for Nodes command help: KAVSHELL HELP
Starting and stopping the Kaspersky Security Service KAVSHELL START: KAVSHELL STOP
Scanning a selected area: KAVSHELL SCAN
Starting the Critical Areas Scan task: KAVSHELL SCANCRITICAL
Managing tasks asynchronously: KAVSHELL TASK
Removing the PPL attribute: KAVSHELL CONFIG
Starting and stopping Real-Time Computer Protection tasks: KAVSHELL RTP
Managing the Applications Launch Control task: KAVSHELL APPCONTROL /CONFIG
Rule Generator for Applications Launch Control: KAVSHELL APPCONTROL /GENERATE
Filling the list of Applications Launch Control rules: KAVSHELL APPCONTROL
Filling the list of Device Control rules: KAVSHELL DEVCONTROL
Starting the Database Update task: KAVSHELL UPDATE
Rolling back Kaspersky Industrial CyberSecurity for Nodes database updates: KAVSHELL ROLLBACK
Managing log inspection: KAVSHELL TASK LOG-INSPECTOR
Activating the application: KAVSHELL LICENSE
Enabling, configuring and disabling trace logs: KAVSHELL TRACE
Defragmenting Kaspersky Industrial CyberSecurity for Nodes log files: KAVSHELL VACUUM
Cleaning iSwift base: KAVSHELL FBRESET
Enabling and disabling dump file creation: KAVSHELL DUMP
Importing settings: KAVSHELL IMPORT
Exporting settings: KAVSHELL EXPORT
Integration with Microsoft Operations Management Suite: KAVSHELL OMSINFO
Managing the Baseline File Integrity Monitor task: KAVSHELL FIM /BASELINE
Command return codes
Return codes for the KAVSHELL START and KAVSHELL STOP commands
Return code for KAVSHELL SCAN and KAVSHELL SCANCRITICAL commands
Return codes for the KAVSHELL TASK LOG-INSPECTOR command
Return codes for the KAVSHELL TASK command
Return codes for the KAVSHELL RTP command
Return codes for the KAVSHELL UPDATE command
Return codes for the KAVSHELL ROLLBACK command

Return codes for the KAVSHELL LICENSE command
Return codes for the KAVSHELL TRACE command
Return codes for the KAVSHELL FBRESET command
Return codes for the KAVSHELL DUMP command
Return codes for the KAVSHELL IMPORT command
Return codes for the KAVSHELL EXPORT command
Return codes for the KAVSHELL FIM /BASELINE command
Contacting Technical Support
How to get technical support
Technical Support via Kaspersky CompanyAccount
Using trace files and AVZ scripts
Providing extended diagnostic information to the Technical Support specialists
Sources of information about Kaspersky Industrial CyberSecurity for Nodes
Sources for independent retrieval of information
Discussing Kaspersky applications on the Forum
Glossary
Active key
Administration Server
Anti-virus databases
Archive
Backup
Disinfection
Event severity
False positive
File mask
Heuristic analyzer
Infectable file
Infected object
Kaspersky Security Network (KSN)
License term
Local task
OLE object
Policy
Protection status
Quarantine
Real-time protection
Security level
SIEM
Startup objects
Task
Task settings
Update
Vulnerability
Information about third-party code
Trademark notices

Kaspersky Industrial CyberSecurity for Nodes

This section describes the functions, components, and distribution kit of Kaspersky Industrial CyberSecurity for Nodes, and provides a list of hardware and software requirements of Kaspersky Industrial CyberSecurity for Nodes.

About Kaspersky Industrial CyberSecurity for Nodes

Kaspersky Industrial CyberSecurity for Nodes is a complex server and workstation security solution for IT threats in industrial control systems.

The application controls the operation of industrial enterprise network computers and uses the following components, functions, and technologies:

- **Applications Launch Control**. The component monitors user application starts and regulates application launches.
- **Device Control**. The component controls registration and usage of the external devices in order to protect computer against computer security threats, that may occur in process of file exchange with flash drives or other type of external device connected via USB.
- **PLC Project Integrity Check**. This function is designed to check the integrity of Programmable Logic Controller (PLC) projects used in an industrial system.

The operation of control components is based on rules, e.g.:

- Applications Launch Control uses rules for applications launch control.
- Device Control uses device access rules and connector bus access rules.
- The PLC Project Integrity Check function uses PLC Project Integrity Check rules.

Each type of threat is handled by a separate component. Components may be started and stopped, and their settings adjusted, independently.

The application checks and protects industrial network components using the following components:

- **Real-Time File Protection**. The component prevents the computer's file system from being infected. The component launches when Kaspersky Industrial CyberSecurity for Nodes starts, is continuously running in the computer's RAM, and checks all opened, saved, and started files on the computer and on all mounted drives. Real-Time File Protection observes each file event and checks this file for viruses and other programs that represent a threat.
- **Wi-Fi Control**. This component tracks a protected computer's attempts to connect to Wi-Fi networks and blocks or allows connections to detected networks.
- **Firewall Management**. This component provides the ability to manage the Windows Firewall: configure settings and operating system firewall rules and block any possibility of external firewall configuration.
- **Anti-Cryptor**. This component makes it possible to detect malicious encrypting of the network file resources of a protected computer from remote computers on the corporate network.
- **File Integrity Monitor**. Kaspersky Industrial CyberSecurity for Nodes detects changes in files within the monitoring scopes specified in the task settings. These changes may indicate a security breach on the

protected computer.

- **Log Inspection**. This component monitors the integrity of the protected environment based on the results of an inspection of Windows event logs.

In addition to the real-time protection provided by the components, we recommend that a regular scan of the computer be run to check for viruses and other applications that could pose a threat. This should be done to prevent the spread of any malware that was not detected by the components, e.g. due to a low level of protection in the settings or for other reasons.

To keep Kaspersky Industrial CyberSecurity for Nodes operating properly, databases and software modules utilized during the program's operation should be updated. By default, the application automatically updates, but, if required, you may manually update the application databases and modules.

The following tasks are used to protect computers:

- **Full Scan**. Kaspersky Industrial CyberSecurity for Nodes carefully checks the operating system, including system memory, any objects booted at operating system start, and the backup of the operating system, as well as all hard and removable drives.

- **Custom Scan**. Kaspersky Industrial CyberSecurity for Nodes scans user-selected objects.

- **Critical Areas Scan**. Kaspersky Industrial CyberSecurity for Nodes scans objects that are loaded at operating system start, are in system memory, or are objects that may contain rootkits.

- **Update**. Kaspersky Industrial CyberSecurity for Nodes downloads application database and module updates. Updates help the computer's protection stay up to date against viruses and other programs that pose a threat.

Remote Access through Kaspersky Security Center

Kaspersky Security Center allows Kaspersky Industrial CyberSecurity for Nodes to be started and stopped, for tasks to be administered, and program settings to be adjusted remotely on a client computer.

Program Utilities

Kaspersky Industrial CyberSecurity for Nodes contains an array of utilities. Utilities are designed to keep the application up to date and expand the application's ability to provide assistance.

- **Logs**. The activity of each component and task is recorded in a log during the application's operation. The log is a list of events that occurred during the operation of Kaspersky Industrial CyberSecurity for Nodes, as well as all operations undertaken by the application. If a problem occurs, logs may be sent to Kaspersky for Technical Support specialists to analyze.

- **Storages**. If during a scan for viruses and other programs that pose a threat the application detects an infected or probably infected file on a computer, it blocks this file. Probably infected files will be transferred by Kaspersky Industrial CyberSecurity for Nodes to Quarantine, a specialized repository. Kaspersky Industrial CyberSecurity for Nodes saves copies of the disinfected and deleted files to Backup. Files that were not processed for one reason or another will be placed by Kaspersky Industrial CyberSecurity for Nodes on the List of Unprocessed Files. You may scan files, restore files to their original location, place files in quarantine yourself, or empty the data repository.

- **Notifications**. The notifications service allows the user to be updated about events, the current status of the computer, and the operation of Kaspersky Industrial CyberSecurity for Nodes. Notifications may be displayed on screen or sent via email.

- **Kaspersky Security Network**. User participation in the Kaspersky Security Network (KSN) permits improved computer protection by allowing the system to receive information on file reputation, web resources, and software that is received from users all over the world in real time.
- **Exploit Prevention**. You can protect process memory from exploits using an Agent injected into the process.
- **List of blocked network sessions**. You can block network sessions that try to access the computer's shared network folders if any malicious activity is detected on their side.
- **Trusted Zone**. You can generate a list of exclusions from the protection or scan scope, that Kaspersky Industrial CyberSecurity for Nodes will apply in the On-Demand Scan and Real-Time File Protection tasks.
- **Support**. All registered Kaspersky Industrial CyberSecurity for Nodes users receive access to application database and module updates, as well as consultations with Kaspersky Technical Support specialists via email on any question related to installation, configuration, and use of the application.

Distribution kit

The distribution kit includes the welcome application that lets you do the following:

- Start the Kaspersky Industrial CyberSecurity for Nodes application Installation Wizard.
- Start the Kaspersky Industrial CyberSecurity for Nodes Console Installation Wizard.
- Start the Installation Wizard that will install Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in.
- Go to Kaspersky Industrial CyberSecurity for Nodes page on the Kaspersky website.
- Visit the Technical Support website.
- Read information about the current version of Kaspersky Industrial CyberSecurity for Nodes.

The distribution kit files are stored in different folders depending on their intended use:

- The \setup folder contains greeting program start files.
- The \client folder contains files for the installation of Kaspersky Industrial CyberSecurity for Nodes Console ("Kaspersky Industrial CyberSecurity for Nodes Console Administration Tools" set of components).
- The \server folder contains:
  - Files for the installation of Kaspersky Industrial CyberSecurity for Nodes components on a computer running a 32-bit or 64-bit Microsoft® Windows operating system.
  - File for the installation of Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in.
  - Archive of anti-virus databases current at the time the application was released.
  - File with the text of the End User License Agreement and Privacy Policy.
- The \gateway folder contains files for the installation of Kaspersky Security Gateway.

Kaspersky Industrial CyberSecurity for Nodes distribution kit files

File	Purpose
autorun.inf	Autorun file for the Kaspersky Industrial CyberSecurity for Nodes Installation Wizard when installing the application from removable drive.
release_notes.txt	The file contains release information.
migration.txt	The file describes migration from previous application versions.
\setup\setup.exe	Greeting program start file (starts setup.hta).
\setup\setup.hta	Application welcome screen launch file.
\client\kicstools.msi	Windows Installer installation package; installs Kaspersky Industrial CyberSecurity for Nodes Console on the protected devices.
\client\setup.exe	The file that starts the setup wizard for the "Administration Tools" set of components (including Kaspersky Industrial CyberSecurity for Nodes Console); it starts the kicstools.msi installation package file using the settings specified in the setup wizard.
\client\license.txt	Text of the End User License Agreement and Privacy Policy.
\gateway\security_gateway.msi	Windows Installer installation package; installs Kaspersky Security Gateway.
\gateway\license.txt	Text of the End User License Agreement and Privacy Policy.
\kvrt\KVRT.exe	Installer for Kaspersky Virus Removal Tool.
\server\bases.cab	Archive of anti-virus databases current at the time of application release.
\server\config.ini	Configuration file with installation parameters for creation ofKaspersky Industrial CyberSecurity for Nodes installation package in Kaspersky Security Center.
\server\setup.exe	The file that starts the wizard for installing Kaspersky Industrial CyberSecurity for Nodes on the protected device; it starts the installer package file kics.msi with the installation settings specified in the wizard.
\server\kics_x86.msi \server\kics_x64.msi	Windows Installer installation package; installs Kaspersky Industrial CyberSecurity for Nodes on the protected device.
\server\kics.kud	File in Kaspersky Unicode Definition format with a description of the installation package for remote installation of Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center.
\server\klcfginst.exe	Installer for Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in available via the Kaspersky Security Center. Install the Administration Plug-in on each protected device where the Kaspersky Security Center Administration Console is installed if you plan to use it for managing Kaspersky Industrial CyberSecurity for Nodes.
\server\license.txt	Text of the End User License Agreement and Privacy Policy.

Distribution kit files can be run from the Installation CD. If you have copied the distribution package files onto the local drive beforehand, make sure that the structure of the distribution kit files has been preserved.

Hardware and software requirements

Before installing Kaspersky Industrial CyberSecurity for Nodes, you must uninstall other anti-virus applications from the device to avoid possible conflicts between the applications.

Hardware requirements for the protected device

General requirement: x86/64-compatible single-core or multi-core systems.

Disk space requirements:

- For installing all application components: 100 MB
- For downloading and storing anti-virus databases: 2 GB or more
- For storing objects in Quarantine and in Backup: 400 MB or more
- For storing logs: 1 GB or more

Minimum configuration:

- Processor: 1.4 GHz single-core. For 64-bit Microsoft Windows operating systems – Intel® Pentium® IV.
- RAM:
  - 512 MB for a protected devices under operating systems:
    - Windows Server 2003 x86/x64
    - Windows Server 2008 x86
    - Windows 7 x86
    - Windows 8 x86
    - Windows XP x86/x64
    - Windows XP Embedded
    - Windows Embedded POSReady 2009
    - Windows Embedded POSReady 7
  - 1 GB for a protected device under operating systems:
    - Windows Server 2008 x64
    - Windows Server 2012 x64
    - Windows Server 2016 x64

- Windows Server 2019 x64
- Windows 7 x64
- Windows 8 x64
- Windows 10 x64
- Windows Embedded 7
- Windows Embedded 8

This space is used for storing Kaspersky CyberSecurity for Nodes components only. In case of Kaspersky Endpoint Agent installation on the same device, additional space is required:

- RAM: 50 MB
- Disk: 250 MB

- Disk:
  - 2 GB of free space for a protected devices under operating systems:
    - Windows 7 x86/x64
    - Windows 8 x86/x64
    - Windows XP x86/x64
    - Windows Embedded XP
    - Windows 10 x64
    - Windows Embedded POSReady 2009
    - Windows Embedded POSReady 7
    - Windows Embedded 7
    - Windows Embedded 8
  - 4 GB of free space for a protected devices under operating systems:
    - Windows Server 2003 x86/x64
    - Windows Server 2008 x86
    - Windows Server 2008 x64
    - Windows Server 2012 x64
    - Windows Server 2016 x64
    - Windows Server 2019 x64

    4 GB, which will be used as follows:

- 100 MB are required for installation of all application components.
- 400 MB are required for storing objects in Quarantine and Backup storages.
- 1 GB are required for storing logs.
- 2 GB are required for storing Anti-virus databases.

Recommended configuration:

- Processor: 2.4 GHz quad-core
- RAM: 2 GB
- Disk: 4 GB of free space

Software requirements for the protected device

Desktop operating systems:

- Windows XP Professional SP2 and later x86
- Windows Vista® SP 2 x86/x64
- Windows 7 Family:
  - Windows 7Professional / Enterprise / Ultimate x86/x64
  - Windows 7 Professional / Enterprise / Ultimate SP1 and later x86/x64
- Windows 8 Family:
  - Windows 8 Pro x86/x64
  - Windows 8 Enterprise x86/x64
- Windows 8.1 Pro / Enterprise x86/x64
- Windows 10 Family:
  - Windows 10 Pro x86/x64
  - Windows 10 Enterprise LTSC 2015 / 2016 / 2019 x86/x64
  - Windows 10 1507/19H1/20H1/20H1/21H1
  - Windows 10 1607/1703/1709/1803/1809

Server operating systems:

- Windows Server 2003 Standard / Enterprise SP2 and later x86/x64
- Windows Server 2008 Standard / Enterprise SP2 and later
- Windows Server 2008 R2 Standard / Enterprise SP1 and later

- Windows 2012 Family:
  - Windows Server 2012 Essentials / Standard / Foundation / Datacenter x64
  - Windows Server 2012 R2 Essentials / Standard / Foundation / Datacenter x64
- Windows Server 2016
- Windows Server 2019

Embedded systems:

- Windows XP Embedded x86 (POS Ready)
- Windows Embedded Standard 7 x86/x64
- Windows Embedded 8.1 Industry Pro x86/x64
- Windows Embedded 8.0 Standard x86/x64
- Windows 10 Family:
  - Windows 10 IoT Enterprise 19H1/20H1/20H1/21H1
  - Windows 10 IoT Enterprise1607/1703/1709/1803/1809
  - Windows 10 IoT Enterprise 1507 (10240.18818) x86/x64

You can upgrade Kaspersky Industrial CyberSecurity for Nodes from versions 2.6 to version 3.0. In this case the application applies the rule list set in the previous versionsalong with the new rule list.

If you want to upgrade Kaspersky Industrial CyberSecurity for Nodes from vsions alier than 2.6, you need to completely uninstall the application and then install Kaspersky Industrial CyberSecurity for Nodes 3.0. In this case the local rule lists set for the previous version will be removed, but rule lists controlled by Kaspersky Security Center policies will still be applied.

Supported industrial systems

Kaspersky Industrial CyberSecurity for Nodes 3.0 protects the following programmable logic controllers:

- SIMATIC™ series S7-300 (Siemens™)
- SIMATIC series S7-400 (Siemens)
- SIMATIC series S7-400H in the redundant mode (Siemens)
- Schneider Electric Modicon M340
- Schneider Electric Modicon M580

Limiting functional on later Windows versions

Windows XP SP2 version do not allow to block remote devices and configure the List of blocked network sessions settings. In this Windows version, the **Block access to network shared resources for the sessions that show malicious activity** option is inactive.

Hardware and software requirements for Kaspersky Security Gateway

General hardware and software requirements:

- 1 GB of free disk space.
- The Kaspersky Security Center Administration Server must be installed if the klakaut service is selected as a data provider.

Desktop operating systems:

- Windows Vista with SP 2 x86/x64
- Windows 7 Professional x86/x64
- Windows 7 Enterprise/Ultimate x86/x64
- Windows 7 Professional with SP1 and higher x86/x64
- Windows 7 Enterprise/Ultimate with SP1 and higher x86/x64
- Windows 8 Pro x86/x64
- Windows 8 Enterprise x86/x64
- Windows 8.1 Pro x86/x64
- Windows 8.1 Enterprise x86/x64
- Windows 10 Pro x86/x64
- Windows 10 Enterprise x86/x64
- Windows 10 RS1/RS2/RS3/RS4

Server operating systems:

- Windows Server 2008 Standard with SP1 and higher
- Windows Server 2008 Enterprise with SP1 and higher
- Windows Server 2008 R2 Standard
- Windows Server 2008 R2 Enterprise
- Windows Server 2008 R2 Standard with SP1
- Windows Server 2008 R2 Enterprise with SP1
- Windows Server 2012 Essentials/ Standard/ Foundation/ Datacenter x64

- Windows Server 2012 R2 Essentials/ Standard/ Foundation/ Datacenter x64
- Windows Server 2016

Monitoring the ICS security state: Kaspersky Security Center and SCADA

Kaspersky Industrial CyberSecurity for Nodes 3.0 can transmit the security state (information about detected threats) of the industrial control system ("ICS") to Kaspersky Security Center. If settings are configured to allow threat information to be sent to Kaspersky Security Center, then you can configure a SCADA system to receive information from Kaspersky Security Center about ICS threats.

Viewing the ICS security state in Kaspersky Security Center

To view the ICS security state in Kaspersky Security Center:

1. Open the Kaspersky Security Center Administration Console.
2. In the Administration Console tree, select the **Managed devices** node.
3. In the list of computers, select the computer on which Kaspersky Industrial CyberSecurity for Nodes 3.0 is installed.

Information about the security state is displayed in the details pane on the right.

The status of the computer with Kaspersky Industrial CyberSecurity for Nodes 3.0 displays the ICS security state. The color of the computer icon corresponds to one of two possible ICS states:

- Green: OK. The computer with Kaspersky Industrial CyberSecurity for Nodes 3.0 has no unconfirmed critical events (Kaspersky Security Center incidents).
- Red: Critical. The computer with Kaspersky Industrial CyberSecurity for Nodes 3.0 has unconfirmed critical events (Kaspersky Security Center incidents).

Viewing the ICS security state through a SCADA system

To configure the ICS security state to be received and displayed by a SCADA system:

1. Install Kaspersky Security Gateway.
2. Configure the connection to the SCADA system and the communication protocols usage for tramsmit and display the information received from Kaspersky Industrial CyberSecurity for Nodes about the protection status of industrial networks and network nodes.

Kaspersky Virus Removal Tool 2015

Kaspersky Virus Removal Tool 2015 is a utility designed to check and disinfect infected computers administered by Microsoft Windows-family operating systems. Kaspersky Virus Removal Tool 2015 detects viruses, Trojans, and other programs threatening the protected computer, and lets users select how detected infected objects should be handled.

Kaspersky Virus Removal Tool 2015 does not require installation. The application may be started in the following manner:

- From the kvrt\ folder, start the kvrt.exe executable file included in the Kaspersky Industrial CyberSecurity for Nodes 3.0 distribution kit.
- Click the **Start scan for active infection** link in the welcome window.

The utility cannot be started through the local Kaspersky Industrial CyberSecurity for Nodes 3.0 Console or the Kaspersky Industrial CyberSecurity for Nodes 3.0 Administration Plug-in.

After disinfecting any detected infection, the computer must be restarted. We recommend only starting Kaspersky Virus Removal Tool 2015 during the industrial network's maintenance windows.

Kaspersky Virus Removal Tool 2015 is not a part of Kaspersky Industrial CyberSecurity solution and does not depend on Kaspersky Industrial CyberSecurity for Nodes 3.0 components.

Anti-virus database updates are performed independently of Kaspersky Industrial CyberSecurity for Nodes 3.0 updates. When starting Kaspersky Virus Removal Tool 2015, the application will inform you of any need to update. To update the utility, you must be connected to the Internet.

The operation of Kaspersky Virus Removal Tool 2015 is governed by a separate End User License Agreement that you may read on the technical support site.

The technical support site also provides information about system requirements for the computer where the utility is started, and detailed instructions on working with Kaspersky Virus Removal Tool 2015.

Kaspersky Endpoint Agent

You can install Kaspersky Endpoint Agent on individual devices in the organization's IT infrastructure. The application constantly monitors the processes running on these devices, open network connections and the files being modified. Kaspersky Endpoint Agent supports interaction with the following Kaspersky solutions to detect sophisticated threats (such as targeted attacks):

- Kaspersky Endpoint Detection and Response Optimum (supported by Kaspersky Endpoint Agent 3.9 and higher)
- Kaspersky Anti Targeted Attack Platform (supported by Kaspersky Endpoint Agent 3.8 and higher)
- Kaspersky Sandbox (supported by Kaspersky Endpoint Agent 3.7 and higher.)

Kaspersky CyberSecurity for Nodes and Kaspersky CyberSecurity for Networks support Kaspersky Endpoint Agent 3.11. Within integration with Kaspersky Industrial CyberSecurity for Networks, Kaspersky Endpoint Agent provides only telemetry which allows to create an interactive map of device interaction.

You need to run the pilot testing before installation of Kaspersky Endpoint Agent on the devices running Windows XP to exclude possible risks that can affect critical software.

You can request the indicated versions of these programs from your technical account manager (TAM).

Functional requirements and limitations

This section describes additional functional requirements and existing limitations for Kaspersky Industrial CyberSecurity for Nodes components.

Installation and uninstallation

Following is the list of installation and uninstallation limitations:

- When you install the application, a warning may appear on the screen If the specified path to the Kaspersky Industrial CyberSecurity for Nodes installation folder contains more than 150 characters. The warning does not affect the installation process: you can install and run Kaspersky Industrial CyberSecurity for Nodes.
- If you want to install the SNMP protocol support component, make sure to restart the SNMP service if the SNMP service is running.
- If you want to install and run Kaspersky Industrial CyberSecurity for Nodes on a device running on an embedded operating system, make sure to install the Filter Manager component.
- You cannot install Kaspersky Industrial CyberSecurity for Nodes Administration Tools via Microsoft Active Directory group policies.
- If you install the application on the protected devices running on older operating systems unable to receive regular updates, ensure that the following root certificates are installed:
  - DigiCert Assured ID Root CA
  - DigiCert_High_Assurance_EV_Root_CA
  - DigiCertAssuredIDRootCA

  If the specified root certificates are not installed, the application may function improperly. We recommend that you install the certificates as soon as possible.

File Integrity Monitor

By default, the File Integrity Monitor does not monitor changes in the system folders or the file system's housekeeping files to not clutter task reports with information about routine file changes performed constantly by the operating system. You cannot include such folders in the monitoring scope.

The following folders and files are excluded from the monitoring scope:

- NTFS housekeeping files with file id from 0 to 33

- %SystemRoot%\Prefetch\
- %SystemRoot%\ServiceProfiles\LocalService\AppData\Local\
- %SystemRoot%\System32\LogFiles\Scm\
- %SystemRoot%\Microsoft.NET\Framework\v4.0.30319\
- %SystemRoot%\Microsoft.NET\Framework64\v4.0.30319\
- %SystemRoot%\Microsoft.NET\
- %SystemRoot%\System32\config\
- %SystemRoot%\Temp\
- %SystemRoot%\ServiceProfiles\LocalService\
- %SystemRoot%\System32\winevt\Logs\
- %SystemRoot%\System32\wbem\repository\
- %SystemRoot%\System32\wbem\Logs\
- %ProgramData%\Microsoft\Windows\WER\ReportQueue\
- %SystemRoot%\SoftwareDistribution\DataStore\
- %SystemRoot%\SoftwareDistribution\DataStore\Logs\
- %ProgramData%\Microsoft\Windows\AppRepository\
- %ProgramData%\Microsoft\Search\Data\Applications\Windows\
- %SystemRoot%\Logs\SystemRestore\
- %SystemRoot%\System32\Tasks\Microsoft\Windows\TaskScheduler\

The application excludes top-level folders.

The component does not monitor files changes that bypass the ReFS/NTFS file system (file changes made through BIOS, LiveCD, and more).

Firewall Management

Following is the list of limitations for Firewall Management:

- You should specify more than one address. Otherwise, working with IPv6 is unavailable.
- Preset Firewall policy rules support basic scenarios of interaction between protected devices and Administration Server. To make full use of Kaspersky Security Center functions, you need to configure port rules. You can find information about port numbers, protocols and their functions in the Kaspersky Security Center Knowledge Base.

- The application only controls the modification of Windows Firewall rules and rule groups when the Firewall management task is started if you preconfigure the rules for the task when installing the application. To update the status and add the required rules, make sure to restart the Firewall management task.

- When the Firewall Management task is started, denying rules and rules monitoring outgoing traffic are automatically removed from the operating system firewall settings.

Other limitations

Limitations of **On-Demand Scan** and **Real-Time File Protection**:

- Scanning of connected MTP-devices is not available.

- Archive scanning is unavailable without SFX-archive scanning: if archive scanning is enabled in the protection settings of Kaspersky Industrial CyberSecurity for Nodes, the application automatically scans objects in both archives and SFX-archives. SFX-archive scanning is available without archive scanning.

- If **Deeper analysis of launching processes (process launch is blocked until the analysis ends)** checkbox and **KSN Usage** service are enabled simultaneously, any launched process that receives URL web-address as an argument will be blocked, even if Only Statistics mode was chosen. To avoid blocking the process, please choose one of the options:

  - Disable **KSN Usage** service

  - Disable **Deeper analysis of launching processes (process launch is blocked until the analysis ends)** checkbox

  Recommended option: Disable Deeper analysis of launching processes checkbox

Licensing: You cannot activate the application with a key via the Setup wizard if the key was created using the SUBST command, or if the path to the key file is a network path.

Updates:

- By default, the application icon is hidden after Kaspersky Industrial CyberSecurity for Nodes critical modules updates are installed.

- KLRAMDISK is not supported on protected devices running the Windows XP or Windows Server 2003 operating system.

Interface:

- In the Application Console, filtering in the Quarantine, Backup, System audit log or Task log is case sensitive.

- When configuring a protection or scan scope in the Application Console, you can use only one mask and only at the end of the path. Following are the examples of correct masks: "C:\Temp\Temp*", or "C:\Temp\Temp???.doc", and "C:\Temp\Temp*.doc". This limitation does not affect configuration of the Trusted Zone.

Security:

- If the operating system's User Account Control feature is enabled, a user account must be part of the KAVWSEE Administrators group to open the Application Console with a double-click on the application icon in the tray notification area. Otherwise, it will be necessary to login as a user who is allowed to open the Compact Diagnostic Interface or Microsoft Management Console snap-in.

- If User Account Control is enabled, you cannot uninstall the application via the Microsoft Windows Programs and Features window.

Integration with Kaspersky Security Center:

- When update packages are received, Administration Server verifies database updates before sending the updates to protected devices on the network. Administration Server does not verify software module updates.

- Make sure that the required check boxes are selected in the Interaction with the Administration Server settings when you use the components that transmit dynamic data to Kaspersky Security Center using network lists (Quarantine, Backup).

Exploit prevention:

- Exploit Prevention is unavailable if the apphelp.dll libraries are not loaded in the current environment configuration.

- The Exploit Prevention component is incompatible with Microsoft's EMET utility on protected devices running the Microsoft Windows 10 operating system: Kaspersky Industrial CyberSecurity for Nodes blocks EMET, if the Exploit Prevention component is being installed on a protected device with EMET installed.

What's new

The new version of Kaspersky Industrial CyberSecurity for Nodes introduces the following new features and improvements:

- Changes to the list of supported operating systems:
  - The following operating systems are supported:
    - Microsoft Windows 10 20H1
    - Microsoft Windows 10 21H1
    - Microsoft Windows Server 2008 R2 Standard SP1
    - Microsoft Windows Server 2008 R2 Enterprise SP1
  - Support for the following operating systems is terminated:
    - Microsoft Windows Server 2008 R2 Standard
    - Microsoft Windows Server 2008 R2 Enterprise
- Kaspersky Industrial CyberSecurity for Nodes can now connect to Kaspersky Industrial CyberSecurity for Networks. When active connection is used, Kaspersky Industrial CyberSecurity for Nodes sends the following data to Kaspersky Industrial CyberSecurity for Networks: device data, information about triggering of the protection components, and information about network communications. When these solutions are used together, they provide comprehensive protection for the industrial network. Kaspersky Endpoint Agent is used for connection.
- Self-defense settings: in the application settings, you can now enable or disable protection of application processes from external threats (the option is enabled by default). When the option is enabled, the application protects its own processes, as well as the processes of Kaspersky Security Center Network Agent, against interference from third-party processes. Protection of application processes can be configured via Application console, via Administration plug-in, and via Web plug-in.
- Troubleshooting settings: in the application settings you can now enable or disable **Write debug information to the trace file in this folder** option (by default, this option is disabled).
- Improvements to the Kaspersky Security Center:
  - Trusted Zone policy profiles are added.
  - The capability is added to configure the triggering criteria for the applications launch control rule when creating rules based on events of blocked launches.
- Improvements to the Event registration: the formatting for Baseline File Integrity Monitor, Applications Launch Control, and Log Inspector events is added for correct event transmission to SIEM.
- Improvements to the Trusted Zone rules: now you can add exclusions for the Network Threat Protection task. Exclusions are set in the form of Trusted Zone rules with the Network Threat Protection option selected. Application decisions that fall under the exclusions do not lead to blocking of network sessions. Trusted Zone rules can be created via Application console, via Administration plug-in, and via Web plug-in.
- Improvements to the Real-Time Protection settings: now you can enable the launch of the Critical Areas Scan task if signs of active infection are detected. If this option is enabled, the application automatically creates and

starts a temporary Critical Areas Scan task on the computer where an active infection was detected.

- Improvements to the Log Analysis task's components: now you can set the rules for the value of the "Source" parameter in the Windows Event Log in Triggering criteria for custom rules.
- Improvements to the On-Demand Scan task's components: anti-virus scan of the tasks created in the System Planner is implemented. Monitoring of tasks created by the System Planner is performed with the "Startup Objects" scan area enabled.
- Changes to the Device Control task: now it supports blocking of devices connected via USB that support UAS technology. The task's component can now work in the 'Statistics only' mode.
- Improvements to the System Inspection settings: in the Registry Access Monitor task, you can compile statistics or block changes for the registry keys and values in the selected monitoring area after you create a respective rule. Also, you can Apply Trusted Zone to exclude trusted processes and trusted users from the monitoring area.
- Optimization of the Compact Diagnostic Interface: with password protection enabled, access to the **Troubleshooting** tab now requires a password. The rest of the tabs can still be accessed without entering a password.
- Optimization of the Methods of protection against active threats: now the application notifies you if the signs of active infection are detected during the Real-Time Protection tasks execution. The application marks the detected objects for deletion and deletes such objects from the computer after restart.
- Optimization of the On-Demand Scan task settings: now the application detects suspicious WMI subscriptions in the WMI namespace on the computer with Kaspersky Industrial CyberSecurity for Nodes installed and deletes them. Monitoring of persistent WMI subscriptions is performed with the Startup Objects scan area enabled.
- Interface optimization: a new link was added to the main screen of the local Console to open the Trusted Zone settings window. There is also a separate node for the Exploit Prevention component in the Real-Time Server Protection section.
- The capability to import templates of trusted zones and processes for industrial software during the application installation is implemented.
- The capability to limit CPU consumption for scan tasks is implemented. Limiting CPU consumption of application processes can be configured via Application console, via Administration plug-in, and via Web plug-in.
- Some default application settings are changed, which reduces initial setup time. However, during the installation you are still able to select settings that best suit your needs.
- Online documentation is added for the application.
- Support for activation codes is implemented.
- Bugs from the previous versions are fixed: the application includes the bug-fixes issued for the previous versions.

Typical deployments

Kaspersky Industrial CyberSecurity for Nodes is a part of Kaspersky Industrial CyberSecurity solution.

Kaspersky Industrial CyberSecurity solution includes the following utility and applications:

- Kaspersky Security Gateway.
- Kaspersky Industrial CyberSecurity for Nodes.
- Kaspersky Industrial CyberSecurity for Networks.
- Kaspersky Security Center.

Kaspersky Industrial CyberSecurity for Networks and Kaspersky Industrial CyberSecurity for Nodes work at different levels of a *dedicated network*. A Kaspersky Industrial CyberSecurity dedicated network is part of an industrial network that includes computers designed to run Kaspersky Industrial CyberSecurity applications to protect industrial systems and auxiliary hardware (for example, switches).

Kaspersky Industrial CyberSecurity for Networks monitors and analyzes industrial network traffic. Kaspersky Industrial CyberSecurity for Nodes, which is installed on an industrial network node, protects the computer from known computer security threats and monitors the integrity of PLCs projects included in the scan scope.


You can control Kaspersky Industrial CyberSecurity for Networks and Kaspersky Industrial CyberSecurity for Nodes deployed on the same dedicated network using a single Kaspersky Security Center Administration Console. You can also configure the diagnostic information received from Kaspersky Industrial CyberSecurity for Networks and Kaspersky Industrial CyberSecurity for Nodes to be sent from Kaspersky Security Center to the SCADA system using Kaspersky Security Gateway.

Kaspersky Industrial CyberSecurity for Nodes includes:

- *Functional module* – records information about the state of industrial network nodes and protects nodes from data threats.
- *Console* – is the local graphical user interface. You can use the Kaspersky Industrial CyberSecurity for Nodes Console to control the application on industrial network nodes. The Console may be installed on a computer with Kaspersky Industrial CyberSecurity for Nodes installed or any other computer on the protected network. In this case, the Console is used to control the application remotely. You can also use one Console to control several computers protected by Kaspersky Industrial CyberSecurity for Nodes.

Kaspersky Industrial CyberSecurity for Nodes records security events on the protected nodes and sends the events to the application's Console and the Kaspersky Security Center Administration Console. The application's local Console and the Kaspersky Security Center Administration Console are accessed from the workstation of the specialist monitoring the industrial process at the enterprise, and from the workstation of the information security specialist.

In the example of the deployment of Kaspersky Industrial CyberSecurity for Nodes as part of the Kaspersky Industrial CyberSecurity solution (see the figure below), the dedicated network is shown in blue and the industrial network components are shown in red. The deployment scheme depends on the particulars of the industrial network in which the applications of the Kaspersky Industrial CyberSecurity solution are planned to be installed.



Kaspersky Industrial CyberSecurity for Nodes deployment scheme

Installing and removing the application

This section provides step-by-step instructions for installing and removing Kaspersky Industrial CyberSecurity for Nodes.

Installation planning

This section describes the set of Kaspersky Industrial CyberSecurity for Nodes administration tools, and special aspects of installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes using a wizard, command line, using Kaspersky Security Center and via an Active Directory group policy.

Before starting installation of Kaspersky Industrial CyberSecurity for Nodes, plan the main stages of the installation.

1. Determine which administration tools will be used to manage and configure Kaspersky Industrial CyberSecurity for Nodes.
2. Select the necessary application components for installation.
3. Select the installation method.

Selecting administration tools

Determine the administration tools that will be used to configure Kaspersky Industrial CyberSecurity for Nodes settings and to manage the application. Kaspersky Industrial CyberSecurity for Nodes can be managed using the Application Console, command-line utility, and Kaspersky Security Center Administration Console.

Kaspersky Industrial CyberSecurity for Nodes Console

Kaspersky Industrial CyberSecurity for Nodes Console is a standalone snap-in added to the Microsoft Management Console. Kaspersky Industrial CyberSecurity for Nodes can be managed via the Application Console installed on the protected device or on another device on the corporate network.

Multiple Kaspersky Industrial CyberSecurity for Nodes snap-ins can be added to one Microsoft Management Console opened in author mode to use it to manage the protection of multiple device with Kaspersky Industrial CyberSecurity for Nodes installed.

The Application Console is included in the set of "Administration Tools" application components.

Command line utility

You can manage Kaspersky Industrial CyberSecurity for Nodes from the command line of a protected device.

The command line utility is included in the Kaspersky Industrial CyberSecurity for Nodes software components group.

Kaspersky Security Center

If Kaspersky Security Center is used for centralized management of anti-virus protection of devices at your company, you can manage Kaspersky Industrial CyberSecurity for Nodes via the Kaspersky Security Center Administration Console.

The following components must be installed:

- **Module for integration with Kaspersky Security Center Network Agent**. This component is included in the Kaspersky Industrial CyberSecurity for Nodes software components group. It allows Kaspersky Industrial CyberSecurity for Nodes to communicate with the Network Agent. Install the module for integration with Kaspersky Security Center Network Agent on the protected device.

- **Kaspersky Security Center Network Agent**. Install this component on each protected device. This component supports interaction between Kaspersky Industrial CyberSecurity for Nodes installed on the protected device and Kaspersky Security Center Administration Console. The Network Agent installation file is included in the Kaspersky Security Center distribution kit folder.

- **Kaspersky Industrial CyberSecurity for Nodes 3.0 Administration Plug-in**. Additionally, install the Administration Plug-in for managing Kaspersky Industrial CyberSecurity for Nodes via the Administration Console on the protected device where the Kaspersky Security Center Administration Server is installed. This provides the interface for application management via Kaspersky Security Center. The Administration Plug-in installation file, \server\klcfginst.exe, is included in the Kaspersky Industrial CyberSecurity for Nodes distribution kit.

Selecting the installation type

After specifying the software components for installation of Kaspersky Industrial CyberSecurity for Nodes, you need to select the application installation method.

Select the installation method depending on the network architecture and the following conditions:

- Whether you need special Kaspersky Industrial CyberSecurity for Nodes installation settings, or the recommended installation settings.

- Whether the installation settings will be the same for all protected devices or specific to each protected device.

Kaspersky Industrial CyberSecurity for Nodes can be installed interactively using the Setup Wizard or in silent mode without user involvement, and can be invoked by running the installation package file with installation settings from the command line. A centralized remote installation of Kaspersky Industrial CyberSecurity for Nodes can be performed using Active Directory group policies or using the Kaspersky Security Center remote installation task.

Kaspersky Industrial CyberSecurity for Nodes can be installed and configured on a single protected device with its settings saved to a configuration file; the file can then be used to install Kaspersky Industrial CyberSecurity for Nodes on other protected devices. Note that this ability does not exist when the application is installed using Active Directory group policies.

Starting the Setup Wizard

The Setup Wizard can install the following:

- Kaspersky Industrial CyberSecurity for Nodes components on a protected device out of a \server\setup.exe file included in the distribution kit.

- Kaspersky Industrial CyberSecurity for Nodes Console from the \client\setup.exe file in the distribution kit on the protected device or another LAN host.

Running the installation package file from the command line with the necessary installation settings

If the installation package file is started without command-line options, Kaspersky Industrial CyberSecurity for Nodes will be installed with the default settings. Kaspersky Industrial CyberSecurity for Nodes options can be used to modify the installation settings.

The Application Console can be installed on the protected device and / or administrator's workstation.

You can also use sample commands for the installation of Kaspersky Industrial CyberSecurity for Nodes and the Application Console.

Centralized installation via Kaspersky Security Center

If Kaspersky Security Center is used in your network for managing networked devices' anti-virus protection, Kaspersky Industrial CyberSecurity for Nodes can be installed on multiple devices by using the remote installation task.

The protected devices on which you want to install Kaspersky Industrial CyberSecurity for Nodes using Kaspersky Security Center may be in the same domain as Kaspersky Security Center in a different domain, or in no domain at all.

Centralized installation using Active Directory group policies

Active Directory group policies can be used to install Kaspersky Industrial CyberSecurity for Nodes on the protected device. The Application Console can be installed on the protected device or administrator's workstation.

Kaspersky Industrial CyberSecurity for Nodes can be installed using just the recommended installation settings.

The protected devices on which Kaspersky Industrial CyberSecurity for Nodes is installed using Active Directory group policies must be located in the same domain and the same organizational unit. Installation is performed at protected device start before logging in to Microsoft Windows.

Installing and uninstalling the application using a wizard

This section describes the installation and uninstallation of Kaspersky Industrial CyberSecurity for Nodes and the Application Console by means of the Setup Wizard, and contains information about additional configuration of Kaspersky Industrial CyberSecurity for Nodes and actions to be performed upon installation.

Installing using the Setup Wizard

The following sections contain information about installation of Kaspersky Industrial CyberSecurity for Nodes and the Application Console.

To install and proceed to use Kaspersky Industrial CyberSecurity for Nodes:

1. Install Kaspersky Industrial CyberSecurity for Nodes on a protected device.
2. Install the Application Console on the devices from which you intend to manage Kaspersky Industrial CyberSecurity for Nodes.
3. If the Application Console has been installed on any device in the network, other than protected device, perform the additional configuration to allow Application Console users to manage Kaspersky Industrial CyberSecurity for Nodes remotely.
4. Perform actions after installation of Kaspersky Industrial CyberSecurity for Nodes.

Kaspersky Industrial CyberSecurity for Nodes installation

Before installing Kaspersky Industrial CyberSecurity for Nodes, do the following:

1. Make sure no other anti-virus programs are installed on the protected device.
2. Make sure that the account which you are using to start the Setup Wizard belongs to the administrators group on the protected device.

After completing the actions described above, proceed with the installation procedure. Following the Setup Wizard instructions, specify the installation settings for Kaspersky Industrial CyberSecurity for Nodes. The Kaspersky Industrial CyberSecurity for Nodes installation process can be stopped at any step of the Setup Wizard. To do so, click the **Cancel** button in the Setup Wizard's window.

You can read more about the installation (uninstallation) settings.

To install Kaspersky Industrial CyberSecurity for Nodes using the Setup Wizard:

1. Start the setup.exe file on the protected device.
2. In the window that opens, in the **Installation** section, click the **Install Kaspersky Industrial CyberSecurity for Nodes 3.0** link.
3. In the welcome screen of the Kaspersky Industrial CyberSecurity for Nodes Setup Wizard, click the **Next** button.

   The **End User License Agreement and Privacy Policy** window opens.
4. Review the terms of the License Agreement and Privacy Policy.
5. If you agree to the terms and conditions of End User License Agreement and Privacy Policy, select the **I confirm that I have fully read, understood, and accept the terms and conditions of this End User License Agreement** and **I am aware and agree that my data will be handled and transmitted (including to third countries) as described in the Privacy Policy. I confirm that I have fully read and understand the Privacy Policy** check boxes in order to proceed with the installation.

   If you do not accept the End User License Agreement and/or Privacy Policy the installation will be aborted.
6. Click the **Next** button.

   The **Quick scan of the device before installation** window opens.

7. In the **Quick scan of the device before installation**, select the **Scan device for viruses** check box to scan system memory and the boot sectors of the protected device local drives for threats. Click the **Next** button. On completion of the scanning procedure the wizard will open a window reporting the scan results.

   This window displays information about scanned protected device objects: the total number of scanned objects, the number of threats detected, the number of infected or probably infected objects detected, the number of dangerous or potentially dangerous processes removed from memory by Kaspersky Industrial CyberSecurity for Nodes, and the number of dangerous or potentially dangerous processes that the application was unable to remove.

   To see exactly which objects were scanned, click the **List of processed objects** button.

8. Click the **Next** button in the **Quick scan of the device before installation** window.

   The **Custom installation** window opens.

9. Select the components to be installed.

   By default, all Kaspersky Industrial CyberSecurity for Nodes components are included in recommended installation set, except the Firewall Management component.

   The SNMP Protocol Support component of Kaspersky Industrial CyberSecurity for Nodes will only appear in the list of components suggested for installation if the Microsoft Windows SNMP service is installed on the protected device.

10. To cancel all changes, click the **Reset** button in the **Custom installation** window. Click the **Next** button.

11. In the **Select a destination folder** window:

    - If required, specify a folder to which Kaspersky Industrial CyberSecurity for Nodes files will be copied.
    - If required, review the information about available space on local drives by clicking the **Disk** button.

    Click the **Next** button.

12. In the **Advanced installation settings** window, configure the following installation settings:

    - **Enable real-time protection after installation of application**.
    - **Add Microsoft recommended files to exclusions list**.
    - **Add Kaspersky recommended files to exclusions list**.

      Click the **Next** button.

13. In the **Import settings from configuration file** window:

    a. Specify the configuration file to import Kaspersky Industrial CyberSecurity for Nodes settings from an existing configuration file created in any compatible previous version of the application.

    b. Click the **Next** button.

14. In the **Activation of the application** window, do one of the following:

    - If you want to activate the application, specify a Kaspersky Industrial CyberSecurity for Nodes key file for application activation.
    - If you want to activate the application later, click the **Next** button.
    - If a key file was previously saved in the \server folder of the distribution kit, the name of this file will be displayed in the **Key** field.

To add a key using a key file stored in another folder, specify the key file.

Once the key file is added, license information will be shown in the window. Kaspersky Industrial CyberSecurity for Nodes displays the license's calculated expiration date. The license term runs from the time when you add a key and expires no later than the expiration date of the key file.

Click the **Next** button to apply the key file in the application.

15. In the **Ready to install** window, click the **Install** button. The wizard will start the installation of Kaspersky Industrial CyberSecurity for Nodes components.

16. The **Installation complete** window opens when installation is complete.

17. Select the **View Release Notes** check box to view information about the release after the Setup Wizard is done.

18. Click **Finish**.

The Setup Wizard closes. Once installation is complete, Kaspersky Industrial CyberSecurity for Nodes is ready to use if you have added an activation key.

Kaspersky Industrial CyberSecurity for Nodes Console installation

Follow the instructions of the Setup Wizard to configure installation settings for the Application Console. The installation process can be stopped at any step of the wizard. To do so, click the **Cancel** button in the Setup Wizard window.

To install the Application Console:

1. Make sure that the account you use to run the Setup Wizard belongs to the administrators group on the device.

2. Run the setup.exe file on the protected device.

   The welcome window opens.

3. Click on the **Install Kaspersky Industrial CyberSecurity for Nodes Console** link.

   The Setup Wizard's welcome window opens.

4. Click the **Next** button.

5. In the window that opens, review the terms of the End User License Agreement and select the **I confirm that I have fully read, understood, and accept the terms and conditions of this End User License Agreement** check box in order to proceed with the installation.

6. Click the **Next** button.

   The **Advanced installation settings** window opens.

7. In the **Advanced installation settings** window:

   - If you intend to use the Application Console to manage Kaspersky Industrial CyberSecurity for Nodes installed on a remote device, select the **Allow remote access** check box.

   - To open the **Custom installation** window and select components:

a. Click the **Advanced** button.

The **Custom installation** window opens.

b. Select the "Administration Tools" components from the list.

By default, all the components are installed.

c. Click the **Next** button.

You can find more detailed information about Kaspersky Industrial CyberSecurity for Nodes components.

8. In the **Select a destination folder** window:

a. If required, specify a different folder to which the files being installed should be saved.

b. Click the **Next** button.

9. In the **Ready to install** window, click the **Install** button.

The wizard will begin installing the selected components.

10. Click **Finish**.

The Setup Wizard closes. The Application Console will be installed on the protected device.

If the "Administration tools" set has been installed on any device in the network other than protected device, configure the advanced settings.

Advanced settings after installation of the Application Console on another device

If the Application Console has been installed on any device in the network, other than a protected device, perform the following actions to allow users to manage Kaspersky Industrial CyberSecurity for Nodes remotely:

- Add Kaspersky Industrial CyberSecurity for Nodes users to the KICS Administrators group on the protected device.
- Allow network connections for the Kaspersky Security Management Service (kavfsgt.exe), if the protected device uses Windows Firewall or a third-party firewall.
- If the **Allow remote access** check box is not selected during installation of the Application Console on a device running Microsoft Windows, manually allow network connections for the Application Console via the device's firewall.

The Application Console on the remote device uses the DCOM protocol to receive information about Kaspersky Industrial CyberSecurity for Nodes events (such as objects scanned, tasks completed, etc.) from the Kaspersky Security Management Service on the protected device. You need to allow network connections for the Application Console in the Windows Firewall settings in order to establish connections between the Application Console and the Kaspersky Security Management Service.

On the remote device, where the Application Console is installed, do the following:

- Make sure that anonymous remote access to COM applications is allowed (but not remote start and activation of COM applications).

- In Windows Firewall, open TCP port 135 and allow network connections for kavfsrcn.exe, the executable file of the Kaspersky Industrial CyberSecurity for Nodes remote management process.

  The device where the Application Console is installed uses TCP port 135 to access the protected device and to receive a response.

- Configure an outbound rule for Windows Firewall to allow the connection.

  Unlike the traditional TCP/IP and UDP/IP services where a single protocol has a fixed port, DCOM dynamically assigns ports to remote COM objects. If a firewall exists between the client (where the Application Console is installed) and the DCOM endpoint (the protected device), a large range of ports must be opened.

The same steps should be applied to configure any other software or hardware firewall.

If the Application Console is open while you configure the connection between the protected device and the device on which the Application Console is installed:

1. Close the Application Console.
2. Wait until the Kaspersky Industrial CyberSecurity for Nodes remote management process kavfsrcn.exe is finished.
3. Restart the Application Console.

   The new connection settings will be applied.

Allowing anonymous remote access to COM applications

The names of settings may vary depending on the installed Windows operating system.

To allow anonymous remote access to COM applications:

1. On the remote device with the Kaspersky Industrial CyberSecurity for Nodes Console installed, open the Component Services console.
2. Select **Start** → **Run**.
3. Enter the command `dcomcnfg`.
4. Click **OK**.
5. Expand the **Computers** node in the **Component Services** console on your protected device.
6. Open the context menu on the **My Computer** node.
7. Select **Properties**.
8. On the **COM Security** tab of the **Properties** window, click the **Edit Limits** button in the **Access permissions** settings group.
9. Make sure that the **Allow Remote Access** check box is selected for the ANONYMOUS LOGON user in the **Allow Remote Access** window.

10. Click **OK**.

Allowing network connections for the Kaspersky Industrial CyberSecurity for Nodes remote management process

The names of settings may vary depending on the installed Windows operating system.

To open TCP port 135 in Windows Firewall and to allow network connections for the Kaspersky Industrial CyberSecurity for Nodes remote management process:

1. Close the Kaspersky Industrial CyberSecurity for Nodes Console on the remote device.
2. Perform one of the following steps:
   - On Microsoft Windows XP SP2 or later:
     a. Select **Start** > **Windows Firewall**.
     b. In the **Windows Firewall** window (or Windows Firewall settings), click the **Add port** button on the **Exclusions** tab.
     c. In the **Name** field, specify the port name RPC (TCP/135) or enter another name, for example Kaspersky Industrial CyberSecurity for Nodes DCOM, and specify the port number (135) in the **Port name** field.
     d. Select the **TCP** protocol.
     e. Click **OK**.
     f. Click the **Add** button on the **Exclusions** tab.
   - On Microsoft Windows 7 or later:
     a. Select **Start** > **Control Panel** > **Windows Firewall**.
     b. In the **Windows Firewall** window, select **Allow a program or feature through Windows Firewall**.
     c. In the **Allow programs to communicate through Windows Firewall** window click the **Allow another program** button.
3. Specify the kavfsrcn.exe file in the **Add Program** window. It is located in the destination folder specified during installation of Kaspersky Industrial CyberSecurity for Nodes Console using Microsoft Management Console.
4. Click **OK**.
5. Click the **OK** button in the **Windows Firewall (Windows Firewall settings)** window.

Adding outbound rule for Windows Firewall

The names of settings may vary depending on the installed Windows operating system.

To add the outbound rule for Windows Firewall:

1. Select **Start** > **Control Panel** > **Windows Firewall**.
2. In the **Windows Firewall** window, click the **Advanced settings** link.
   The **Windows Firewall with Advanced Security** window opens.
3. Select the **Outbound Rules** child node.
4. Click on the **New Rule** option in the **Actions** pane.
5. In the **New Outbound Rule Wizard** window that opens, select the **Port** option and click **Next**.
6. Select the **TCP** protocol.
7. In the **Specific remote ports** field specify the following ports range for allowing outgoing connections: 1024-65535.
8. In the **Action** window, select the **Allow the connection** option.
9. Save the new rule and close the **Windows Firewall with Advanced Security** window.

The Windows Firewall will now allow network connections between the Application Console and Kaspersky Security Management Service.

Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation

Kaspersky Industrial CyberSecurity for Nodes starts protection and scan tasks immediately after installation if you have activated the application. If **Enable real-time protection after installation of application** (default option) is selected during installation of Kaspersky Industrial CyberSecurity for Nodes, the application scans the device's file system objects when they are accessed. Kaspersky Industrial CyberSecurity for Nodes will run the Critical Areas Scan task every Friday at 8:00 PM.

We recommend taking the following steps after installing Kaspersky Industrial CyberSecurity for Nodes:

- Start the application database update task. After installation Kaspersky Industrial CyberSecurity for Nodes will scan objects using the database included in the application distribution kit.

  We recommend updating Kaspersky Industrial CyberSecurity for Nodes databases immediately since they may be out of date.

  The application will then update the databases every hour according to the default schedule configured in the task.

- Run a Critical Areas Scan on the device if no anti-virus software with real-time file protection was installed on the device before installation of Kaspersky Industrial CyberSecurity for Nodes.

- Configure administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.

Starting and configuring Kaspersky Industrial CyberSecurity for Nodes Database Update task

To update the application database after installation:

1. In the Database Update task settings, configure a connection to an update source – Kaspersky HTTP or FTP update servers.

2. Start the Database Update task.

Web Proxy Auto-Discovery Protocol (WPAD) may not be configured on your network to detect proxy server settings automatically in the LAN. At that, your network may require authentication when accessing the proxy server.

To specify the optional proxy server settings and authentication settings for accessing the proxy server:

1. Open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.

2. Select the **Properties** item.

   The **Application settings** window opens.

3. Select the **Connection settings** tab.

4. In the **Proxy server settings** section, select the **Use the specified proxy server** check box.

5. Enter the proxy server address in the **Address** field, and enter the port number for the proxy server in the **Port** field.

6. In the **Proxy server authentication settings** section, select the necessary authentication method in the drop-down list:

   - **Use NTLM authentication**, if the proxy server supports the built-in Microsoft Windows NTLM authentication. Kaspersky Industrial CyberSecurity for Nodes will use the user account specified in the task settings to access the proxy server (by default the task will run under the **local system** (**SYSTEM**) user account).

   - **Use NTLM authentication with user name and password**, if the proxy server supports the built-in Microsoft Windows NTLM authentication. Kaspersky Industrial CyberSecurity for Nodes will use the specified account to access the proxy server. Enter a user name and password or select a user from the list.

   - **Apply user name and password**, to select basic authentication. Enter a user name and password or select a user from the list.

7. Click **OK** in the **Application settings** window.

To configure the connection to Kaspersky's update servers, in the Database Update task:

1. Start Application Console in one of the following ways:

   - Open the Application Console on the protected device. To do this, select **Start** > **All Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Administration Tools** > **Kaspersky Industrial CyberSecurity for Nodes 3.0 Console**.

- If the Application Console has been started on a device other than the protected one, connect to the device:

  a. Open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node in the Application Console tree.

  b. Select the **Connect to another computer** item.

  c. In the **Select protected device** window, select **Another device** and in the text field indicate the network name of the protected device.

  If the account you used to sign in to Microsoft Windows does not have access permissions for the Kaspersky Security Management Service, indicate an account with the required permissions.

The Application Console window opens.

2. In the Application Console tree, expand the **Update** node.
3. Select the **Database Update** child node.
4. Click the **Properties** link in the results pane.
5. In the **Task settings** window that opens, open the **Connection settings** tab.
6. Select **Use proxy server settings to connect to Kaspersky update servers**.
7. Click **OK** in the **Task settings** window.

The settings for connecting to the update source in the Database Update task will be saved.

To run the Database Update task:

1. In the Application Console tree, expand the **Update** node.
2. In the context menu on the **Database Update** child node, select the **Start** item.

The Database Update task starts.

After the task has successfully completed, you can view the release date of the latest database updates installed in the results pane of the **Kaspersky Industrial CyberSecurity for Nodes** node.

Critical Areas Scan

After you have updated the Kaspersky Industrial CyberSecurity for Nodes databases, scan the protected device for malware using the Critical Areas Scan task.

To run the Critical Areas Scan task:

1. Expand the **On-Demand Scan** node in the Application Console tree.
2. In the context menu of the **Critical Areas Scan** child node, select the **Start** command.

The task starts; the **Running** task status is displayed in the results pane.

To view the task log,

in the results pane of the **Critical Areas Scan** node, click the **Open task log** link.

Modifying the set of components and repairing Kaspersky Industrial CyberSecurity for Nodes

Kaspersky Industrial CyberSecurity for Nodes components can be added or removed. You need to stop the Real-Time File Protection task before you can remove the Real-Time File Protection component. In other circumstances there is no need to stop the Real-Time File Protection task or Kaspersky Security Service.

If application management is password protected, Kaspersky Industrial CyberSecurity for Nodes requests the password when you attempt to remove components or modify the set of components in the Setup Wizard.

To modify the set of Kaspersky Industrial CyberSecurity for Nodes components:

1. In the **Start** menu, select **All programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**.

   The Setup Wizard's **Modify, repair or remove installation** window opens.

2. Select **Modify components set**. Click the **Next** button.

   The **Custom installation** window opens.

3. In the **Custom installation** window, in the list of available components, select the components that you want to add or remove from Kaspersky Industrial CyberSecurity for Nodes. To do this, perform the following actions:

   - To change the set of components, click the button next to the name of the selected component. Then in the context menu, select:

     - **Component will be installed on local hard drive**, if you want to install one component;

     - **Component and its subcomponents will be installed on local hard drive**, if you want to install a group of components.

   - To remove previously installed components, click the button next to the name of the selected component. Then in the context menu, select **Component will be unavailable**.

   Click the **Next** button.

4. In the **Ready to install** window, confirm the change to the set of software components by clicking the **Install** button.

5. In the window that opens when installation is complete, click the **OK** button.

   The set of Kaspersky Industrial CyberSecurity for Nodes components will be modified based on the specified settings.

If problems occur during the operation of Kaspersky Industrial CyberSecurity for Nodes (Kaspersky Industrial CyberSecurity for Nodes crashes; tasks crash or do not start), you can perform a repair for Kaspersky Industrial CyberSecurity for Nodes. You can perform a repair while saving the current Kaspersky Industrial CyberSecurity for Nodes settings, or you can select an option to reset all Kaspersky Industrial CyberSecurity for Nodes settings to their default values.

To repair Kaspersky Industrial CyberSecurity for Nodes after the application or a task crashes:

1. In the **Start** menu, select **All programs**.
2. Select **Kaspersky Industrial CyberSecurity for Nodes**.
3. Select **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**.

   The Setup Wizard's **Modify, repair or remove installation** window opens.
4. Select **Repair installed components**. Click the **Next** button.

   This opens the **Repair installed components** window.
5. In the **Repair installed components** window, select the **Restore recommended application settings** check box if you want to reset the application settings and restore Kaspersky Industrial CyberSecurity for Nodes with its default settings. Click the **Next** button.
6. In the **Ready to repair** window, confirm the repair operation by clicking the **Install** button.
7. In the window that opens when the repair operation is complete, click the **OK** button.

Kaspersky Industrial CyberSecurity for Nodes will be repaired using the specified settings.

Uninstalling using the Setup Wizard

This section contains instructions on removing Kaspersky Industrial CyberSecurity for Nodes and the Application Console from a protected device using the Setup / Uninstallation Wizard.

Kaspersky Industrial CyberSecurity for Nodes uninstallation

Dump and trace files are not deleted on uninstalling Kaspersky Industrial CyberSecurity for Nodes. You can manually delete dump and trace files from the folder specified during the configuration of dump and trace files writing.

The names of settings may vary under different Windows operating systems.

Kaspersky Industrial CyberSecurity for Nodes can be uninstalled from the protected device using the Setup / Uninstallation Wizard.

After uninstalling Kaspersky Industrial CyberSecurity for Nodes from a protected device a restart may be required. The restart can be postponed.

Uninstallation, repair and installation of the application is not available via the Windows Control Panel if the operating system uses the UAC feature (User Account Control) or access to the application is password protected.

If application management is password protected, Kaspersky Industrial CyberSecurity for Nodes requests the password when you attempt to remove components or modify the set of components in the Setup Wizard.

To uninstall Kaspersky Industrial CyberSecurity for Nodes:

1. In the **Start** menu, select **All programs**.
2. Select **Kaspersky Industrial CyberSecurity for Nodes**.
3. Select **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**.

   The Setup Wizard's **Modify, repair or remove installation** window opens.
4. Select **Remove software components**. Click the **Next** button.

   The **Advanced application uninstallation settings** window opens.
5. If necessary, in the **Advanced application uninstallation settings** window:

   a. Select the **Export quarantine objects** check box to make Kaspersky Industrial CyberSecurity for Nodes export objects that have been quarantined. The check box is cleared by default.

   b. Check the **Export Backup objects** check box to export objects from Kaspersky Industrial CyberSecurity for Nodes Backup. The check box is cleared by default.

   c. Click the **Save to** button and select the folder to which you want to export the objects. By default, the objects will be exported to %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\Uninstall.

   Click the **Next** button.
6. In the **Ready to uninstall** window, confirm the uninstallation by clicking the **Uninstall** button.
7. In the window that opens when the uninstallation is complete, click the **OK** button.

Kaspersky Industrial CyberSecurity for Nodes will be uninstalled from the protected device.

Kaspersky Industrial CyberSecurity for Nodes Console uninstallation

The names of settings may vary under different Windows operating systems.

You can uninstall the Application Console from the protected device using the Setup / Uninstallation Wizard.

After uninstalling the Application Console, you do not need to restart the protected device.

To uninstall the Application Console:

1. In the **Start** menu, select **All programs**.
2. Select **Kaspersky Industrial CyberSecurity for Nodes**.
3. Select **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**.

   The wizard's **Modify, repair or remove installation** window opens.

4. Select **Remove software components** and click the **Next** button.

5. The **Ready to uninstall** window opens. Click the **Uninstall** button.

   The **Uninstallation complete** window opens.

6. Click **OK**.

Uninstallation is now complete, and the Setup Wizard closes.

Installing and uninstalling the application from the command line

This section describes the particulars of installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes from the command line and contains examples of commands to install and uninstall Kaspersky Industrial CyberSecurity for Nodes from the command line, and examples of commands to add and remove Kaspersky Industrial CyberSecurity for Nodes components from the command line.

About installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes from command line

Dump and trace files are not deleted on uninstalling Kaspersky Industrial CyberSecurity for Nodes. You can manually delete dump and trace files from the folder specified during the configuration of dump and trace files writing.

You can install or uninstall Kaspersky Industrial CyberSecurity for Nodes and add or remove its components by running the \server\kics_x86.msi or \server\kics_x64.msi installation package file from the command line after you specify the installation settings using keys.

The "Administration Tools" set can be installed on the protected device or on another device on the network to work with the Application Console locally or remotely. To do this, use the \client\kicstools.msi installation package.

Perform the installation using an account included in the administrators group on the protected device where the application is installed.

If one of the \server\kics_x86.msi or \server\kics_x64.msi files is run on the protected device without additional keys, Kaspersky Industrial CyberSecurity for Nodes will be installed with the recommended installation settings.

You can assign the set of components to be installed using the ADDLOCAL command-line option and listing the codes for the selected components or sets of components.

Kaspersky Industrial CyberSecurity for Nodes software component codes for the Windows Installer service

The \product\kics_x86.msi and \product\kics_x64.msi files are designed to install the Kaspersky Industrial CyberSecurity for Nodes.

The \client\kicstools_x86.msi and \client\kicstools_x64.msi files install all software components in the "Administration Tools" set.

The following sections list the Kaspersky Industrial CyberSecurity for Nodes component codes for the Windows Installer service. These codes can be used to define a list of components to be installed when installing Kaspersky Industrial CyberSecurity for Nodes from the command line.

Kaspersky Industrial CyberSecurity for Nodes software components

The following table contains codes for and a description of Kaspersky Industrial CyberSecurity for Nodes software components.

Description of Kaspersky Industrial CyberSecurity for Nodes software components

Component	Code	Functions performed
Basic functionality	Core	This component contains the set of basic application functions and ensures their operation.
Applications Launch Control	AppCtrl	This component monitors user attempts to run applications and allows or denies application launch in accordance with the set Applications Launch Control rules. It is implemented in the Applications Launch Control task.
Device Control	DevCtrl	This component tracks attempts to connect external devices to a protected device and allows or denies use of these devices according to the specified device control rules. The component is implemented in the Device Control task.
Anti-Virus Protection	AVProtection	This component ensures anti-virus protection and contains the following components: • On-Demand Scan • Real-Time File Protection
On-Demand Scan	Ods	This component installs Kaspersky Industrial CyberSecurity for Nodes system files and On-demand scan tasks (scanning of objects on the protected device upon request).
Real-Time File Protection	Oas	This component performs virus scans of files on the protected device when these files are accessed. It implements the Real-Time File Protection task.
Anti-Cryptor	AntiCryptor	This component fills the list of blocked hosts with names of remote devices that show malicious activity.When installing on Windows XP SP2, the component is not installed. It implements the Anti-Cryptor task.
Use of Kaspersky Security Network	Ksn	This component provides protection on the basis of Kaspersky cloud technologies. It implements the KSN Usage task (sending requests to and receiving conclusions from the Kaspersky Security Network service).
File Integrity Monitor	Fim	This component logs operations performed on files in the specified monitoring scope.

		The component implements the File Integrity Monitor task.
Registry Access Monitor	RegMonitor	This component makes it possible to monitor actions performed with the specified registry branches and keys in the monitoring scopes defined in the task settings. The component implements the Registry Access Monitor.
Exploit Prevention	AntiExploit	This component makes it possible to manage settings to protect memory used by processes in a device's memory.
Wi-Fi Control	WiFiControl	This component controls the protected computer's attempts to connect to Wi-Fi networks.
Firewall Management	Firewall	This component makes it possible to manage Windows Firewall through the Kaspersky Industrial CyberSecurity for Nodes graphical user interface. The component implements the Firewall Management task.
Module for integration with Kaspersky Security Center Network Agent	AKIntegration	Provides a connection between the Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Center Network Agent. You can install this component on the protected device if you intend to manage the application via the Kaspersky Security Center.
Log Inspection	LogInspector	This component monitors the integrity of the protected environment based on the results of an inspection of Windows event logs.
PLC Project Investigation	Plc	This component allows to receive information about the PLC projects currently used in the industrial network.
PLC Project Integrity Check	Plc	This component allows to check the integrity of PLC projects used in an industrial system
Set of "System Monitor" performance counters	PerfMonCounters	This component installs a set of System Monitor performance counters. Performance counters enable Kaspersky Industrial CyberSecurity for Nodes performance to be measured and potential bottlenecks to be localized on the protected device when Kaspersky Industrial CyberSecurity for Nodes is used with other programs.
SNMP counters and traps	SnmpSupport	This component publishes Kaspersky Industrial CyberSecurity for Nodes counters and traps via Simple Network Management Protocol (SNMP) in Microsoft Windows. This component may be installed on the protected device only if Microsoft SNMP is installed on the same protected device.
Kaspersky Industrial CyberSecurity for Nodes icon in the notification area	TrayApp	This component displays the Kaspersky Industrial CyberSecurity for Nodes icon in the task tray notification area of the protected device. The Kaspersky Industrial CyberSecurity for Nodes icon displays the status of device protection and can be used open the Kaspersky Industrial CyberSecurity for Nodes Console in MMC (if installed) and the About the application window.

"Administration tools" set of software components

The following table contains codes and descriptions of the "Administration tools" set of software components.

Description of the "Administration tools" software components

Component	Code	Component functions
Kaspersky Industrial CyberSecurity for Nodes snap-in	MmcSnapin	This component installs the Microsoft Management Console snap-in to manage the application via the Kaspersky Industrial CyberSecurity for Nodes Console. If other components are specified during installation of "Administration Tools" from the command line, and the MmcSnapin component is not specified, the component will be installed automatically.
Administrator's Guide	Help	Kaspersky Industrial CyberSecurity for Nodes adds a shortcut to the Kaspersky web site where the Administrator's Guide is available in Online Help format. The shortcut is available in the **Start** menu.

Installation and uninstallation settings and command line options for the Windows Installer service

This section contains descriptions of the settings for installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes, their default values, keys for changing the installation settings, and their possible values. These keys can be used in conjunction with standard keys for the Windows Installer service's `msiexec` command when installing Kaspersky Industrial CyberSecurity for Nodes from the command line.

Installation settings and command line options in Windows Installer

- Acceptance of the terms of the End User License Agreement: you must accept the terms to install Kaspersky Industrial CyberSecurity for Nodes.

  The possible values for `EULA=<value>` command line option are as follows:

  - `0` – you reject the terms of the End User License Agreement (default value).
  - `1` – you accept the terms of the End User License Agreement.

- Acceptance of the terms of the Privacy Policy: you must accept the terms to install Kaspersky Industrial CyberSecurity for Nodes.

  The possible values for `PRIVACYPOLICY=<value>` command line option are as follows:

  - `0` – you reject the terms of the Privacy Policy (default value).
  - `1` – you accept the terms of the Privacy Policy.

- Allow installation of Kaspersky Industrial CyberSecurity for Nodes if the KB4528760 update not installed. For detailed information about the KB4528760 update please visit Microsoft website.

  The possible values for `SKIPCVEWINDOWS10=<value>` command line option are as follows:

  - `0` – cancel the installation of Kaspersky Industrial CyberSecurity for Nodes if the KB4528760 update is not installed (default value).
  - `1` – allow the installation of Kaspersky Industrial CyberSecurity for Nodes if the KB4528760 update is not installed.

The KB4528760 update fixes the CVE-2020-0601 security vulnerability. For detailed information about the CVE-2020-0601 security vulnerability please visit the Microsoft website.

- Installation of Kaspersky Industrial CyberSecurity for Nodes with a preliminary scan of active processes and the boot sectors of local disks.

  The possible values for `PRESCAN=<value>` command line option are as follows:

  - `0` – do not perform a preliminary scan of active processes and the boot sectors of local disks during the installation (default value).
  - `1` – perform a preliminary scan of active processes and the boot sectors of local disks during the installation.

- Destination folder where Kaspersky Industrial CyberSecurity for Nodes files will be saved during installation. A different folder can be specified.

  The default values for `INSTALLDIR=<full path to the folder>` command line option are as follows:

  - Kaspersky Industrial CyberSecurity for Nodes: %ProgramFiles%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes
  - Administration tools: %ProgramFiles%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes Admins Tools
  - On the x64-bit version of Microsoft Windows: %ProgramFiles(x86)%

- The Real-Time File Protection task starts immediately after Kaspersky Industrial CyberSecurity for Nodes starts. Turn on this setting to start Real-Time File Protection when Kaspersky Industrial CyberSecurity for Nodes starts (recommended).

  The possible values for `RUNRTP=<value>` command line option are as follows:

  - `1` – start (default value).
  - `0` – do not start.

- Objects excluded from the protection scope according to Microsoft Corporation recommendations. In the Real-Time File Protection task exclude from the protection scope objects on the device that Microsoft Corporation recommends to exclude. Some applications on the protected device may become unstable when an anti-virus application intercepts or modifies the files they use. For example, Microsoft Corporation includes some domain controller applications in the list of such objects.

  The possible values for `ADDMSEXCLUSION=<value>` command line option are as follows:

  - `1` – exclude (default value).
  - `0` – do not exclude.

- Objects excluded from the protection scope according to Kaspersky recommendations. In the Real-Time File Protection task exclude from the protection scope objects on the device that Kaspersky recommends to exclude.

  The possible values for `ADDKLEXCLUSION=<value>` command line option are as follows:

  - `1` – exclude (default value).
  - `0` – do not exclude.

- Allow remote connection to the Application Console. By default, remote connection is not allowed to the Application Console installed on the protected device. During the installation, you can allow connection. Kaspersky Industrial CyberSecurity for Nodes creates allowing rules for the process kavfsgt.exe using the TCP protocol for all ports.

  The possible values for `ALLOWREMOTECON=<value>` command line option are as follows:

  - `1` – allow.
  - `0` – deny (default value).

- Path to the key file (`LICENSEKEYPATH`
)

  . By default, the Windows Installer attempts to find the file with .key extension in the \server folder of the distribution kit. If the \server folder contains several key files, the Windows Installer will select the key file that has the farthest expiration date. A key file can be saved beforehand in the \server folder or by specifying another path to the key file using the **Add key** setting. You can add a key after Kaspersky Industrial CyberSecurity for Nodes is installed using an administrative tool of your choice: for example, the Application Console. If you do not add a key during installation of the application, Kaspersky Industrial CyberSecurity for Nodes will not function.

- Path to the configuration file. Kaspersky Industrial CyberSecurity for Nodes imports settings from the specified configuration file created in the application. Kaspersky Industrial CyberSecurity for Nodes does not import passwords from the configuration file, for example, account passwords for starting tasks, or passwords for connecting to a proxy server. Once the settings are imported, you will have to enter all passwords manually. If the configuration file is not specified, the application will start to work with the default settings after setup.

  The default value for `CONFIGPATH=<configuration file name>` is not specified.

- Enabling network connections for the Application Console option is used to install Kaspersky Industrial CyberSecurity for Nodes Console on another device. You can remotely manage device protection from another device with the Kaspersky Industrial CyberSecurity for Nodes Console installed. Port 135 (TCP) is opened in Microsoft Windows Firewall, network connections are allowed for the executable file kavfsrcn.exe for remote management of Kaspersky Industrial CyberSecurity for Nodes, and access is granted to DCOM applications. When installation is complete, add users to the KICS Administrators group to let them remotely manage the application, and allow network connections to the Kaspersky Security Management Service (kavfsgt.exe file) on the protected device. You can read more about additional configuration when the Kaspersky Industrial CyberSecurity for Nodes Console is installed on another device.

  The possible values for `ADDWFEXCLUSION=<value>` command line option are as follows:

  - `1` – allow.
  - `0` – deny (default value).

- Disabling the check for incompatible software. Use this setting to enable or disable the check for incompatible software during background installation of the application on the protected device. Regardless of the value of this setting, during installation of Kaspersky Industrial CyberSecurity for Nodes, the application always warns about other versions of the application installed on the protected device.

  The possible values for `SKIPINCOMPATIBLESW=<value>` command line option are as follows:

  - `0` – The check for incompatible software is performed (default value).
  - `1` – The check for incompatible software is not performed.

Uninstallation settings and command line options in Windows Installer

- Restoring quarantined objects.

  The possible values for `RESTOREQTN=<value>` command line option are as follows:

  - `0` – Remove quarantined content (default value).
  - `1` – Restore quarantined content to the folder specified by the RESTOREPATH parameter into the \Quarantine subfolder.

- Restoring the content of backup.

  The possible values for `RESTOREBCK=<value>` command line option are as follows:

  - `0` – Remove backup content (default value).
  - `1` – Restore backup contents to the folder specified by the RESTOREPATH parameter into the \Backup subfolder.

- Enter the current password to confirm the uninstallation (if password protection is enabled).

  The default value for `UNLOCK_PASSWORD=<specified password>` is not specified.

- Folder for restored objects. Restored objects will be saved to the specified folder.

  The default value for `RESTOREPATH=<full path to the folder>` command line option is %ALLUSERSPROFILE%\Application Data\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Restored

Example commands for installing Kaspersky Industrial CyberSecurity for Nodes

This section provides examples of commands used to install Kaspersky Industrial CyberSecurity for Nodes.

> On protected devices running a 32-bit version of Microsoft Windows, run the files with the x86 suffix in the distribution kit. On protected devices running a 64-bit version of Microsoft Windows, run the files with the x64 suffix in the distribution kit.

Detailed information about the use of Windows Installer's standard commands and command-line options is provided in the documentation supplied by Microsoft.

Examples of installing Kaspersky Industrial CyberSecurity for Nodes from the setup.exe file

To install Kaspersky Industrial CyberSecurity for Nodes with the recommended installation settings without user involvement, run the following command:

```
\server\setup.exe /s /p EULA=1 /p PRIVACYPOLICY=1
```

You can install Kaspersky Industrial CyberSecurity for Nodes with the following settings:

- Only install the Real-Time File Protection and On-Demand Scan components
- Do not run Real-Time File Protection when starting Kaspersky Industrial CyberSecurity for Nodes

- Do not exclude files that Microsoft Corporation recommends to exclude from the scope

To install the components, run the following command:

\server\setup.exe /p ADDLOCAL=Oas /p RUNRTP=0 /p ADDMSEXCLUSION=0

List of commands used for installation: running an .msi file

To install Kaspersky Industrial CyberSecurity for Nodes with the recommended installation settings without user involvement, run the following command:

```
msiexec /i kics.msi /qn EULA=1 PRIVACYPOLICY=1
```

To install Kaspersky Industrial CyberSecurity for Nodes with the recommended installation settings and display the installation interface, run the following command:

```
msiexec /i kics.msi /qf EULA=1 PRIVACYPOLICY=1
```

To install and activate Kaspersky Industrial CyberSecurity for Nodes using the key file C:\0000000A.key:

```
msiexec /i kics.msi LICENSEKEYPATH=C:\0000000A.key /qn EULA=1 PRIVACYPOLICY=1
```

To install Kaspersky Industrial CyberSecurity for Nodes with a preliminary scan of active processes and the boot sectors of local disks, run the following command:

```
msiexec /i kics.msi PRESCAN=1 /qn EULA=1 PRIVACYPOLICY=1
```

To install Kaspersky Industrial CyberSecurity for Nodes in the installation folder C:\KICS, run the following command:

```
msiexec /i kics.msi INSTALLDIR=C:\KICS /qn EULA=1 PRIVACYPOLICY=1
```

To install Kaspersky Industrial CyberSecurity for Nodes and save an installation log file named kics.log in the folder where the Kaspersky Industrial CyberSecurity for Nodes msi file is stored, run the following command:

```
msiexec /i kics.msi /l*v kics.log /qn EULA=1 PRIVACYPOLICY=1
```

To install Kaspersky Industrial CyberSecurity for Nodes Console, run the following command:

```
msiexec /i kicstools.msi /qn EULA=1
```

To install and activate Kaspersky Industrial CyberSecurity for Nodes using the key file C:\0000000A.key and configure Kaspersky Industrial CyberSecurity for Nodes according to the settings in the configuration file C:\settings.xml, run the following command:

```
msiexec /i kics.msi LICENSEKEYPATH=C:\0000000A.key CONFIGPATH=C:\settings.xml /qn
EULA=1 PRIVACYPOLICY=1
```

To install an application patch when Kaspersky Industrial CyberSecurity for Nodes is password-protected, run the following command:

```
msiexec /p "<msp file name with path>" UNLOCK_PASSWORD=<password>
```

Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation

Kaspersky Industrial CyberSecurity for Nodes starts protection and scan tasks immediately after installation if you have activated the application. If you select the **Enable real-time protection after installation of application** option during installation of Kaspersky Industrial CyberSecurity for Nodes, the application scans the device's file system objects when they are accessed. Kaspersky Industrial CyberSecurity for Nodes will run the Critical Areas Scan task every Friday at 8:00 P.M.

We recommend that you take the following steps after installing Kaspersky Industrial CyberSecurity for Nodes:

- Start the Kaspersky Industrial CyberSecurity for Nodes Database Update task. After installation Kaspersky Industrial CyberSecurity for Nodes will scan objects using the database included in its distribution kit. We recommend that you update the Kaspersky Industrial CyberSecurity for Nodes database immediately. To do so, you must run the Database Update task. The database will then be updated every hour according to the default schedule.

  For example, you can start the Database Update task by running the following command:

  ```
  KAVSHELL UPDATE /KL /PROXY:proxy.company.com:8080 /AUTHTYPE:1 /PROXYUSER:inetuser
  /PROXYPWD:123456
  ```

  In this case, Kaspersky Industrial CyberSecurity for Nodes database updates are downloaded from Kaspersky update servers. Connection to an update source is established via a proxy server (proxy server address: proxy.company.com, port: 8080) using built-in Windows NTLM authentication to access the server under an account (user name: inetuser; password: 123456).

- Run a Critical Areas Scan of the device if no anti-virus software with real-time file protection was installed on the device before installation of Kaspersky Industrial CyberSecurity for Nodes.

To start the Critical Areas Scan task using the command line:

```
KAVSHELL SCANCRITICAL /W:scancritical.log
```

This command saves the task log in a file named scancritical.log contained in the current folder.

- Configure administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.

Adding / removing components. Sample commands

The On-Demand Scan component is installed automatically. You do not need to specify it in the list of ADDLOCAL key values by adding or deleting Kaspersky Industrial CyberSecurity for Nodes components.

To add the Applications Launch Control component to the components that have already been installed, run the following command:

```
msiexec /i kics.msi ADDLOCAL=Oas,AppCtrl /qn
```

or

```
\server\setup.exe /s /p ADDLOCAL=Oas,AppCtrl
```

If you list the components you want to install along with the already installed components, Kaspersky Industrial CyberSecurity for Nodes will reinstall the existing components.

To remove installed components run the following command:

```
msiexec /i kics.msi
ADDLOCAL=AKIntegration,AVProtection,AntiExploit,AppCtrl,Bases,Core,CoreBLFiles,CoreFolde
ADD_ADV=IDS,RegMonitor REMOVE=Firewall,PerfMonCounters EULA=1 PRIVACYPOLICY=1 /qn
```

Kaspersky Industrial CyberSecurity for Nodes uninstallation. Sample commands

To uninstall Kaspersky Industrial CyberSecurity for Nodes from the protected device, run the following command:

```
msiexec /x kics.msi /qn
```

or

- For 32-bit operating systems:
  `msiexec /x {B543DC4F-64CD-4D4C-859F-B92BC4F7E07F} /qn`
- For 64-bit operating systems:
  `msiexec /x {861E4FB1-F1A5-4644-9491-1CB8478B0A91} /qn`

To uninstall Kaspersky Industrial CyberSecurity for Nodes Console, run the following command:

```
msiexec /x kicstools.msi /qn
```

or

- For 32-bit operating systems:
  `msiexec /x {E58464D1-F34E-48B6-A940-6C5E360855C1} /qn`
- For 64-bit operating systems:
  `msiexec /x {42EFA46F-AEAA-450B-810D-7CF6683FE413} /qn`

To uninstall Kaspersky Industrial CyberSecurity for Nodes from a protected device on which password protection is enabled, perform the following command:

- For 32-bit operating systems:
  `msiexec /x {B543DC4F-64CD-4D4C-859F-B92BC4F7E07F} UNLOCK_PASSWORD=*** /qn`
- For 64-bit operating systems:
  `msiexec /x {861E4FB1-F1A5-4644-9491-1CB8478B0A91} UNLOCK_PASSWORD=*** /qn`

Return codes

The table below contains a list of command-line return codes.

Return codes

Code	Description

1324	The destination folder name contains invalid characters.
25001	Insufficient rights to install Kaspersky Industrial CyberSecurity for Nodes. To install the application, start the installation wizard with local administrator rights.
25003	Kaspersky Industrial CyberSecurity for Nodes cannot be installed on devices running this version of Microsoft Windows. Please start the installation wizard for 64-bit versions of Microsoft Windows.
25004	Incompatible software detected. To continue the installation, uninstall the following software: <list of incompatible software>.
25010	The indicated path cannot be used to save quarantined objects.
25011	The name of the folder for saving quarantined objects contains invalid characters.
26251	Unable to download the Performance Counters DLL.
26252	Unable to download the Performance Counters DLL.
27300	The driver cannot be installed.
27301	The driver cannot be uninstalled.
27302	The network component cannot be installed. Maximum supported number of filtered devices reached.
27303	Anti-virus databases not found.

Installing and uninstalling the application using Kaspersky Security Center

This section contains general information about installing Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center. It also describes how to install and uninstall Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center and actions to perform after installing Kaspersky Industrial CyberSecurity for Nodes.

General information about installing via Kaspersky Security Center

You can install Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center using the remote installation task.

After the remote installation task is complete, Kaspersky Industrial CyberSecurity for Nodes will be installed with identical settings on multiple protected devices.

All protected devices can be combined in a single administration group, and a group task can be created to install Kaspersky Industrial CyberSecurity for Nodes on the protected devices in this group.

You can create a task to remotely install Kaspersky Industrial CyberSecurity for Nodes on a set of protected devices that are not in the same administration group. When creating this task, you must generate the list of individual protected devices that Kaspersky Industrial CyberSecurity for Nodes should be installed on.

Detailed information on the remote installation task is provided in *Kaspersky Security Center Help*.

Rights to install or uninstall Kaspersky Industrial CyberSecurity for Nodes

The account specified in the remote installation (removal) task must be included in the administrators group on each of the protected devices in all cases except those described below:

- If the Kaspersky Security Center Network Agent is already installed on the protected devices on which Kaspersky Industrial CyberSecurity for Nodes is to be installed (regardless of which domain the protected devices are in or whether they belong to any domain).

  If the Network Agent is not yet installed on the protected devices, you can install it with Kaspersky Industrial CyberSecurity for Nodes using a remote installation task. Before installing the Network Agent, make sure that the account you want to specify in the task is included in the administrators group on each of the protected devices.

- All protected devices on which you want to install Kaspersky Industrial CyberSecurity for Nodes are in the same domain as the Administration Server, and the Administration Server is registered as the **Domain Admin** account (if this account has local administrator's rights on the protected devices within the domain).

By default, when using the **Forced installation** method, the remote installation task is run from the account running the Administration Server.

When working with group tasks or with tasks for sets of protected devices under forced installation (uninstallation) mode, an account must have the following rights on the protected device:

- Right to execute applications remotely.
- Rights to the **Admin$** share.
- Right to **Log on as a service**.

Installing Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center

Detailed information about generating an installation package and creating a remote installation task is provided in the Kaspersky Security Center Implementation Guide.

If you intend to manage Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center in the future, make sure that the following conditions are met:

- The protected device where the Kaspersky Security Center Administration Server is installed also has the Administration Plug-in installed (\server\klcfginst.exe file in the Kaspersky Industrial CyberSecurity for Nodes distribution kit).
- Kaspersky Security Center Network Agent is installed on protected devices. If Kaspersky Security Center Network Agent is not installed on protected devices, you can install it together with Kaspersky Industrial CyberSecurity for Nodes using a remote installation task.

Devices can also be combined into an administration group in order to later manage the protection settings using Kaspersky Security Center policies and group tasks.

To install Kaspersky Industrial CyberSecurity for Nodes using a remote installation task:

1. Start the Kaspersky Security Center Administration Console.

2. In Kaspersky Security Center, expand the **Advanced** node.

3. Expand the **Remote installation** child node.

4. In the results pane of the **Installation packages** child node, click the **Create installation package** button.

5. Select the **Create installation package for a Kaspersky application** installation package type.

6. Enter the installation package name.

7. Specify the kics.kud file from the Kaspersky Industrial CyberSecurity for Nodes distribution kit as the installation package file.

   The **End User License Agreement and Privacy Policy** window opens.

8. If you agree to the terms and conditions of End User License Agreement and Privacy Policy, select the **I confirm that I have fully read, understood, and accept the terms and conditions of this End User License Agreement** and **I am aware and agree that my data will be handled and transmitted (including to third countries) as described in the Privacy Policy. I confirm that I have fully read and understand the Privacy Policy** check boxes in order to proceed with the installation.

   > You must accept the License Agreement and the Privacy Policy to proceed.

9. To change the set of Kaspersky Industrial CyberSecurity for Nodes components to be installed and the default installation settings in the installation package:

   a. In Kaspersky Security Center, expand the **Remote installation** node.

   b. In the results pane of the **Installation packages** child node, open the context menu of the created Kaspersky Industrial CyberSecurity for Nodes installation package and select **Properties**.

   c. In the **Properties: <name of installation package>** window open the **Settings** section.

      > In the **Components to install** settings group, select the check boxes next to the names of the Kaspersky Industrial CyberSecurity for Nodes components you want to install.

   d. In order to indicate a destination folder other than the default one, specify the folder name and path in the **Destination folder** field.

      The path to the destination folder may contain system environment variables. If the folder does not exist on the protected device, it will be created.

   e. In the **Advanced installation settings** group, configure the following settings:

      - **Scan protected device for viruses before installation**
      - **Enable real-time protection after installation of application**
      - **Add Microsoft recommended files to exclusions list**
      - **Add Kaspersky recommended files to exclusions list**
      - **Enable delayed start of the Kaspersky Security Service at operating system startup**

   f. In the **Properties: <name of installation package>** dialog window, click **OK**.

10. In the **Installation packages** node create a task to remotely install Kaspersky Industrial CyberSecurity for Nodes on the selected protected devices (administration group). Configure the task settings.

    To learn more about creating and configuring remote installation tasks, see the *Kaspersky Security Center Help*.

11. Run the Kaspersky Industrial CyberSecurity for Nodes remote installation task.

Kaspersky Industrial CyberSecurity for Nodes will be installed on the protected devices specified in the task.

Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation

After you install Kaspersky Industrial CyberSecurity for Nodes, we recommend that you update Kaspersky Industrial CyberSecurity for Nodes databases on the devices, and perform a Critical Areas Scan of the devices if no anti-virus applications with enabled real-time protection were installed on the devices before installation of Kaspersky Industrial CyberSecurity for Nodes.

If the protected devices on which Kaspersky Industrial CyberSecurity for Nodes was installed are part of the same administration group in the Kaspersky Security Center, you can perform these tasks using the following methods:

1. Create Database Update tasks for the group of protected devices on which Kaspersky Industrial CyberSecurity for Nodes was installed. Set the Kaspersky Security Center Administration Server as the update source.

2. Create an On-Demand Scan group task with the Critical Areas Scan status. Kaspersky Security Center evaluates the security status of each protected device in the group based on the results of this task, not based on the results of the Critical Areas Scan task.

3. Create a new policy for the group of protected devices. In the policy properties, in the **Application settings** section, deactivate the scheduled start of local system on-demand scan tasks and the Database Update tasks on the administration group's protected devices in the settings of the **Run local system tasks** subsection.

You can also configure administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.

Installing the Application Console via Kaspersky Security Center

Detailed information about creating an installation package and a remote installation task is provided in the Kaspersky Security Center Implementation Guide.

To install the Application Console using a remote installation task:

1. In the Kaspersky Security Center Administration Console expand the **Advanced** node.

2. Expand the **Remote installation** child node.

3. In the results pane of the Installation packages child node, click the **Create installation package** button. While creating the new installation package:

    a. In the **New Package Wizard** window, select **Create installation package for specified executable file** as a package type.

    b. Enter the new installation package name.

c. Select the \client\setup.exe file from the Kaspersky Industrial CyberSecurity for Nodes distribution kit folder and select the **Copy entire folder to the installation package** check box.

d. Use the ADDLOCAL command-line option in the **Executable file launch settings (optional)** field to perform installation of the Application Console. The Application Console is installed in the default installation folder. Make sure to specify the "EULA=1" parameter. Otherwise, it is impossible to install components.

```
/s /p "ADDLOCAL=MmcSnapin EULA=1"
```

Optionally, in the **Executable file launch settings (optional)** field, you can use the ADDLOCAL command-line option to modify the set of components to be installed and the INSTALLDIR command-line option to specify the destination folder other than defalt. For example, to perform a standalone installation of the Application Console in the C:\KasperskyConsole folder, use the following command-line option:

```
/s /p "ADDLOCAL=MmcSnapin INSTALLDIR=C:\KasperskyConsole EULA=1"
```

4. In the **Installation packages** child node, create a task to remotely install the Application Console on the selected protected devices (administration group). Configure the task settings.

> To learn more about creating and configuring remote installation tasks, see the Kaspersky Security Center Help.

5. Run the remote installation task.

The Application Console is installed on the protected devices specified in the task.

Uninstalling Kaspersky Industrial CyberSecurity for Nodes via Kaspersky Security Center

> Dump and trace files are not deleted on uninstalling Kaspersky Industrial CyberSecurity for Nodes. You can manually delete dump and trace files from the folder specified during the configuration of dump and trace files writing.

> If management of Kaspersky Industrial CyberSecurity for Nodes on network devices is password protected, enter the password when creating a task to uninstall multiple applications. If the password protection is not managed centrally by a Kaspersky Security Center policy, Kaspersky Industrial CyberSecurity for Nodes will be successfully uninstalled from the devices, on which the entered password matched the set value. Kaspersky Industrial CyberSecurity for Nodes will not be uninstalled from other protected devices.

To uninstall Kaspersky Industrial CyberSecurity for Nodes:

1. In the Kaspersky Security Center Administration Console, create and start an application removal task.

2. In the task, select the uninstallation method (similar to selecting the installation method; see the previous section) and specify the account that Administration Server will use to access the protected devices. You can uninstall Kaspersky Industrial CyberSecurity for Nodes with only the default uninstallation settings.

Installing and uninstalling via Active Directory group policies

This section describes installing and uninstalling Kaspersky Industrial CyberSecurity for Nodes via Active Directory group polices. It also contains information about actions to perform after installing Kaspersky Industrial CyberSecurity for Nodes through group policies.

Installing Kaspersky Industrial CyberSecurity for Nodes via Active Directory group policies

You can install Kaspersky Industrial CyberSecurity for Nodes on several protected devices via the Active Directory group policy. You can install the Application Console the same way.

The protected devices on which you want to install Kaspersky Industrial CyberSecurity for Nodes or the Application Console must be in the same domain and a single organizational unit.

The operating systems on the protected devices on which you want to install Kaspersky Industrial CyberSecurity for Nodes using the policy must be of the same bitness (32-bit or 64-bit).

You must have domain administrator rights.

To install Kaspersky Industrial CyberSecurity for Nodes, use the kics_x86.msi or kics_x64.msi installation package. To install the Application Console, use the kicstools.msi installation package.

Detailed information about the use of Active Directory group policies is provided in the documentation supplied by Microsoft.

To install Kaspersky Industrial CyberSecurity for Nodes (or the Application Console):

1. Save the msi file corresponding to the bitness (32- or 64-bit) of the installed version of the Microsoft Windows operating system in the public folder on the domain controller.
2. Save the key file in the same public folder on the domain controller.
3. In the same public folder on the domain controller, create an install_props.json file with the contents below, which means that you accept the terms of the License Agreement and the Privacy Policy.

   ```
   {
   "EULA": "1",
   "PRIVACYPOLICY": "1"
   }
   ```
4. On the domain controller create a new policy for the group that the protected devices belong to.
5. Using the **Group Policy Object Editor**, create a new installation package in the **Computer Configuration** node. Specify the path to the msi file for Kaspersky Industrial CyberSecurity for Nodes (or Application Console) in UNC (Universal Naming Convention) format.
6. Select the Windows Installer's **Always install with elevated privileges** check box in both the **Computer Configuration** node and in the **User Configuration** node of the selected group.
7. Apply the changes using the `gpupdate /force` command.

Kaspersky Industrial CyberSecurity for Nodes will be installed on the protected devices of the group after they have been restarted.

Actions to perform after Kaspersky Industrial CyberSecurity for Nodes installation

After installing Kaspersky Industrial CyberSecurity for Nodes on the protected devices, it is recommended that you immediately update the application databases and run a Critical Areas Scan. You can perform these actions from the Application Console.

You can also configure administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.

Uninstalling Kaspersky Industrial CyberSecurity for Nodes via Active Directory group policies

Dump and trace files are not deleted on uninstalling Kaspersky Industrial CyberSecurity for Nodes. You can manually delete dump and trace files from the folder specified during the configuration of dump and trace files writing.

If you used an Active Directory group policy to install Kaspersky Industrial CyberSecurity for Nodes (or the Application Console) on the group of protected devices, you can use this policy to uninstall Kaspersky Industrial CyberSecurity for Nodes (or the Application Console).

You can uninstall the application only with the default uninstallation parameters.

Detailed information about the use of Active Directory group policies is provided in the documentation supplied by Microsoft.

If application management is password protected, you cannot uninstall Kaspersky Industrial CyberSecurity for Nodes using Active Directory group policies.

To uninstall Kaspersky Industrial CyberSecurity for Nodes (or the Application Console):

1. On the domain controller, select the organizational unit from whose protected devices you want to uninstall Kaspersky Industrial CyberSecurity for Nodes or the Application Console.
2. Select the policy created for the installation of Kaspersky Industrial CyberSecurity for Nodes and in the **Group Policies Object Editor**, in the **Software installation** node (**Computer Configuration** > **Software Settings** > **Software installation**) open the context menu of the Kaspersky Industrial CyberSecurity for Nodes (or the Application Console) installation package and select the **All tasks** > **Remove** command.
3. Select the uninstallation method **Immediately uninstall the software from users and computers**.
4. Apply the changes using the `gpupdate / force` command.

   Kaspersky Industrial CyberSecurity for Nodes is removed from the protected devices after they are restarted and before logging in to Microsoft Windows.

Kaspersky Industrial CyberSecurity for Nodes install and uninstall logs

If Kaspersky Industrial CyberSecurity for Nodes is installed or uninstalled using the Installation (Uninstallation) Wizard, the Windows Installer service creates an install (uninstall) log. A log file named kics_v3.0_install_<uid>.log (where <uid> is a unique 8-character log identifier) will be saved in the %temp% folder for the user whose account was used to start the setup.exe file.

If you run the **Modify or Remove** option for the Application Console or Kaspersky Industrial CyberSecurity for Nodes from the **Start** menu, a log file named kics_3.0_maintenance.log is automatically created in the %temp% folder.

If Kaspersky Industrial CyberSecurity for Nodes is installed or uninstalled from the command line, the install log file will not be created by default.

To install Kaspersky Industrial CyberSecurity for Nodes and create a log file on disk C:\:

- `msiexec /i kics_x86.msi /l*v C:\kics.log /qn EULA=1 PRIVACYPOLICY=1`
- `msiexec /i kics_x64.msi /l*v C:\kics.log /qn EULA=1 PRIVACYPOLICY=1`

System changes after Kaspersky Industrial CyberSecurity for Nodes installation

When Kaspersky Industrial CyberSecurity for Nodes and the set of "Administration Tools" (including the Application Console) are installed together, the Windows Installer service will make the following modifications on the protected device:

- Kaspersky Industrial CyberSecurity for Nodes folders are created on the protected device and on the protected device where the Application Console is installed.
- Kaspersky Industrial CyberSecurity for Nodes services are registered.
- Kaspersky Industrial CyberSecurity for Nodes user group is created.
- Kaspersky Industrial CyberSecurity for Nodes keys are registered in the system registry.

These changes are described below.

Kaspersky Industrial CyberSecurity for Nodes folders on a protected device

When Kaspersky Industrial CyberSecurity for Nodes is installed, the following folders are created on a protected device:

- Kaspersky Industrial CyberSecurity for Nodes default installation folder containing the Kaspersky Industrial CyberSecurity for Nodes executable files depend on the operating system bit set. Therefore, the default installation folders are as follows:
  - On the 32-bit version of Microsoft Windows: %ProgramFiles%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes

    - On the 64-bit version of Microsoft Windows: %ProgramFiles(x86)%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes

- Management Information Base (MIB) files containing a description of the counters and hooks published by Kaspersky Industrial CyberSecurity for Nodes via the SNMP protocol:

    - %Kaspersky Industrial CyberSecurity for Nodes%\mibs

- 64-bit versions of Kaspersky Industrial CyberSecurity for Nodes executable files (this folder will be created only during installation of Kaspersky Industrial CyberSecurity for Nodes on the 64-bit version of Microsoft Windows):

    - %Kaspersky Industrial CyberSecurity for Nodes%\x64

- Kaspersky Industrial CyberSecurity for Nodes service files:

    - %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Data
    - %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Settings
    - %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Dskm

    For Windows XP the path to the Kaspersky Lab folder is %ALLUSERSPROFILE%\Application Data

- Files with settings for update sources:

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Update

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Update

- Updates of databases and software modules downloaded using the Copying Updates task (the folder will be created the first time updates are downloaded using the Copying Updates task).

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Update\Distribution

- Task logs and system audit log.

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Reports

- Set of databases currently in use.

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Bases\Current

- Backup copies of databases; they are overwritten each time the databases are updated.

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Bases\Backup

- Temporary files created during execution of update tasks.

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Bases\Temp

- Quarantined objects (default folder).

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Quarantine

- Objects in backup (default folder).

  %ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Backup

- Objects restored from backup and quarantine (default folder for restored objects).

%ProgramData%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Restored

Folder created during installation of Application Console

The Application Console default installation folders containing the "Administration Tools" files depend on the operating system bit set. Therefore, the default installation folders are as follows:

- On the 32-bit version of Microsoft Windows: %ProgramFiles%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes Admins Tools
- On the 64-bit version of Microsoft Windows: %ProgramFiles(x86)%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes Admins Tools

Kaspersky Industrial CyberSecurity for Nodes services

The following Kaspersky Industrial CyberSecurity for Nodes services start using the local system (SYSTEM) account:

- Kaspersky Security Service (KAVFS) – essential Kaspersky Industrial CyberSecurity for Nodes service that manages Kaspersky Industrial CyberSecurity for Nodes tasks and workflows.
- Kaspersky Security Management Service (KAVFSGT) – this service is intended for Kaspersky Industrial CyberSecurity for Nodes application management through the Application Console.
- Kaspersky Security Exploit Prevention Service (KAVFSSLP)– a service that acts as an intermediary to communicate security settings to external security agents, and to receive data about security events.

Kaspersky Industrial CyberSecurity for Nodes group

KICS Administrators is a group on the protected device, which users have full access to the Kaspersky Security Management Service and to all Kaspersky Industrial CyberSecurity for Nodes functions.

System registry keys

When Kaspersky Industrial CyberSecurity for Nodes is installed, the following system registry keys are created:

- Properties of the Kaspersky Industrial CyberSecurity for Nodes: [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\KAVFS]
- Kaspersky Industrial CyberSecurity for Nodes event log settings (Kaspersky Event Log): [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Kaspersky Security]
- Properties of the Kaspersky Industrial CyberSecurity for Nodes management service: [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\KAVFSGT]
- Performance counter settings:
  - On the 32-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Kaspersky Security\Performance]
  - On the 64-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Kaspersky Security x64\Performance]

- SNMP Protocol Support component settings:
  - On the 32-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\KasperskyLab\KICS\3.0\SnmpAgent]
  - On the 64-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS\3.0\SnmpAgent]
- Dump file settings:
  - On the 32-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\KasperskyLab\KICS\3.0\CrashDump]
  - On the 64-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS\3.0\CrashDump]
- Trace file settings:
  - On the 32-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\KasperskyLab\KICS\3.0\Trace]
  - On the 64-bit version of Microsoft Windows: [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS\3.0\Trace]
- Configuration of the application's tasks and functions: [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS\3.0\Environment]

Kaspersky Industrial CyberSecurity for Nodes processes

Kaspersky Industrial CyberSecurity for Nodes starts processes described in the table below.

Kaspersky Industrial CyberSecurity for Nodes processes

File name	Purpose
kavfswp.exe	Kaspersky Industrial CyberSecurity for Nodes workflow
kavtray.exe	Process for the System Tray Icon
kavfsmui.exe	Process for the Compact Diagnostic Interface component
kavshell.exe	Command line utility process
kavfsrcn.exe	Kaspersky Industrial CyberSecurity for Nodes remote management process
kavfs.exe	Kaspersky Security Service process
kavfsgt.exe	Kaspersky Security Management Service process
kavfswh.exe	Kaspersky Security Exploit Prevention Service process

Checking Kaspersky Industrial CyberSecurity for Nodes functions. Using the EICAR test virus

This section describes the EICAR test virus and how to use the EICAR test virus to check the Real-Time File Protection and On-Demand Scan features of Kaspersky Industrial CyberSecurity for Nodes.

About the EICAR test virus

This test virus is designed to verify the operation of anti-virus applications. It was developed by the European Institute for Computer Antivirus Research (EICAR).

The test virus is not a malicious object and does not contain executable code for your device, but most vendors' anti-virus applications identify it as a threat.

The file containing this test virus is called eicar.com. You can download it from the EICAR website.

Before saving the file in a folder on the device's hard drive, make sure that Real-Time File Protection is disabled on that drive.

The eicar.com file contains a line of text. When scanning the file Kaspersky Industrial CyberSecurity for Nodes detects the test threat in this line of text, assigns the **Infected** status to the file, and deletes it. Information about the threat detected in the file will appear in the Application Console and in the task log.

You can use the eicar.com file to check how Kaspersky Industrial CyberSecurity for Nodes disinfects the infected objects and how it detects probably infected objects. To do this, open the file using a text editor, add one of the prefixes listed in the table below to the beginning of the line of text in the file, and save the file witha new name, such as eicar_cure.com.

To make sure that Kaspersky Industrial CyberSecurity for Nodes processes the eicar.com file with a prefix, in the **Objects protection** security settings section, set the **All objects** value for the Real-Time Computer Protection tasks and Default On-Demand Scan tasks of Kaspersky Industrial CyberSecurity for Nodes.

Prefixes in EICAR files

Prefix	File status after the scan and Kaspersky Industrial CyberSecurity for Nodes action
No prefix	**Kaspersky Industrial CyberSecurity for Nodes assigns the Infected status to the object and deletes it.**
SUSP–	Kaspersky Industrial CyberSecurity for Nodes assigns the **Probably infected** status to the object detected by the heuristic analyzer and deletes it since probably infected objects are not disinfected.
WARN–	Kaspersky Industrial CyberSecurity for Nodes assigns the **Probably infected** status to the object (the object's code partly matches the code of a known threat) and deletes it since probably infected objects are not disinfected.
CURE–	Kaspersky Industrial CyberSecurity for Nodes assigns the **Infected** status to the object and disinfects it. If disinfection is successful, the entire text in the file is replaced with the word "CURE".

Checking the Real-Time File Protection and On-Demand Scan features

After installing Kaspersky Industrial CyberSecurity for Nodes, you can confirm that Kaspersky Industrial CyberSecurity for Nodes finds objects containing malicious code. To check this, you can use a test virus from EICAR.

To check the Real-Time File Protection feature:

1. Download the eicar.com file from the EICAR website. Save it in a public folder on the local drive of any device on the network.

   Before you save the file to the folder, make sure that Real-Time File Protection is disabled for the folder.

2. If you want to check that network user notifications are working, make sure that the Microsoft Windows Messenger Service is enabled both on the protected device and on the device where you saved the eicar.com file.

3. Open the Application Console on the protected device.

4. Copy the saved eicar.com file to the local drive of the protected device using one of the following methods:

   - To test notifications through a Terminal Services window, copy the eicar.com file to the protected device after connecting to the protected device using the Remote Desktop Connection utility.

   - To test notifications through the Microsoft Windows Messenger Service, use the device's network places to copy the eicar.com file from the device where you saved it.

Real-Time File Protection is working correctly if the following conditions are met:

- The eicar.com file is deleted from the protected device.

- In the Application Console, the task log gets the *Critical* status. The log has a new line with information about a threat in the eicar.com file.

- The following Microsoft Windows Messenger Service message appears on the device from which you copied the file: `Kaspersky Industrial CyberSecurity for Nodes blocked access to <path to file on the device>\eicar.com on computer <network name of the device> at <time that event occurred>. Reason: Threat detected. Virus: EICAR-Test-File. User name: <user name>. Computer name: <network name of the device from which you copied the file>.`

  Make sure that the Microsoft Windows Messenger Service is running on the device from which you copied the eicar.com file.

To check the On-Demand Scan feature:

1. Download the eicar.com file from the EICAR website. Save it in a public folder on the local drive of any device on the network.

   Before you save the file to the folder, make sure that Real-Time File Protection is disabled for the folder.

2. Open the Application Console and expand the **On-Demand Scan** node in the Application Console tree.

3. Select the **Critical Areas Scan** child node.

4. On the **Scan scope settings** tab, open the context menu on the **Network** node and select **Add network file**.

5. Enter the network path to the eicar.com file on the remote device in UNC (Universal Naming Convention) format.

6. Select the **Path to object** check box to include the added network path in the scan scope.

7. Run the Critical Areas Scan task.

The On-Demand Scan is working as it should if the following conditions are met:

- The eicar.com file is deleted from the device's hard drive.

- In the Application Console, the task log getsthe *Critical* status. The Critical Areas Scan task log has a new line with information about a threat in the eicar.com file.

Installing and removing Kaspersky Security Gateway

This section provides instructions for installing and removing Kaspersky Security Gateway.

Installing Kaspersky Security Gateway using the Setup Wizard

To install Kaspersky Security Gateway,

run the security_gateway.msi file included in the distribution kit.

The corresponding wizard will guide you through the installation. The Setup Wizard will prompt you to configure the installation settings. Follow the instructions of the Wizard.

The interface of the Kaspersky Security Gateway Setup Wizard consists of a sequence of windows (steps). You can navigate between the Setup Wizard windows by clicking the **Back** and **Next** buttons. To close the Setup Wizard after it completes its task, click the **Finish** button. To exit the Setup Wizard at any stage of the installation process, click the **Cancel** button.

Step 1. Verifying installation requirements

If there is an older version of Kaspersky Security Gateway among the detected applications, the Setup Wizard automatically removes the old version and installs the new version of Kaspersky Security Gateway at the **Setup Wizard** stage.

If there is Kaspersky Security Gateway 2.0 or an earlier version installed, the Setup Wizard will not remove the old version and will cancel the installation. Please remove Kaspersky Security Gateway 2.0 or an earlier version manually before the installation of Kaspersky Security Gateway 3.0.

Before installing or upgrading Kaspersky Security Gateway, the Setup Wizard verifies that the following requirements are satisfied:

- The computer and installed software meet the hardware and software requirements.
- The user account has the privileges needed to install applications.

If any one of the previous requirements is not met, a relevant notification is displayed on the screen, and the installation process is aborted.

Step 2. Welcome page of the installation procedure

If the computer on which you are installing Kaspersky Security Gateway fully meets the hardware and software requirements, the welcome page of the installation process opens. The welcome page announces the beginning of installation of Kaspersky Security Gateway on the computer.

Proceed to the next step of the Wizard.

Step 3. Viewing the End User License Agreement and Privacy Policy

At this step, you are advised to review the Privacy Policy and the End User License Agreement between you and Kaspersky.

If you agree to the terms and conditions of End User License Agreement and Privacy Policy, select the **I confirm that I have fully read, understood, and accept the terms and conditions of this End User License Agreement** and **I am aware and agree that my data will be handled and transmitted (including to third countries) as described in the Privacy Policy. I confirm that I have fully read and understand the Privacy Policy** check boxes in order to proceed with the installation.

If you do not accept the End User License Agreement and/or Privacy Policy the installation will be aborted.

Proceed to the next step of the Wizard.

Step 4. Selecting the destination folder

At this step, you have to specify the path to the destination folder where Kaspersky Security Gateway will be installed. To select the destination folder, click the **Browse** button.

To view information about available space on local hard drives, click the **Volume** button. Information is shown in the **Disk Space Requirements** window that opens.

Proceed to the next step of the Wizard.

Step 5. Selecting components

At this step, you can select the Kaspersky Security Gateway components that you want to install. All components are selected for installation by default.

To select a component that you want to install, click the icon next to the component name to bring up the context menu. Then select **Feature will be installed on the local hard drive**. For more details on what tasks are performed by the selected component and how much disk space is required to install the component, refer to the lower part of the current Setup Wizard page.

To view detailed information about the available space on local hard drives, click the **Volume** button. Information is shown in the **Disk Space Requirements** window that opens.

To cancel component installation, in the context menu, select the **Feature will be unavailable** option.

To return to the list of components installed by default, click the **Reset** button.

Proceed to the next step of the Wizard.

Step 6. Configuring the connection to the SCADA system

At this step, enter the address (a number in the range of 0 to 65535) and TCP-port (a number in the range of 0 to 65535) of the computer with Kaspersky Security Gateway installed in accordance with the IEC 60870-5-104 protocol to establish a connection to the SCADA system.

To install the program, click the **Install** button.

Current network connections may be terminated while Kaspersky Security Gateway is being installed on the computer. Most terminated connections are restored after a short time.

Step 7. Installing Kaspersky Security Gateway

The Setup Wizard copies Kaspersky Security Gateway files to the computer. Wait for the installation to complete.

Finish the Wizard.

Installing Kaspersky Security Gateway from the command line

To install Kaspersky Security Gateway from the command line, run the following command:

```
msiexec /i security_gateway.msi EULA=1 PRIVACYPOLICY=1 /qn
```

where `EULA=1 PRIVACYPOLICY=1` – accept the terms of Kaspersky Security Gateway End-User License Agreement between you and Kaspersky and the Privacy Policy that describes processing and transmission of data.

By setting parameters to 1, you confirm the following:

- You have fully read, understood and accept the terms and conditions of End-User License Agreement.
- You have fully read and understood the Privacy Policy, you are aware and agree that your data will be handled and transmitted (including to third countries) as described in the Privacy Policy.

You must accept the terms of the End-User License Agreement and the Privacy Policy to install Kaspersky Security Gateway.

The text of the End-User License Agreement and Privacy Policy is included in the distribution kit.

Removing Kaspersky Security Gateway

Administrator account permissions are required for removing Kaspersky Security Gateway.

To remove Kaspersky Security Gateway:

1. Open the Microsoft Windows Control Panel.
2. On the Microsoft Windows Control Panel, click the **Programs and Features** icon.
   The **Uninstall or change a program** window opens in Microsoft Windows.

3. In the **Uninstall or change a program** window, select **Kaspersky Security Gateway** and click the **Change** button.

   The Setup Wizard starts.

4. In the **Modify, Repair, or Remove application** window of the Setup Wizard, click the **Remove** button.

The Setup Wizard prompts you to configure the removal settings. Follow the instructions of the Wizard.

Step 1. Saving Kaspersky Security Gateway data for future use

At this step, the Setup Wizard prompts you to save Kaspersky Security Gateway configuration file for future use during subsequent installation of Kaspersky Security Gateway (for example, when installing a new version).

To save Kaspersky Security Gateway configuration file,

select the **Save application configuration file** check box.

The **Save application configuration file** option is only available if the Setup Wizard is run by clicking the **Change** button in the **Programs and Features** section of the Control Panel.

Proceed to the next step of the Wizard.

Step 2. Removing Kaspersky Security Gateway

At this step, the Setup Wizard removes Kaspersky Security Gateway from the computer. Wait until the removal process is complete.

Finish the Wizard.

When removing Kaspersky Security Gateway, your operating system may require a restart. If you decide to not restart immediately, the Kaspersky Security Gateway removal will not finish until the operating system is restarted, or until the computer is turned off and then turned on again.

Application interface

You can control Kaspersky Industrial CyberSecurity for Nodes using the following interfaces:

- Local Application Console.
- Kaspersky Security Center Administration Console.
- Kaspersky Security Center Web Console.
- Kaspersky Security Center Cloud Console.

Kaspersky Security Center Administration Console

Kaspersky Security Center lets you remotely install and uninstall, start and stop Kaspersky Industrial CyberSecurity for Nodes, configure application settings, change the set of available application components, add keys, and start and stop tasks.

The application can be managed via Kaspersky Security Center using the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in. See detailed information about the Kaspersky Security Center interface in the *Kaspersky Security Center Help*.

Kaspersky Security Center Web Console and Cloud Console

Kaspersky Security Center Web Console (hereinafter also referred to as Web Console) is a web application intended for centrally performing the main tasks to manage and maintain the security system of an organization's network. Web Console is a Kaspersky Security Center component that provides a user interface. For detailed information about Kaspersky Security Center Web Console, please refer to the *Kaspersky Security Center Help*.

Kaspersky Security Center Cloud Console (hereinafter also referred to as the Cloud Console) is a cloud-based solution for protecting and managing an organization's network. For detailed information about Kaspersky Security Center Cloud Console, please refer to the *Kaspersky Security Center Cloud Console Help*.

Web Console and Cloud Console let you do the following:

- Monitor the status of your organization's security system.
- Install Kaspersky applications on devices within your network.
- Manage installed applications.
- View reports on the security system status.

Kaspersky Security Center management tools comparison and limitations

The set of features available in Kaspersky Industrial CyberSecurity for Nodes depends on the management tools (see the table below).

You can manage the application by using the following consoles of Kaspersky Security Center:

- Administration Console. Microsoft Management Console (MMC) snap-in installed on the administrator's workstation.

- Web Console. Component of Kaspersky Security Center that is installed on the Administration Server. You can work in the Web Console through a browser on any computer that has access to the Administration Server.

You can also manage the application by using the Kaspersky Security Center Cloud Console. The Kaspersky Security Center Cloud Console is the cloud version of Kaspersky Security Center. This means that the Administration Server and other components of Kaspersky Security Center are installed in the cloud infrastructure of Kaspersky. For details on managing the application through the Kaspersky Security Center Cloud Console, please refer to the *Kaspersky Security Center Cloud Console Online Help*.

Comparison of Kaspersky Industrial CyberSecurity for Nodes features depending on the management tools

Feature	Kaspersky Security Center		Kaspersky Security Center Cloud Console
	Administration Console	Web Console	
Real-time server protection			
Real-Time File Protection	✓	✓	✓
KSN Usage	✓	✓	✓
Traffic Security	✓	✓	✓ (no External Proxy mode)
Exploit Prevention	✓	✓	✓
Network Threat Protection	✓	✓	✓
Script Monitoring	✓	✓	✓
Local activity control			
Applications Launch Control	✓	✓	✓
Device Control	✓	✓	✓
Network attached storage protection			
RPC Network Storage Protection	✓	✓	–
ICAP Network Storage Protection	✓	✓	–
Anti-Cryptor for NetApp	✓	✓	–
Network activity control			
Firewall Management	✓	✓	✓
Anti-Cryptor	✓	✓	✓
System Inspection			
File Integrity Monitor	✓	✓	–
Log Inspection	✓	✓	–
Logs and notifications			
Logs	✓	✓	✓
Notifications	✓	✓	✓
Storages			

Quarantine	✓	✓	✓
Backup	✓	✓	✓
Blocked network sessions	✓	✓	✓
Supplementary			
Hierarchical storage management	✓	✓	✓
Trusted Zone	✓	✓	✓
Removable Drives Scan	✓	✓	✓
Kaspersky Endpoint Agent	✓	✓	✓
Tasks			
Activation of Application	✓	✓	✓
Application Integrity Control	✓	✓	✓
Baseline File Integrity Monitor	✓	✓	–
Copying Updates	✓	✓	✓
Database Update	✓	✓	✓
On-Demand Scan	✓	✓	✓
Rollback of Database Update	✓	✓	✓
Rule Generator for Applications Launch Control	✓	✓	✓
Rule Generator for Device Control	✓	✓	✓
Software Modules Update	✓	✓	✓

Web Plug-in limitations

Kaspersky Industrial CyberSecurity for Nodes Web Plug-in has the following limitations compared to Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in:

- To add users or user groups, you need to specify the security descriptor strings using the security descriptor definition language (SDDL).
- Predefined security level cannot be changed for the Real-Time File Protection task.
- Application Launch Control task rules cannot be created using digital certificate or Kaspersky Security Center events.
- Device Control task rules cannot be generated based on connected devices or on system data.

Working with the Administration Plug-in

This section provides information about the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in and describes how to manage the application installed on a protected device or on a group of protected devices.

Managing Kaspersky Industrial CyberSecurity for Nodes from Kaspersky Security Center

You can centrally manage several protected devices with Kaspersky Industrial CyberSecurity for Nodes installed and included in an administration group via the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in. Kaspersky Security Center can also separately configure each protected device in the administration group.

An administration group is created manually via Kaspersky Security Center. The group includes several devices with Kaspersky Industrial CyberSecurity for Nodes installed and for which you want to configure the same control and protection settings. For details on using administration groups, see *Kaspersky Security Center Help*.

Application settings for a single protected device are unavailable if the operation of Kaspersky Industrial CyberSecurity for Nodes on the protected device is controlled by an active Kaspersky Security Center policy.

Kaspersky Industrial CyberSecurity for Nodes can be managed from Kaspersky Security Center in the following ways:

- **Using Kaspersky Security Center policies**. Kaspersky Security Center policies can be used to remotely define the same protection settings for a group of devices. Task settings specified in the active policy have priority over task settings configured locally in the Application Console or remotely in the **Properties: <Protected device name>** window of Kaspersky Security Center.

  You can use policies to configure general application settings, Real-Time Computer Protection task settings, Local Activity Control tasks settings, and scheduled local system task start settings.

- **Using Kaspersky Security Center group tasks**. Kaspersky Security Center group tasks allow remote configuration of common settings of tasks with an expiration period for a group of devices.

  You can use group tasks to activate the application, configure On-Demand Scan task settings, update task settings, and Rule Generator for Applications Launch Control task settings.

- **Using tasks for a set of devices**. Tasks for a set of devices allow remote configuration of common task settings with a limited execution period for protected devices that do not belong to any administration group.

- **Using the properties window of a single device**. In the **Properties: <Protected device name>** window, you can remotely configure the task settings for a single protected device included in an administration group. You can also configure both general application settings and settings for all Kaspersky Industrial CyberSecurity for Nodes tasks if the selected protected device is not controlled by an active Kaspersky Security Center policy.

Kaspersky Security Center allows you to configure application settings and advanced features, and also work with logs and notifications. You can configure these settings for a group of protected devices and for an individual protected device.

Managing application settings

This section contains information about configuring Kaspersky Industrial CyberSecurity for Nodes general settings in Kaspersky Security Center Web Console.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening general settings via the policy

To open the application settings of the Kaspersky Industrial CyberSecurity for Nodes via the policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Application settings** section.
6. Click the **Settings** button in the subsection of the setting that you want to configure.

Opening general settings in the application properties window

To open the properties window of the Kaspersky Industrial CyberSecurity for Nodes for a single protected device:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Devices** tab.
4. Open the **Properties: <Protected device name>** window in one of the following ways:
   - Double-click the name of the protected device.
   - Select the **Properties** item in the context menu of the protected device.

   The **Properties: <Protected device name>** window opens.
5. In the **Applications** section, select **Kaspersky Industrial CyberSecurity for Nodes 3.0**.
6. Click the **Properties** button.
   The **Kaspersky Industrial CyberSecurity for Nodes 3.0 settings** window opens.
7. Select the **Application settings** section.

Configuring general application settings in Kaspersky Security Center

You can configure Kaspersky Industrial CyberSecurity for Nodes general settings from Kaspersky Security Center for a group of protected devices or for one protected device.

Configuring scalability, interface, and scan settings in Kaspersky Security Center

To configure scalability settings and the application interface:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Application settings** section, in the **Scalability, interface and scan settings** subsection, click **Settings**.
5. In the **Advanced application settings** window on the **General** tab, configure the following settings:
   - In the **Scalability settings** section, configure the settings that define the number of processes used by Kaspersky Industrial CyberSecurity for Nodes:
     - **Automatically detect scalability settings**
     - **Set the number of working processes manually**
       - **Maximum number of active processes**
       - **Number of processes for real-time protection**
       - **Number of processes for background on-demand scan tasks**
   - In the **Interaction with user** section, configure whether the System Tray Icon will be displayed in the notification area by clearing or selecting the **Display System Tray Icon in the taskbar** check box.
6. On the **Scan settings** tab, configure the following settings:
   - **Restore file attributes after scanning**
   - **Limit CPU usage for scanning threads**
     - **Upper limit (per cent)**
   - **Folder for temporary files created during scanning**
7. Click **OK**.

The configured application settings are saved.

Configuring security settings in Kaspersky Security Center

To configure security settings manually:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Application settings** section, click the **Settings** button in the **Security and reliability** subsection.
5. In the **Security settings** window, configure the following settings:
   - In the **Self-defense** section, enable or disable the **Protect application processes from external threats** option.
   - In the **Self-defense** section, set a password to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.
   - In the **Password protection settings** section, configure the settings for recovery of Kaspersky Industrial CyberSecurity for Nodes tasks when the application returns an error or terminates.
     - **Perform task recovery**
     - **Reliability settings**
   - In the **Recover on-demand scan tasks no more than (times)** section, specify limitations on protected device load created by Kaspersky Industrial CyberSecurity for Nodes after switching to UPS power:
     - **Do not start scheduled scan tasks**
     - **Stop current scan tasks**
   - In the **Self-defense** section, set a password to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.
6. Click **OK**.

The scalability and reliability settings are saved.

Configuring connection settings using Kaspersky Security Center

The configured connection settings are used to connect Kaspersky Industrial CyberSecurity for Nodes to update and activation servers and during integration of applications with KSN services.

To configure the connection settings take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Application settings** section, click the **Settings** button in the **Connections** subsection.

   The **Connection settings** window opens.
5. In the **Connection settings** window, configure the following settings:
   - In the **Proxy server settings** section, select the proxy server usage settings:
     - **Do not use proxy server**.
     - **Use the specified proxy server**.
     - IP address or symbolic name of the proxy server and the port number.
     - **Do not use proxy server for local addresses**.
   - In the **Proxy server authentication settings** section, specify the authentication settings:
     - Select the authentication settings in the drop-down list.
       - **Do not use authentication** – authentication is not performed. This mode is selected by default.
       - **Use NTLM authentication** – authentication is performed using the NTLM network authentication protocol developed by Microsoft.
       - **Use NTLM authentication with user name and password** – authentication is performed with a user name and password using the NTLM network authentication protocol developed by Microsoft.
       - **Apply user name and password** – authentication is performed using the user name and password.
     - Enter the user name and password, if needed.
   - In the **Licensing** section, clear or select the **Use Kaspersky Security Center as a proxy server when activating the application**.

6. Click **OK**.

The configured connection settings are saved.

Configuring scheduled start of local system tasks

You can use policies to allow or block start of the local system On-Demand Scan task and the Update task according to the schedule configured locally on each protected device in the administration group:

- If the scheduled start of a specific type of local system task is prohibited by a policy, these tasks will not be performed on the protected device according to the schedule. You can start local system tasks manually.
- If the scheduled start of a specific type of local system task is allowed by a policy, these tasks will be performed in accordance with the scheduled parameters configured locally for this task.

By default, starting a local system task is prohibited by policy.

We recommend that you do not allow local system tasks to start if updates or on-demand scans are administered by Kaspersky Security Center group tasks.

If you do not use group update or on-demand scan tasks, allow local system tasks to be started in the policy. Kaspersky Industrial CyberSecurity for Nodes will perform application database and module updates, and start all local system on-demand scan tasks in accordance with the default schedule.

You can use policies to allow or block the scheduled start of the following local system tasks:

- On-Demand Scan tasks: Critical Areas Scan, Quarantine Scan, Scan at Operating System Startup, Application Integrity Control, Baseline File Integrity Monitor.
- Update tasks: Database Update, Software Modules Update, Copying Updates.

If the protected device is excluded from the administration group, the local system tasks schedule will be enabled automatically.

To allow or block the scheduled start of Kaspersky Industrial CyberSecurity for Nodes local system tasks in a policy:

1. In the **Managed devices** node in the Administration Console tree, expand the required group and select the **Policies** tab.
2. On the **Policies** tab, in the context menu of the policy for which you want to schedule Kaspersky Industrial CyberSecurity for Nodes local system tasks for the group of protected devices, select **Properties**.
3. In the **Properties: <Policy name>** window, open the **Application settings** section. In the **Run local system tasks** section, click the **Settings** button and do one of the following:
   - Select the **On-demand scan tasks** and **Update tasks and Copying Update task** check boxes to allow the scheduled launch of the listed tasks.
   - Clear the **On-demand scan tasks** and **Update tasks and Copying Update task** check boxes to disable the scheduled launch of the listed tasks.

Selecting or clearing the check box will not affect the start settings of any local custom tasks of this type.

4. Make certain that the policy you are configuring is active and applied to the selected group of protected devices.

5. Click **OK**.

The configured task schedule settings are applied for the selected tasks.

Configuring Quarantine and Backup settings in Kaspersky Security Center

To configure general Backup settings in Kaspersky Security Center:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

2. Select the administration group for which you want to configure application settings.

3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.

   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Supplementary** section, click the **Settings** button in the **Storages** subsection.

5. Use the **Backup** tab of the **Storages settings** window to configure the following Backup settings:

   - To specify the backup folder, use the **Backup folder** field to select the required folder on the local drive of the protected device, or enter its full path.

   - To set the maximum Backup size, select the **Maximum Backup size (MB)** check box and specify the relevant value in megabytes in the entry field.

   - To set the Backup free space threshold:

     - Define the value of the **Maximum Backup size (MB)** setting.

     - Select the **Threshold value for space available (MB)** check box.

     - Specify the minimum value of free space in the Backup folder in megabytes.

   - To specify a folder for restored objects, do one of the following:

     - Select the relevant folder on a local drive of the protected device in the **Restoration settings** section.

     - Enter the name of the folder and the full path to it in the **Target folder for restoring objects** field.

6. In the **Storages settings** window on the **Quarantine** tab, configure the following Quarantine settings:

   - To change the Quarantine folder, in the **Quarantine folder** entry field specify the complete path to the folder on the local drive of the protected device.
   - To set the maximum Quarantine size, select the **Maximum Quarantine size (MB)** check box and specify the value of this parameter in megabytes in the entry field.
   - To set the minimum amount of free space in Quarantine, select the **Maximum Quarantine size (MB)** check box and the **Threshold value for space available (MB)** check box, and then specify the value of this parameter in megabytes in the entry field.
   - To change the folder to which objects are restored from Quarantine, in the **Target folder for restoring objects** field specify the complete path to the folder on the local drive of the protected device.

7. Click **OK**.

The configured Quarantine and Backup settings are saved.

Creating and configuring policies

This section provides information on using Kaspersky Security Center policies for managing Kaspersky Industrial CyberSecurity for Nodes on several protected devices.

Global Kaspersky Security Center policies can be created to manage protection on several devices where Kaspersky Industrial CyberSecurity for Nodes is installed.

A policy enforces the Kaspersky Industrial CyberSecurity for Nodes settings, functions and specified tasks on all the protected devices for one administration group.

Several policies for one administration group can be created and enforced in turns. The policy currently active for a group has *active* status in the Administration Console.

Information on policy enforcement is logged in the Kaspersky Industrial CyberSecurity for Nodes system audit log. This information can be viewed in the Application Console in the **System audit log** node.

Kaspersky Security Center offers one way to apply policies on protected devices: *Prohibit changing the settings*. After a policy has been applied, Kaspersky Industrial CyberSecurity for Nodes uses the values of settings for which you have selected the icon in the policy properties on protected devices. In this case, Kaspersky Industrial CyberSecurity for Nodes does not use the values of settings in effect before the policy was applied. Kaspersky Industrial CyberSecurity for Nodes does not apply the values of active policy settings for which the icon is selected in the policy properties.

If a policy is active, the values of settings marked with the icon in the policy are displayed in the Application Console but cannot be edited. The values of other settings (marked with the icon in the policy) can be edited in the Application Console.

The settings configured in the active policy and marked with the icon also block changes in Kaspersky Security Center for one protected device in the **Properties: <Protected device name>** window.

Settings that are specified and sent to the protected device using an active policy are saved in the local task settings after the active policy is disabled.

If the policy defines the settings for a Real-Time Computer Protection task, and if such a task is currently running, then any settings defined by the policy will be modified as soon as the policy is applied. If the task is not running, the settings are applied when it starts.

Creating a policy

Before creating a policy, you need to install the Administration plugin klcfginst.exe.

The process of creating a policy involves the following steps:

1. Creating a policy using the policy wizard. Real-Time Computer Protection tasks settings can be configured using the wizard dialogs.
2. Configuring policy settings. In the **Properties: <Policy name>** window of the created policy, you can define the following:
   - Real-Time Computer Protection task settings.
   - General settings of Kaspersky Industrial CyberSecurity for Nodes.
   - Quarantine and Backup settings.
   - Level of detail for task logs.
   - User and administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.

To create a policy for a group of protected devices running the installed Kaspersky Industrial CyberSecurity for Nodes:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree, then select the administration group containing the protected devices for which you wish to create a policy.
2. In the results pane of the selected administration group, select the **Policies** tab and click the **Create a policy** link to start the wizard and create a policy.

   The **New Policy Wizard** window opens.
3. In the **Select the application for which you want to create a group policy** window, select Kaspersky Industrial CyberSecurity for Nodes.
4. Click **Next**.
5. Enter a group policy name in the **Name** field.

   The policy name cannot contain the following symbols: `" * < : > ? \ | .`
6. To apply a policy configuration used in a previous version of the application:
   a. Select the **Use settings from policy for previous versions of application** check box.
   b. Click the **Select** button.

c. Select the policy you want to apply.

d. Click **Next**.

7. In the **Operation type selection** window, select one of the following options:

   - **New**, to create a new policy with default settings.
   - **Import policy created with previous versions of Kaspersky Industrial CyberSecurity for Nodes**, to use the imported policy as a template.
   - Click **Browse** and select a configuration file with an existing policy.

8. In the **Real-Time Computer Protection** window, configure the Real-Time File Protection, KSN Usage tasks, Exploit Prevention, and Script Monitoring as required. Allow or block the use of configured policy tasks on protected devices on the network:

   - Click the button to allow changes to task settings on network protected devices and block the application of task settings configured in the policy.
   - Click the button to deny changes to task settings on network protected devices and allow the application of task settings configured in the policy.

   The newly created policy uses the default settings of Real-Time Computer Protection tasks.

   - To edit the default settings of the Real-Time File Protection task:
     - Click the **Settings** button in the **Real-Time File Protection** subsection.
     - In the window that opens, configure the task according to your needs.
     - Click **OK**.
   - To edit the default settings of the KSN Usage task:
     - Click the **Settings** button in the **KSN Usage** subsection.
     - In the window that opens, configure the task according to your needs.
     - Click **OK**.

     To start the KSN Usage task, you need to accept the KSN Statement in the **KSN data handling** window.

   - To edit the default settings of the Exploit Prevention component:
     - Click the **Settings** button in the **Exploit Prevention** subsection.
     - In the window that opens, configure the functionality according to your needs.
     - Click **OK**.

9. Select one of the following policy statuses in the **Create the group policy for the application** window:

   - **Active policy**, if you want to apply the policy immediately after it is created. If an active policy already exists in the group, it is deactivated and a new policy is applied.

- **Inactive policy**, if you do not want to apply the created policy immediately. In this case the policy may be activated later.

- Select the **Open policy properties immediately after they are created** check box to automatically close the **New Policy Wizard** and configure the newly created policy after clicking the **Next** button.

10. Click the **Finish** button.

The created policy appears in the list of policies on the **Policies** tab of the selected administration group. In the **Properties: <Policy name>** window, you can configure other settings, tasks and functions of Kaspersky Industrial CyberSecurity for Nodes.

Kaspersky Industrial CyberSecurity for Nodes policy settings sections

General

In the **General** section, you can configure the following policy settings:

- Indicate the policy status.

- Configure the inheritance settings for parent and child policies.

Event notification

In the **Event notification** section, you can configure settings for the following event categories:

- *Critical events*

- *Functional failure*

- *Warning*

- *Informational message*
  You can use the **Properties** button to configure the following settings for the selected events:

- Indicate the storage location and retention period for information about logged events.

- Indicate the notification method for logged events.

Application settings

Settings of the Application Settings section

Section	Options
Scalability, interface and scan settings	In the **Scalability, interface and scan settings** subsection, you can click the **Settings** button to configure the following settings: • Choose whether to configure scalability settings automatically or manually. • Configure the application icon display settings.
Security and reliability	In the **Security and reliability** subsection, you can click the **Settings** button to configure the following settings:

	• Configure the task run settings. • Specify how the application should behave when the protected device is running on UPS power. • Enable or disable password-protection of application functions.
Connections	In the **Connections** subsection, you can use the **Settings** button to configure the following proxy server settings for connecting with update servers, activation servers, and KSN: • Configure the proxy server settings. • Specify the proxy server authentication settings.
Run local system tasks	In the **Run local system tasks** subsection, you can use the **Settings** button to allow or block the start of the following local system tasks according to a schedule configured on protected devices: • On-Demand Scan task. • Update tasks and Copying Update task.

Supplementary

Settings of the Supplementary section

Section	Options
Trusted Zone	Click the **Settings** button on the **Trusted Zone** subsection to configure the following Trusted Zone application settings: • Create a list of Trusted Zone exclusions. • Enable or disable scanning of file backup operations. • Create a list of trusted processes.
Removable Drives Scan	In the **Removable Drives Scan** subsection, you can use the **Settings** button to configure scan settings for removable drives.
User access permissions for application management	In the **User access permissions for application management** subsection, you can configure user rights and user group rights to manage Kaspersky Industrial CyberSecurity for Nodes.
User access permissions for Kaspersky Security Service management	In the **User access permissions for Kaspersky Security Service management** subsection, you can configure user rights and user group rights to manage the Kaspersky Security Service.
Storages	In the **Storages** subsection, click the **Settings** button to configure the following Quarantine, Backup and Blocked Hosts settings: • Specify the path to the folder where you want to place Quarantine or Backup objects. • Configure the maximum size of Backup and Quarantine and also specify the free space threshold.

	• Specify the path to the folder where you want to place objects restored from Quarantine or Backup. • Configure how long hosts are blocked.

Real-Time Computer Protection

Settings of the Real-Time Computer Protection section

Section	Options
Real-Time File Protection	In the **Real-Time File Protection** subsection, you can click the **Settings** button to configure the following task settings: • Indicate the protection mode. • Configure use of the Heuristic Analyzer. • Configure use of the Trusted Zone. • Indicate the protection scope. • Set the security level for the selected protection scope: you can select a predefined security level or configure the security settings manually. • Configure the task start settings.
KSN Usage	In the **KSN Usage** subsection, you can click the **Settings** button to configure the following task settings: • Indicate the actions to perform on KSN untrusted objects. • Configure data transfer and usage of Kaspersky Security Center as a KSN proxy server. Click the **Data processing** button to accept or reject the KSN Statement, and configure data exchange settings.
Exploit Prevention	In the **Exploit Prevention** subsection, you can click the **Settings** button to configure the following task settings: • Select the process memory protection mode. • Indicate the actions to reduce exploit risks. • Add to and edit the list of protected processes.

Local activity control

Settings of the Local Activity Control section

Section	Options
Applications Launch Control	In the **Applications Launch Control** subsection, you can use the **Settings** button to configure the following task settings: • Select the task operating mode.

	• Configure settings for controlling subsequent application launches. • Indicate the scope of the Applications Launch Control rules. • Configure use of KSN. • Configure the task start settings.
Device Control	In the **Device Control** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure the task start settings.
Wi-Fi Control	In the **Wi-Fi Control** subsection, you can click the **Settings** button to configure the following task settings: • Manage the component operating modes. • Configure the rules for Wi-Fi control.

Network activity control

Settings of the Network activity control section

Section	Options
Firewall Management	In the **Firewall Management** subsection, you can click the **Settings** button to configure the following task settings: • Configure firewall rules. • Configure the task start settings.
Anti-Cryptor	In the **Anti-Cryptor** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. Configure the Anti-Cryptor protection scope. • Configure the task launch settings.

System inspection

Settings of the System Inspection section

Section	Options
File Integrity Monitor	In the **File Integrity Monitor** subsection, you can configure control over changes in files that can signify a security breach on a protected device.
Log Inspection	In the **Log Inspection** section, you can configure protected device integrity monitoring based on the results of an analysis of the Windows Event Log.

Logs and notifications

Settings of the Logs and Notifications section

Section	Options
Task logs	In the **Task logs** subsection, you can click the **Settings** button to configure the following settings: • Specify the importance level of the logged events for the selected software components. • Specify the task log storage settings. • Specify the SIEM integration with Kaspersky Security Center settings.
Event notifications	In the **Event notifications** subsection, you can click the **Settings** button to configure the following settings: • Specify the user notification settings for the *Object detected*, *Untrusted external device detected and restricted*, and *Host listed as untrusted* events. • Specify the administrator notification settings for any event selected in the event list in the **Notification settings** section.
Interaction with Administration Server	In the **Interaction with Administration Server** section, you can click the **Settings** button to select the types of objects (including Quarantine and Backup objects) that Kaspersky Industrial CyberSecurity for Nodes will report to Administration Server.
Incidents	In the **Incidents** subsection, you can click the **Settings** button to select the notifications that the application will use as the basis for creating incidents in Kaspersky Security Center.

Revision history

In the **Revision history** section, you can manage revisions: compare with the current revision or other policy, add descriptions of revisions, save revisions to a file or perform a rollback.

Configuring a policy

In the **Properties: <Policy name>** window of an existing policy, you can configure:

- General Kaspersky Industrial CyberSecurity for Nodes settings.
- Quarantine and Backup settings.
- Trusted Zone, Real-Time Computer Protection, and Local Activity Control settings.
- Level of detail for task logs.
- User and administrator notifications about Kaspersky Industrial CyberSecurity for Nodes events.
- Access privileges for managing the application and the Kaspersky Security Service.

To configure the policy settings:

1. Expand the **Managed devices** node in the tree of the Administration Console of Kaspersky Security Center.
2. Expand the administration group for which you want to configure the associated policy settings, and open the **Policies** tab in the details pane.
3. Select the policy you want to configure and open the **Properties: <Policy name>** window using one of the following methods:
   - Selecting the **Properties** option in the policy context menu.
   - Clicking the **Configure policy** link in the right details pane of the selected policy.
   - Double-clicking the selected policy.
4. On the **General** tab in the **Policy status** section, enable or disable the policy. To do so, select one of the options below:
   - **Active policy**, if you want the policy to be applied on all protected devices within the selected administration group.
   - **Inactive policy**, if you want to activate the policy later on all protected devices within the selected administration group.

   The **Out-of-office policy** setting is not available when you manage Kaspersky Industrial CyberSecurity for Nodes.
5. In the **Event notification**, **Application settings**, **Supplementary**, **Logs and notifications**, **Revision history** sections you can modify the application configuration (see table below).
6. In the **Real-Time Computer Protection**, **Local activity control**, **Network activity control**, and **System inspection** sections, configure the application settings and application launch settings (see the table below).

   You can enable or disable the execution of any task on all protected devices within the administration group by means of a Kaspersky Security Center policy.

   You can configure the application of policy settings on all network protected devices for each individual software component.
7. Click **OK**.

The configured settings are applied in the policy.

Sections with Kaspersky Industrial CyberSecurity for Nodes policy settings

General

In the **General** section, you can configure the following policy settings:

- Indicate policy status.

- Configure the inheritance of settings from parent policies and for child policies.

Event notifications

In the **Event notifications** section, you can configure settings for the following event categories:

- *Critical events*
- *Failure*
- *Warning*
- *Informational event*
  You can use the **Properties** button to configure the following settings for the selected events:
- Indicate the storage location and retention period of information about logged events.
- Indicate the method of notification about logged events.

Application settings

Settings of the Application Settings section

Section	Options
Scalability, interface and scan settings	In the **Scalability, interface and scan settings** subsection, you can click the **Settings** button to configure the following settings: • Choose whether to configure scalability settings automatically or manually. • Configure the application icon display settings.
Security	In the **Security and reliability** subsection, you can click the **Settings** button to configure the following settings: • Configure the task run settings. • Specify how the application should behave when the protected device is running on UPS power. • Enable or disable password-protection of application functions.
Connections	In the **Connections** subsection, you can click the **Settings** button to configure the following proxy server settings for connecting with update servers, activation servers, and KSN: • Configure the proxy server settings. • Specify the proxy server authentication settings.
Run local system tasks	In the **Run local system tasks** subsection, you can click the **Settings** button to allow or block the starting of the following system tasks according to a schedule configured on local computers: • On-Demand Scan task. • Update and Copying Updates tasks.

Supplementary

Settings of the Supplementary section

Section	Options
Trusted Zone	In the **Trusted Zone** subsection, you can click the **Settings** button to configure the following Trusted Zone settings: • Create a list of Trusted Zone exclusions. • Enable or disable scanning of file backup operations. • Create a list of trusted processes.
Removable Drives Scan	In the **Removable Drives Scan** subsection, you can click the **Settings** button to configure scan settings for removable USB drives.
User access permissions for application management	In the **User access permissions for application management** subsection, you can click the **Settings** button to configure user rights and user group rights to manage Kaspersky Industrial CyberSecurity for Nodes.
User access permissions for Kaspersky Security Service management	In the **User access permissions for Kaspersky Security Service management** subsection, you can click the **Settings** button to configure user rights and user group rights to manage the Kaspersky Security Service.
Storages	In the **Storages** subsection, you can click the **Settings** button to configure the following Quarantine and Backup settings: • Specify the path to the folder into which you want to place Quarantine or Backup objects. • Configure the maximum size of Backup and Quarantine and also specify the free space threshold. • Specify the path to the folder into which you want to place objects restored from Quarantine or Backup. • Configure transmission of information about Quarantine and Backup objects to Administration Server. • Configure the host blocking term.

Real-Time Computer Protection

Settings of the Real-time Computer protection section

Section	Options
Real-Time File Protection	In the **Real-Time File Protection** subsection, you can click the **Settings** button to configure the following task settings: • Indicate the protection mode. • Configure use of the Heuristic Analyzer. • Configure use of the Trusted Zone.

	• Indicate the protection scope. • Set the security level for the selected protection scope: you can select a predefined security level or configure the security settings manually. • Configure the task launch settings.
KSN Usage	In the **KSN Usage** subsection, you can click the **Settings** or **Data processing** buttons to configure the following task settings: • Indicate the actions to perform on KSN untrusted objects. • Configure task performance. • Configure settings for using Kaspersky Security Center as a KSN proxy server. • Accept the KSN Statement. • Configure the task launch settings.
Exploit Prevention	In the **Exploit Prevention** subsection, you can click the **Settings** button to configure the following task settings: • Select the process memory protection mode. • Indicate the actions to reduce exploit risks. • Add to and edit the list of protected processes.

Local activity control

Settings of the Local Activity Control section

Section	Options
Applications Launch Control	In the **Applications Launch Control** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure settings for controlling subsequent application launches. • Indicate the scope for application of the Applications Launch Control rules. • Configure use of KSN. • Configure the task launch settings.
Device Control	In the **Device Control** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure the task launch settings.

Wi-Fi Control	In the **Wi-Fi Control** subsection, you can click the **Settings** button to configure the following task settings: • Manage the component operating modes. • Configure the rules for Wi-Fi control.

Network activity control

Settings of the Network activity control section

Section	Options
Firewall Management	In the **Firewall Management** subsection, you can click the **Settings** button to configure the following task settings: • Configure firewall rules. • Configure the task launch settings.
Anti-Cryptor	In the **Anti-Cryptor** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure the Anti-Cryptor protection scope. • Configure the task launch settings.

System inspection

Settings of the System Inspection section

Section	Options
File Integrity Monitor	In the **File Integrity Monitor** subsection, you can click the **Settings** button to configure control over the changes in files that can signify a security violation on a protected device.
Log Inspection	In the **Log Inspection** subsection, you can click the **Settings** button to configure a protected device integrity control basing on the results of the Windows Event Log analysis.

Logs and notifications

Settings of the Logs and notifications section

Section	Options
Task logs	In the **Task logs** subsection, you can click the **Settings** button to configure the following settings: • Specify the importance level of the logged events for the selected software components. • Specify the task log storage settings.

Event notifications	In the **Event notifications** subsection, you can click the **Settings** button to configure the following settings: • Specify the user notification settings for the *Object detected* event. • Specify the administrator notification settings for any event selected in the event list in the **Notification settings** section.
Interaction with Administration Server	In the **Interaction with Administration Server** subsection, you can click the **Settings** button to select the types of objects that Kaspersky Industrial CyberSecurity for Nodes will report to Administration Server.
Incidents	In the **Incidents** subsection, you can click the **Settings** button to select the notifications that the application will use as the basis for creating incidents in Kaspersky Security Center.

Revision history

In the **Revision history** section, you can manage revisions: compare with the current revision or other policy, add descriptions of revisions, save revisions to a file or perform a rollback.

Creating and configuring tasks using Kaspersky Security Center

This section contains information about Kaspersky Industrial CyberSecurity for Nodes tasks, and how to create them, configure task settings, and start and stop them.

About task creation in Kaspersky Security Center

You can create group tasks for administration groups and sets of protected devices. You can create the following types of tasks via Kaspersky Security Center:

- Activation of the Application
- Copying Updates
- Database Update
- Software Modules Update
- Rollback of Database Update
- On-Demand Scan
- Application Integrity Control
- Baseline File Integrity Monitor
- Rule Generator for Applications Launch Control
- Rule Generator for Device Control

You can create local and group tasks in the following ways:

- For one protected device: in the **Properties <Protected device name>** window in the **Tasks** section.
- For an administration group: in the results pane of the node of the selected group of protected devices on the **Tasks** tab.
- For a set of protected devices: in the results pane of the **Device selections** node.

You can use policies to disable schedules for update and On-Demand Scan local system tasks on all protected devices in the same administration group.

General information on tasks in Kaspersky Security Center is provided in *Kaspersky Security Center Help*.

Creating a task using Kaspersky Security Center

To create a new task in the Kaspersky Security Center Administration Console:

1. Start the task wizard in one of the following ways:
   - To create a local task:
     a. Expand the **Managed devices** node in the Administration Console tree and select the group that the protected device belongs to.
     b. In the results pane of the **Devices** tab, open the context menu of the protected device and select **Properties**.
     c. In the window that opens, click the **Add** button in the **Tasks** section.
   - To create a group task:
     a. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
     b. Select the administration group for which you want to create a task.
     c. In the results pane, open the **Tasks** tab and select **Create a task**.
   - To create a task for a custom set of protected devices:
     a. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
     b. Select the administration group containing the protected devices.
     c. Select a protected device or a custom set of protected devices.
     d. From the **Perform action** drop-down list, select the **Create a task** option.

   The task wizard window opens.
2. In the **Select the task type** window, under the heading **Kaspersky Industrial CyberSecurity for Nodes 3.0**, select the type of the task to be created.

3. If you selected any task type except Rollback of Database Update, Application Integrity Control or Activation of the Application, the **Settings** window opens. Depending on the task type, the settings may vary:

   - Create an On-Demand Scan task.
   - To create an update task, configure task settings based on your requirements:

     a. Select an update source in the **Update source** window.

     b. Click the **Connection settings** button. In the **Connection settings** window, configure proxy server access settings when connecting to the update source.

   - To create a Software Modules Update task, configure the required application module update settings in the **Settings for application software module updates** window:

     a. Select whether to copy and install critical software module updates, or only to check for their availability without installation.

     b. If **Copy and install critical software modules updates** is selected: a protected device restart may be required to apply the installed software modules. If you wish Kaspersky Industrial CyberSecurity for Nodes to restart the protected device automatically upon task completion, select the **Allow operating system restart** check box.

     c. To obtain information about Kaspersky Industrial CyberSecurity for Nodes module upgrades, select **Receive information about available scheduled software modules updates**.

     Kaspersky does not publish planned update packages on the update servers for automatic installation; these can be downloaded manually from the Kaspersky website. An administrator notification about the **New scheduled software modules update is available** event can be configured. This will contain the URL of our website from which scheduled updates can be downloaded.

   - To create the Copying Updates task, specify the set of updates and the destination folder in the **Copying updates settings** window.
   - To create the Activation of the Application task:

     a. In the **Activation Settings** window, specify the key file that you want to use to activate the application.

     b. Select the **Use as additional key** check box if you want to create a task for renewing the license.

   - Create the Rule Generator for Applications Launch Control task.
   - Create the Rule Generator for Device Control task.

4. Configure the task schedule.

   You can configure a schedule for all task types except the Rollback of Database Update task.

5. Click **OK**.

6. If the task is being created for a set of protected devices, select the network (or group) of protected devices on which this task will be executed.

7. In the **Selecting an account to run the task** window, specify the account you want to use to run the task.

8. In the **Define the task name** window, enter the task name (no longer than 100 characters) not containing the symbols " * < > ? \ | : .

We recommend that you add the task type to the task name (for example, "On-demand scan of shared folders").

9. In the **Finishing creating the task** window:

   a. Select the **Run task after Wizard finishes** check box if you want the task to start as soon as it is created.

   b. Click **Finish**.

The task created is displayed in the **Tasks** list.

Configuring local tasks in the Application settings window of the Kaspersky Security Center

To configure local tasks or general application settings for a single network protected device:

1. Expand the **Managed devices** node in the tree of the Administration Server of Kaspersky Security Center and select the group that the protected device belongs to.

2. In the results pane, select the **Devices** tab.

3. Open the **Properties: <Protected device name>** window in one of the following ways:

   - Double-click the name of the protected device.
   - Open the context menu of the protected device name and select the **Properties** item.

   The **Properties: <Protected device name>** window opens.

4. To configure local task settings, perform the following steps:

   a. Go to the **Tasks** section.

   b. In the task list, select a local task to configure:

      - Double-click the task name in the list of tasks.
      - Select the task name and click the **Properties** button.
      - Select **Properties** in the context menu of the selected task.

        The **Properties: <Task name>** window opens.

5. To configure application settings, perform the following steps:

   a. Go to the **Applications** section.

   b. In the installed applications list, select an application to configure:

      - Double-click the application name in the list of installed applications.
      - Select the application name in the list of installed applications and click the **Properties** button.
      - Open the context menu of the application name in the list of installed applications and select the **Properties** item.

The **<Application name> settings** window opens.

If the application is currently under the Kaspersky Security Center policy and this policy prohibits changing the application settings, you cannot edit these settings via the **<Application name> settings** window.

Configuring group tasks in Kaspersky Security Center

When managing Kaspersky Industrial CyberSecurity for Nodes from Kaspersky Security Center Cloud Console, you cannot add custom HTTP and FTP servers or network folders manually.

To configure a group task for multiple protected devices:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node and select the administration group for which you want to configure the application tasks.
2. In the details pane of a selected administration group, open the **Tasks** tab.
3. In the list of previously created group tasks, select a task you want to configure.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task in the list of created tasks.
   - Select the name of the task in the list of created tasks and click the **Configure task** link.
   - Open the context menu of the task name in the list of created tasks and select the **Properties** item.

   In the **Notification** section, configure the task event notification settings. For detailed information on how to configure settings in this section, see *Kaspersky Security Center Help*.
5. Depending on the type of configured task, do one of the following actions:
   - To configure an On-Demand Scan task:
     - In the **Scan scope** section, configure a scan scope.
     - In the **Options** section, configure the task priority level and integration with other software components.
   - To configure an update task, adjust the task settings based on your requirements:
     - In the **Settings** section, configure update source settings and disk subsystem optimization.
     - Click the **Connection settings** button to configure update source connection settings.
   - To configure the Software Modules Update task:
     - Go to the **Settings for application software module updates** section.

- Choose an action to perform: copy and install critical updates of software modules or only check for them.

- To configure the Copying Updates task, specify the set of updates and the destination folder in the **Copying updates settings** section.

- To configure the Activation of the Application task:

  - In the **Activation Settings** section, apply the key file that you want to use to activate the application.

  - Select the **Use as additional key** check box if you want to add an activation code or key file for renewing the license.

- To configure the automatic generation of allowing rules for Device Control, in the **Settings** section, specify the settings that will be used to create the list of allowing rules.

6. Configure the task schedule in the **Schedule** section. You can schedule all task types except Rollback of Database Update.

7. In the **Account** section, specify the account whose rights will be used to run the task. For detailed information regarding configuring settings in this section, see the *Kaspersky Security Center Help*.

8. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section. For detailed information regarding configuring settings in this section, see *Kaspersky Security Center Help.*

9. In the **Properties: <Task name>** window, click **OK**.

The newly configured group task settings are saved.

Configurable group task settings are summarized in the table below.

Kaspersky Industrial CyberSecurity for Nodes group tasks settings

Kaspersky Industrial CyberSecurity for Nodes task types	Section in the Properties: <Task name> window	Task settings
Rule Generator for Applications Launch Control	**Settings**	While configuring the Rule Generator for Applications Launch Control task settings you can select how to create allowing rules: • **Create allowing rules based on running applications** • **Create allowing rules for applications from the folders**
	Options	You can specify actions to perform while creating allowing rules for applications launch control: • **Use digital certificate** • **Use digital certificate subject and thumbprint** • **If the certificate is missing, use** • **Use SHA256 hash** • **Generate rules for user or group of users**

		You can configure settings for configuration files with allowing rule lists that Kaspersky Industrial CyberSecurity for Nodes creates upon task completion.
	Schedule	You can configure settings to schedule a task.
Rule Generator for Device Control	**Settings**	• Select the operation mode: consider system data on all external devices that have ever been connected or only consider currently connected external devices. • Configure settings for configuration files with allowing rule lists that Kaspersky Industrial CyberSecurity for Nodes creates upon task completion.
	Schedule	You can configure settings to start the task on a schedule.
Activation of the Application	**Activation Settings**	To activate the application or to renew the license, you can add a key file.
	Schedule	You can configure settings to start the task on a schedule.
Copying Updates	**Update source**	You can specify Kaspersky Security Center Administration Server or Kaspersky update servers as an application update source. You can also create a customized list of update sources: by adding custom HTTP and FTP servers or network folders manually and setting them as update sources. You can specify the usage of Kaspersky update servers, if manually customized servers are not available.
	Connection settings window	In the **Connection settings** window linked from the **Update source** section, you can specify whether a proxy server should be used to establish the connection to Kaspersky update servers or any other server.
	Copying updates settings	You can specify the set of updates intended for copying. In the **Folder for local storage of copied updates** field, specify a path to the folder that will be used by Kaspersky Industrial CyberSecurity for Nodes to store copied updates.
	Schedule	You can configure settings to start the task on a schedule.
Database Update	**Settings**	You can specify Kaspersky Security Center Administration Server or Kaspersky update servers as an application update source in the **Update source** group box. You can also create a customized list of update sources: by adding custom HTTP and FTP servers or network folders manually and setting them as update sources. You can specify usage of Kaspersky update servers if manually customized servers are not available. In the Disk I/O usage optimization section you can configure the feature that reduces the workload on the disk subsystem: • **Lower the load on the disk I/O** • **RAM used for optimization (MB)**
	Connection settings window	In the **Connection settings** window linked from the **Update source** section, you can specify whether a proxy server should be used to

		establish the connection to Kaspersky update servers or any other server.
	Schedule	You can configure settings to start the task on a schedule.
Software Modules Update	**Update source**	You can specify Kaspersky Security Center Administration Server or Kaspersky update servers as an application update source. You can also create a customized list of update sources: by adding custom HTTP and FTP servers or network folders manually and setting them as update sources. You can specify the usage of Kaspersky update servers, if manually customized servers are not available.
	Connection settings window	In the **Update source connection settings** group box, you can specify whether a proxy server should be used to establish the connection to Kaspersky update servers or any other server.
	Settings for application software module updates	You can specify which actions Kaspersky Industrial CyberSecurity for Nodes should perform when critical software module updates are available or have already been installed, and also whether Kaspersky Industrial CyberSecurity for Nodes should receive information regarding scheduled updates.
	Schedule	You can configure settings to start the task on a schedule.
On-Demand Scan Settings	**Scan scope**	You can specify a scan scope for the On-Demand Scan task and configure security level settings.
	On-demand scan settings window	In the **On-demand scan settings** window linked from the **Scan scope** section, you can select one of the predefined security levels or customize a security level manually.
	Options	You can activate or deactivate use of the heuristic analyzer for the On-Demand Scan task and set the analysis level using a slider in the **Heuristic analyzer** group box. In the **Integration with other components** group box, you can configure the following settings: • Apply Trusted Zone for On-Demand Scan tasks. • Apply KSN usage for On-Demand Scan tasks. • Set a priority for the On-Demand Scan task: perform task in background mode (low priority) or consider task a Critical Areas Scan.
	Schedule	You can configure settings to start the task on a schedule.
Application Integrity Control	**Schedule**	You can configure settings to start the task on a schedule.
Baseline File Integrity Monitor	**Schedule**	You can configure settings to start the task on a schedule.

For the Rollback of Database Update task, you can configure only the standard task settings controlled by Kaspersky Security Center in the **Notification** and **Exclusions from task scope** sections.

For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

Activation of the Application task

To configure an Activation of the Application task:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node and select the administration group for which you want to configure the application tasks.
2. In the details pane of a selected administration group, open the **Tasks** tab.
3. In the list of previously created group tasks, select a task you want to configure.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task in the list of created tasks.
   - Select the name of the task in the list of created tasks and click the **Configure task** link.
   - Open the context menu of the task name in the list of created tasks and select the **Properties** item.

   In the **Notification** section, configure the task event notification settings. For detailed information on how to configure settings in this section, see *Kaspersky Security Center Help*.
5. In the **Activation Settings** section, specify the key file that you want to use to activate the application. Select the **Use as additional key** check box if you want to add a key to extend the license.
6. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).
7. In the **Account** section, specify the account whose rights will be used to run the task.
8. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section.

   For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.
9. In the **Properties: <Task name>** window, click **OK**.

   The newly configured group task settings are saved.

Update tasks

To configure the Copying Updates, Database Update, or Software Modules Update tasks:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node and select the administration group for which you want to configure the application tasks.
2. In the details pane of a selected administration group, open the **Tasks** tab.
3. In the list of previously created group tasks, select a task you want to configure.

4. Open the **Properties: <Task name>** window in one of the following ways:

   - Double-click the name of the task in the list of created tasks.
   - Select the name of the task in the list of created tasks and click the **Configure task** link.
   - Open the context menu of the task name in the list of created tasks and select the **Properties** item.

   In the **Notification** section, configure the task event notification settings. For detailed information on how to configure settings in this section, see *Kaspersky Security Center Help*.

5. In the **Update source** section, do the following:

   a. Select the update source:

      - Kaspersky Security Center Administration Server.
      - Kaspersky update servers.
      - Custom HTTP or FTP servers, or network folders.

      To use an SMB-shared folder as an update source, you need to specify a user account to start a task.

      You can specify the usage of Kaspersky update servers if manually customized servers are not available.

   b. Click the **Connection settings** button.

   c. In the **Connection settings** window that opens, configure the use of a proxy server for connecting to Kaspersky update servers and other servers.

   d. For the Database Update task, in the **Disk I/O usage optimization** section, configure the feature that reduces the workload on the disk subsystem:

      The **Disk I/O usage optimization** section is available only for the Database Update task.

      - **Lower the load on the disk I/O**
      - **RAM used for optimization (MB)**

6. For the Software Modules Update task, in the **Settings for application software module updates** section, specify which actions Kaspersky Industrial CyberSecurity for Nodes should perform when critical software module updates are available or information about planned updates is available.

   You can also specify which actions Kaspersky Industrial CyberSecurity for Nodes should perform when critical updates are installed.

   The **Settings for application software module updates** section is available only for the Software Modules Update task.

7. For the Copying Updates task, in the **Copying updates settings** section, specify the set of updates and the destination folder.

The **Copying updates settings** section is available only for the Copying Updates task.

8. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).

9. In the **Account** section, specify the account whose rights will be used to run the task.

For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

10. In the **Properties: <Task name>** window, click **OK**.

The newly configured group task settings are saved.

For the Rollback of Database Update task, you can configure only the standard task settings controlled by Kaspersky Security Center in the **Notifications** and **Exclusions from task scope** sections. For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

Application Integrity Control

To configure the Application Integrity Control group task:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node and select the administration group for which you want to configure the application tasks.

2. In the details pane of a selected administration group, open the **Tasks** tab.

3. In the list of previously created group tasks, select a task you want to configure.

4. Open the **Properties: <Task name>** window in one of the following ways:

   - Double-click the name of the task in the list of created tasks.
   - Select the name of the task in the list of created tasks and click the **Configure task** link.
   - Open the context menu of the task name in the list of created tasks and select the **Properties** item.

In the **Notification** section, configure the task event notification settings. For detailed information on how to configure settings in this section, see *Kaspersky Security Center Help*.

5. In the **Devices** section, select the devices for which you want to configure the Application Integrity Control task.

6. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).

7. In the **Account** section, specify the account whose rights will be used to run the task.

8. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section.

For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

9. In the **Properties: <Task name>** window, click **OK**.

   The newly configured group task settings are saved.

Configuring crash diagnostics settings in Kaspersky Security Center

If a problem occurs when operating Kaspersky Industrial CyberSecurity for Nodes (for example, the application crashes), you can diagnose it. To do this, you can enable the creation of trace files and a dump file for the Kaspersky Industrial CyberSecurity for Nodes process and send these files for analysis to Kaspersky Technical Support.

Kaspersky Industrial CyberSecurity for Nodes does not send any trace or dump files automatically. Diagnostic data can only be sent by a user who has the required permissions.

Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump file in unencrypted form. The folder where files are saved is selected by the user and managed by the operating system configuration and Kaspersky Industrial CyberSecurity for Nodes settings. You can configure access permissions and allow only required users to access logs, trace files and dump files.

To configure crash diagnostics settings in Kaspersky Security Center:

1. In the Kaspersky Security Center Administration Console, open the **Application settings** window.
2. Open the **Malfunction diagnosis** section.
3. If you want the application to write debug information to a file, select the **Write debug information to trace file** check box.
4. In the field below, specify the folder where Kaspersky Industrial CyberSecurity for Nodes will save trace files.
5. Configure the level of detail of debug information.
6. Specify the maximum size of trace files.
7. Specify the maximum number of files for one trace log.

   Kaspersky Industrial CyberSecurity for Nodes will create up to the maximum number of trace files for each component to be debugged.

8. Specify the components to be debugged. Component codes must be separated with a semicolon. The codes are case sensitive (see table below).

Kaspersky Industrial CyberSecurity for Nodes subsystem codes

Component Code	Name of component
*	All components.

gui	User interface subsystem, Kaspersky Industrial CyberSecurity for Nodes snap-in in Microsoft Management Console.
ak_conn	Subsystem for integrating Network Agent and Kaspersky Security Center.
bl	Control process, implements Kaspersky Industrial CyberSecurity for Nodes control tasks.
wp	Work process, handles anti-virus protection tasks.
blgate	Kaspersky Industrial CyberSecurity for Nodes remote management process.
ods	On-Demand Scan subsystem.
oas	Real-Time File Protection subsystem.
qb	Quarantine and Backup subsystem.
scandll	Auxiliary module for virus scans.
core	Subsystem for basic anti-virus functionality.
avscan	Anti-virus processing subsystem.
avserv	Subsystem for controlling the anti-virus kernel.
prague	Subsystem for basic functionality.
updater	Subsystem for updating databases and software modules.
snmp	SNMP protocol support subsystem.
perfcount	Performance counter subsystem.

The trace settings of the Kaspersky Industrial CyberSecurity for Nodes snap-in (gui) and the Administration Plug-in for Kaspersky Security Center (ak_conn) are applied after these components are restarted. The trace settings of the SNMP protocol support subsystem (snmp) are applied after the SNMP service is restarted. The trace settings of the performance counter subsystem (perfcount) are applied after all processes that use performance counters are restarted. Trace settings for other Kaspersky Industrial CyberSecurity for Nodes subsystems are applied as soon as the crash diagnostics settings are saved.

By default, Kaspersky Industrial CyberSecurity for Nodes logs debug information for all Kaspersky Industrial CyberSecurity for Nodes components.

The entry field is available if the **Write debug information to trace file** check box is selected.

9. If you want the application to create a dump file, select the **Create dump file** check box.
10. In the field below, specify the folder in which Kaspersky Industrial CyberSecurity for Nodes will save the dump file.
11. Click **OK**.

The configured application settings are applied on the protected device.

Managing task schedules

You can schedule Kaspersky Industrial CyberSecurity for Nodes tasks.

Scheduling tasks

You can schedule local system and custom tasks in the Application Console. You cannot schedule group tasks in the Application Console.

To schedule group tasks using the Administration Plug-in:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node.
2. Select the group that the protected device belongs to.
3. In the results pane, select the **Tasks** tab.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task.
   - Open the context menu of the task name and select the Properties item.
5. Select the **Schedule** section.
6. In the **Schedule settings** block, select the **Run by schedule** check box.

   Fields with schedule settings for the On-Demand Scan and Update tasks are unavailable if scheduling of these tasks is blocked by a Kaspersky Security Center policy.

7. Configure schedule settings in accordance with your requirements. To do this, perform the following actions:
   a. In the **Frequency** list, select one of the following values:
      - **Hourly**, if you want the task to run at intervals of a specified number of hours; specify the number of hours in the **Every <number> hour(s)** field.
      - **Daily**, if you want the task to run at intervals of a specified number of days; specify the number of days in the **Every <number> day(s)** field.
      - **Weekly**, if you want the task to run at intervals of a specified number of weeks; specify the number of weeks in the **Every <number> week(s)** field. Specify the days of the week to start the task (by default tasks run on Mondays).
      - **At application launch**, if you want the task to run every time Kaspersky Industrial CyberSecurity for Nodes starts.
      - **After application database update**, if you want the task to run after every update of the application databases.
   b. Specify the time for the first task start in the **Start time** field.
   c. In the **Start date** field, specify the date when the schedule starts.

      After you have scheduled the start time, date and frequency of the task, the estimated time for the next start is displayed.

Go to the **Schedule** tab and open the **Task settings** window. In the **Next start** field in the top of the window, the estimated start time is displayed. Each time you open the window, this estimated start time is updated and displayed.

The **Next start** field displays the **Blocked by policy** value if Kaspersky Security Center policy settings prohibit scheduled local system tasks from starting.

8. Use the **Advanced** tab to configure the following schedule settings in accordance with your requirements.
   - In the **Task stop settings** section:
     a. Select the **Duration** check box and, in the fields to the right, enter the maximum number of hours and minutes of task execution.
     b. Select the **Pause from** check box and, in the fields to the right, enter the start and end values of a time interval under 24 hours during which task execution will be paused.
   - In the **Advanced settings** section:
     a. Select the **Cancel schedule from** check box and specify the date from which the schedule will cease to apply.
     b. Select the **Run skipped tasks** check box to enable the start of skipped tasks.
     c. Select the **Randomize the task start time within the interval of** check box and specify a value in minutes.
9. Click **OK**.
10. Click the **Apply** button to save the task start settings.

If you want to configure application settings for a single task using Kaspersky Security Center, see section "Configuring local tasks in the Application settings window of the Kaspersky Security Center".

Enabling and disabling scheduled tasks

You can enable and disable scheduled tasks either before or after configuring the schedule settings.

To enable or disable the task start schedule:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node.
2. Select the group that the protected device belongs to.
3. In the results pane, select the **Tasks** tab.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task.

- Open the context menu of the task name and select the Properties item.

5. Select the **Schedule** section.
6. Do one of the following:
   - Select the **Run by schedule** check box if you want to enable scheduled task start.
   - Clear the **Run by schedule** check box if you want to disable scheduled task start.

     The configured task start schedule settings are not deleted and will be applied at the next scheduled start of the task.
7. Click **OK**.
8. Click **Apply**.

The configured task start schedule settings are saved.

Reports in Kaspersky Security Center

Reports in Kaspersky Security Center contain information about the status of managed devices. Reports are based on information stored on Administration Server.

Starting from Kaspersky Security Center 11, the following types of reports are available for Kaspersky Industrial CyberSecurity for Nodes:

- Report on the status of application components
- Report on prohibited applications
- Report on prohibited applications in test mode

See *Kaspersky Security Center Help* for detailed information about all Kaspersky Security Center reports and how to configure them.

Report on the status of Kaspersky Industrial CyberSecurity for Nodes components

You can monitor the protection status of all network devices and get a structured overview of the set of components on each device.

The report displays one of the following states for each component: *Running*, *Paused*, *Stopped*, *Malfunction*, *Not installed*, *Starting*.

The *Not Installed* status refers to the component, not the application itself. If the application is not installed, Kaspersky Security Center assigns the N/A (Not available) status.

You can create component selections and use filtering to display network devices with a specified set of components and state.

See *Kaspersky Security Center Help* for detailed information about creating and using selections.

To review the component statuses in the application settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree and select the administration group for which you want to configure application settings.
2. Select the **Devices** tab and open the **Application settings** window.
3. Select the **Components** section.
4. Review the status table.

To review a Kaspersky Security Center standard report:

1. Select the **Administration Server <Administration Server name>** node in the Administration Console tree.
2. Open the **Reports** tab.
3. Double-click the **Report on the status of application components** list item.
   A report is generated.
4. Review the following report details:
   - Graphical diagram.
   - Summary table of components and aggregated numbers of network devices where each of the components is installed, and groups they belong to.
   - Detailed table specifying the component status, version, device and group.

Reports on prohibited applications in active and test modes

Based on the results of the Applications Launch Control task, two types of reports can be generated: a report on prohibited applications (if the task is started in Active mode) and a report on prohibited applications in test mode (if the task is started in Statistics only mode). These reports display information about blocked applications on the protected devices of the network. Each report is generated for all administration groups and accumulates data from all the Kaspersky applications installed on the protected devices.

To review a report on prohibited applications in Statistics only mode:

1. Start the Applications Launch Control task in Statistics only mode.
2. Select the **Administration Server <Administration Server name>** node in the Administration Console tree.
3. Open the **Reports** tab.
4. Double-click the **Report on prohibited applications in test mode** item.
   A report is generated.
5. Review the following report details:
   - A graphical diagram that displays the top 10 applications with the largest number of blocked starts.

- A summary table of application blocks, specifying the executable file name, reason, time of blocking, and number of devices where the blocking occurred.
- A detailed table specifying data about the device, file path and criteria for blocking.

To review a report on prohibited applications in Active mode:

1. Start the Applications Launch Control task in Active mode.
2. Select the **Administration Server <Administration Server name>** node in the Administration Console tree.
3. Open the **Reports** tab.
4. Double-click the **Report on prohibited applications** item.

   A report is generated.

This report consists of the same data about blocks as the report on prohibited applications in test mode.

Working with the Kaspersky Industrial CyberSecurity for Nodes Console

This section provides information about the Kaspersky Industrial CyberSecurity for Nodes Console and describes how to manage the application using the Application Console installed on the protected device or another device.

About the Kaspersky Industrial CyberSecurity for Nodes Console

Kaspersky Industrial CyberSecurity for Nodes Console is an isolated snap-in that you can add to the Microsoft Management Console.

You can manage the application via the Application Console installed on the protected device or on another device on the corporate network.

After the Application Console has been installed on another device, advanced configuration is required.

You can install the Application Console and Kaspersky Industrial CyberSecurity for Nodes on different protected devices assigned to different domains. In this case, there may be limitations on sending information from the application to the Application Console. For example, after any application task starts, its status may remain unchanged in the Application Console.

When installing the Application Console, the installation wizard creates the kavfs.msc file in the installation folder and adds Kaspersky Industrial CyberSecurity for Nodes snap-in to the list of isolated Microsoft Windows snap-ins.

You can start the Application Console from the **Start** menu. The Kaspersky Industrial CyberSecurity for Nodes snap-in msc-file can be run or added to the Microsoft Management Console as a new element in the tree.

Under a 64-bit version of Microsoft Windows, the Kaspersky Industrial CyberSecurity for Nodes snap-in can be added only in the 32-bit version of Microsoft Management Console. To add the Kaspersky Industrial CyberSecurity for Nodes snap-in, open Microsoft Management Console from the command line by executing the command: mmc.exe /32.

Multiple Kaspersky Industrial CyberSecurity for Nodes snap-ins can be added to one Microsoft Management Console opened in author mode. You can then manage the protection of multiple devices on which Kaspersky Industrial CyberSecurity for Nodes is installed.

Kaspersky Industrial CyberSecurity for Nodes Console interface

This section describes the primary elements of the application interface.

Kaspersky Industrial CyberSecurity for Nodes Console window

Kaspersky Industrial CyberSecurity for Nodes Console is displayed in the Microsoft Management Console tree in the form of a node with the name Kaspersky Industrial CyberSecurity for Nodes.

After a connection has been established to Kaspersky Industrial CyberSecurity for Nodes installed on a different protected device, the name of the node is supplemented with the name of the protected device on which the application is installed and the name of the user account under which the connection has been established: **Kaspersky Industrial CyberSecurity for Nodes <Protected device name> as <account name>**. Upon connection to Kaspersky Industrial CyberSecurity for Nodes installed on the same protected device with the Kaspersky Industrial CyberSecurity for Nodes Console, the node name is Kaspersky Industrial CyberSecurity for Nodes.

Console tree

The Console tree displays the **Kaspersky Industrial CyberSecurity for Nodes** node and the child nodes of functional components of the application.

The **Kaspersky Industrial CyberSecurity for Nodes** node includes the following child nodes:

- **Real-Time Computer Protection**: manages Real-Time File Protection, Anti-Cryptor and KSN services. The **Real-Time Computer Protection** node allows to configure the following tasks:
  - **Real-Time File Protection**
  - **KSN Usage**
  - **Anti-Cryptor**
  - **Exploit Prevention**
- **Computer Control**: controls launches of applications installed on a protected device, as well as external devices connections. The **Computer Control** node allows to configure the following tasks:
  - **Applications Launch Control**
  - **Device Control**
  - **Wi-Fi Control**
  - **Firewall Management**
- **Automated rule generators**: configuring automatic generation of group and system rules for the Applications Launch Control task and the Device Control task.

- **Rule Generator for Applications Launch Control**
- **Rule Generator for Device Control**
- Rule generation group tasks **<Task names>** (if any)

  Group tasks are created using Kaspersky Security Center. You cannot manage group tasks through Kaspersky Industrial CyberSecurity for Nodes Console.

- **System Inspection**: configuring file operations control and Windows Event Log inspection settings.
  - **File Integrity Monitor**
  - **Log Inspection**
- **Industrial Network Protection**: receives information about protected PLCs and monitors their integrity.
  - **PLC Project Integrity Check**
  - **PLC Project Investigation**
- **On-Demand Scan**: manages On-Demand Scan tasks. There is a separate node for each task:
  - **Scan at Operating System Startup**
  - **Critical Areas Scan**
  - **Quarantine Scan**
  - **Application Integrity Control**
  - Custom tasks **<Task names>** (if any)

  The node displays system tasks created when the application is installed, custom tasks, and group on-demand scan tasks created and sent to a protected device using Kaspersky Security Center.

- **Update**: manages updates for Kaspersky Industrial CyberSecurity for Nodes databases and modules and copies the update to a local update source folder. The node contains child nodes for administering each update task and the last **Rollback of Application Database Update** task:
  - **Database Update**
  - **Software Modules Update**
  - **Copying Updates**
  - **Rollback of Application Database Update**

  The node displays all custom and group update tasks created and sent to a protected device using Kaspersky Security Center.

- **Storages**: Management of Quarantine, Backup and Blocked Hosts settings.
  - **Quarantine**
  - **Backup**

    - **Blocked Hosts**

- **Logs and notifications**: manages local task logs, Security log and Kaspersky Industrial CyberSecurity for Nodes System audit log.

    - **Security log**

    - **System audit log**

    - **Task logs**

- **Licensing**: add or delete Kaspersky Industrial CyberSecurity for Nodes keys, view license details.

Details pane

The details pane displays information about the selected node. If the **Kaspersky Industrial CyberSecurity for Nodes** node is selected, the details pane displays information about the current device protection status and information about Kaspersky Industrial CyberSecurity for Nodes, the protection status of its functional components, and the key status.

Context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node

You can use the items of the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node to perform the following operations:

- **Start** / **Stop**. Start or stop task execution. To carry out these operations, you can also use the buttons on the toolbar.

- **Connect to another computer**. Connect to another device to manage Kaspersky Industrial CyberSecurity for Nodes installed on it. You can also perform this operation by clicking the **Connect to another computer** link in the lower right corner of the details pane of the **Kaspersky Industrial CyberSecurity for Nodes** node.

- **Start the service** / **Stop the service**. Start or stop application or a selected task. To carry out these operations, you can also use the buttons on the toolbar. You can also perform these operations in context menus of application tasks.

- **Configure removable drives scan settings**. Configure scanning of removable drives connected to the protected device via the USB port.

- **Configure Trusted Zone settings**. View and configure Trusted Zone settings.

- **Modify user rights of application management**. View and configure permissions to access Kaspersky Industrial CyberSecurity for Nodes functions.

- **Modify user rights of Kaspersky Security Service management**. View and configure user rights to manage Kaspersky Security Service.

- **Export settings**. Save the application settings in a configuration file in XML format. You can also perform this operation in context menus of application tasks.

- **Import settings**. Import application settings from a configuration file in XML format. You can also perform this operation in context menus of application tasks.

- **Information about the application and available module updates**. See information about Kaspersky Industrial CyberSecurity for Nodes and currently available application modules updates.
- **Refresh**. Refresh the contents of the Kaspersky Industrial CyberSecurity for Nodes Console window. You can also perform this operation in context menus of application tasks.
- **Properties**. View and configure settings of Kaspersky Industrial CyberSecurity for Nodes or a selected task. You can also perform this operation in context menus of application tasks.

  To do so, you can also use the **Application properties** link in the details pane of the Kaspersky Industrial CyberSecurity for Nodes node or use the button on the toolbar.
- **Help**. View information in Kaspersky Industrial CyberSecurity for Nodes Help. You can also perform this operation in context menus of application tasks.

Toolbar and context menu of Kaspersky Industrial CyberSecurity for Nodes tasks

You can manage the application tasks using the items of context menus of each task in the Kaspersky Industrial CyberSecurity for Nodes Console tree.

You can use the items of the context menu to perform the following operations:

- **Resume** / **Pause**. Resume or pause task execution. To carry out these operations, you can also use the buttons on the toolbar. This operation is available for the Real-Time Protection tasks and the On-Demand Scan tasks.
- **Add task**. Create new custom task. This operation is available for On-demand scan tasks.
- **Open log**. View and manage a task log. This operation is available for all tasks.
- **Remove task**. Delete custom task. This operation is available for On-demand scan tasks.
- **Settings templates**. Manage templates. This operation is available for Real-Time File Protection and On-Demand Scan.

System Tray Icon in the notification area

Every time Kaspersky Industrial CyberSecurity for Nodes automatically starts after a protected device restart, the System Tray Icon is displayed in the toolbar notification area . It is displayed by default if the System Tray Icon component was installed during application setup.

The appearance of the System Tray Icon reflects the current device protection status. There are two types of status:

	Active (colored icon) – at least one of the following tasks is currently running: Real-Time File Protection or Applications Launch Control
	Inactive (gray icon) – none of the following tasks are currently running: Real-Time File Protection and Applications Launch Control

You can open the context menu of the System Tray Icon by right-clicking it.

The context menu offers several commands to display application windows (see table below).

Context menu commands in System Tray Icon

Command	Description
Open the Application Console	Opens Kaspersky Industrial CyberSecurity for Nodes Console (if installed).
Open Compact Diagnostic Interface	Opens the Compact Diagnostic Interface.
About the application	Opens the **About the application** window containing information about Kaspersky Industrial CyberSecurity for Nodes. For registered Kaspersky Industrial CyberSecurity for Nodes users, the **About the application** window contains information about urgent updates that have been installed.
Hide	Hides the System Tray Icon in the toolbar notification area.

You can display the hidden System Tray Icon again at any time.

To display the System Tray Icon again,

in the Microsoft Windows **Start** menu, select **All Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **System Tray Icon**.

The names of settings may vary depending on the installed operating system.

In the general settings of Kaspersky Industrial CyberSecurity for Nodes, you can enable or disable the display of the System Tray Icon every time the application starts automatically following a protected device restart.

Managing Kaspersky Industrial CyberSecurity for Nodes via the Application Console on another device

You can manage Kaspersky Industrial CyberSecurity for Nodes via the Application Console installed on a remote device.

To manage the application using Kaspersky Industrial CyberSecurity for Nodes Console on a remote device, make sure that:

- The Application Console users on the remote device are added to the KICS Administrators group on the protected device.
- Network connections are allowed for the Kaspersky Security Management Service process (kavfsgt.exe) if Windows Firewall is enabled on the protected device.
- During installation of Kaspersky Industrial CyberSecurity for Nodes, the **Allow remote access** check box is selected in the Installation Wizard window.

If Kaspersky Industrial CyberSecurity for Nodes on the remote device is password protected, enter the password to access application management via the Application Console.

Configuring general application settings via the Application Console

General settings and malfunction diagnostics settings of Kaspersky Industrial CyberSecurity for Nodes establish the general operating conditions for the application. These settings allow you to control the number of working processes used by Kaspersky Industrial CyberSecurity for Nodes, enable recovery of Kaspersky Industrial CyberSecurity for Nodes tasks after an abnormal termination, maintain the log, enable creation of dump files of Kaspersky Industrial CyberSecurity for Nodes processes after abnormal termination, and configure other general settings.

Application settings cannot be configured in the Application Console if the active Kaspersky Security Center policy blocks changes to these settings.

To configure Kaspersky Industrial CyberSecurity for Nodes settings:

1. In the Application Console tree, select the **Kaspersky Industrial CyberSecurity for Nodes** node and do one of the following:

   - Click the **Application properties** link in the details pane of the node.
   - Select **Properties** in the node's context menu.

   The **Application settings** window opens.

2. In the window that opens, configure Kaspersky Industrial CyberSecurity for Nodes general settings according to your preferences:

   - The following settings can be configured on the **Scalability and interface** tab:
     - In the **Scalability settings** section:
       - Maximum number of working processes that Kaspersky Industrial CyberSecurity for Nodes can run
       - Number of processes for Real-Time Computer Protection
       - Number of working processes for background On-Demand Scan tasks
   - In the **Interaction with user** section select if the System Tray Icon will be displayed in the taskbar after each application start.
   - The following settings can be configured on the **Security and reliability** tab:
     - In the **Self-defense** section, configure the protection of application processess.
     - In the **Self-defense** section, configure the settings for password-protection of the application's functions.
     - In the **Password protection settings** section, specify the number of attempts to recover an On-Demand Scan task if it crashes.
   - In the **Recover on-demand scan tasks no more than (times)** section, specify actions that Kaspersky Industrial CyberSecurity for Nodes performs after switching to UPS power.

- On the **Scan settings** tab:
  - Restore file attributes after scanning
  - Limit CPU usage for scanning threads
    - Upper limit (per cent)
  - Folder for temporary files created during scanning
- On the **Connection settings** tab:
  - In the **Proxy server settings** section, specify the proxy server settings.
  - In the **Proxy server authentication settings** section, specify the authentication type and details required for authentication on the proxy server.
  - In the **Licensing** section, indicate whether Kaspersky Security Center will be used as a proxy-server for application activation.
- On the **Malfunction diagnosis** tab:
  - If you want the application to write debug information to a file, select the **Write debug information to trace file** check box.
    - In the field below specify the folder in which Kaspersky Industrial CyberSecurity for Nodes will save trace files.
    - Configure the level of detail of debug information.
    - Specify the maximum size of trace files.
    - Specify the maximum number of files for one trace log. Kaspersky Industrial CyberSecurity for Nodes will create up to the maximum number of trace files for each component to be debugged.
    - Specify the components to be debugged.
  - If you want the application to create a dump file, select the **Create crash dump file** check box.

    Kaspersky Industrial CyberSecurity for Nodes does not send any trace or dump files automatically. Diagnostics data can only be sent by a user with the corresponding permissions.

  - In the field below, specify the folder in which Kaspersky Industrial CyberSecurity for Nodes will save the dump file.

    Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump files in unencrypted form. The folder where files are saved is selected by the user and is managed by the operating system configuration and Kaspersky Industrial CyberSecurity for Nodes settings. You can configure access permissions and allow only required users to access logs, trace files, and dump files.

3. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes settings are saved.

Managing Kaspersky Industrial CyberSecurity for Nodes tasks

This section contains information about how to create, configure, start, and stop Kaspersky Industrial CyberSecurity for Nodes tasks.

Kaspersky Industrial CyberSecurity for Nodes task categories

Real-Time Computer Protection, Computer Control, On-Demand Scan, and Update functions in Kaspersky Industrial CyberSecurity for Nodes are implemented as tasks.

You can manage these tasks using the task context menu in the Application Console tree, the toolbar, and the quick access bar. You can view task status information in the results pane. Task management operations are recorded in the system audit log.

There are two types of Kaspersky Industrial CyberSecurity for Nodes tasks: *local* and *group*.

Local tasks

Local tasks can only be executed on the protected device they were created for. Depending on the start method, the following types of local tasks exist:

- **Local system tasks**. These tasks are created automatically during installation of Kaspersky Industrial CyberSecurity for Nodes. You can edit the settings of all local system tasks, except for the Quarantine Scan and Rollback of Database Update tasks. Local system tasks cannot be renamed or deleted. You can run local system and custom On-Demand Scan tasks simultaneously.

- **Local custom tasks**. In the Application Console, you can create On-Demand Scan tasks. In Kaspersky Security Center, you can create On-Demand Scan, Database Update, Rollback of Database Update, and Copying Updates tasks. You can rename, configure, and delete custom tasks. You can run several custom tasks simultaneously.

Group tasks

You can manage group tasks and tasks for sets of protected devices from the Kaspersky Security Center. All group tasks are custom tasks. Group tasks are also displayed in the Application Console. In the Application Console, you can only view the status of group tasks. You cannot use the Application Console to manage or configure group tasks.

Starting, pausing, resuming, and stopping tasks manually

You can pause and resume only Real-Time Computer Protection and On-Demand Scan tasks. No other tasks can be paused or resumed manually.

To start, pause, resume or stop a task:

1. In the Application Console, open the context menu of the task.

2. Select one of the following: **Start**, **Pause**, **Resume** or **Stop**.

The operation is performed and recorded in the system audit log.

When you resume an On-Demand Scan task, Kaspersky Industrial CyberSecurity for Nodes resumes scanning from the object on which the scan was paused.

Managing task schedules

You can schedule Kaspersky Industrial CyberSecurity for Nodes tasks.

Configuring the task schedule settings

In the Application Console, you can schedule when to start local system and custom tasks. However, you cannot schedule when to start group tasks.

To schedule a task:

1. Open the context menu of the task you want to schedule.
2. Select **Properties**.

   The **Task settings** window opens.
3. In the window that opens, on the **Schedule** tab, select the **Run by schedule** check box.
4. Follow these steps to specify schedule settings:

   a. In the **Frequency** drop-down menu, select one of the following:

   - **Hourly**: to run the task at hourly intervals; specify the number of hours in the **Every <number> hour(s)** field.
   - **Daily**: to run the task at daily intervals; specify the number of days in the **Every <number> day(s)** field.
   - **Weekly**: to run the task at weekly intervals; specify the number of weeks in the **Every <number> week(s) on** field. Specify the days of the week to start the task (by default the task runs on Mondays).
   - **At application launch**: to run the task every time Kaspersky Industrial CyberSecurity for Nodes starts.
   - **After application database update**: to run the task after every update of the application database.

   b. In the **Start time** field, specify the time when to start the task for the first time.

   c. In the **Start date** field, specify the date when to start the task for the first time.

After you have specified the task start frequency, the time of the first task start, and the date from which the schedule applies, the estimated time for the next task start will appear in the top part of the window in the **Next start** field. The estimated time of the next task start will be updated and displayed each time you open the **Task settings** window on the **Schedule** tab.

The **Next start** field displays the **Blocked by policy** value if Kaspersky Security Center active policy settings prohibit a scheduled local system task from starting.

5. Use the **Advanced** tab to specify the following schedule settings:

   - In the **Task stop settings** section:

     a. Select the **Duration** check box. In the fields to the right, enter maximum task duration in hours and minutes.

     b. Select the **Pause from** check box. In the fields to the right, enter when to pause and resume the task (under 24 hours).

   - In the **Advanced settings** section:

     a. Select the **Cancel schedule from** check box and specify the task schedule end date.

     b. Select the **Run skipped tasks** check box to start skipped tasks.

     c. Select the **Randomize the task start within interval of** check box and specify a value in minutes.

6. Click **OK**.

The task schedule settings are saved.

Enabling and disabling scheduled tasks

You can enable and disable scheduled tasks before or after specifying task schedule settings.

To enable or disable a scheduled task start:

1. In the Application Console tree, open the context menu for the scheduled task.
2. Select **Properties**.
   The **Task settings** window opens.
3. In the window that opens, on the **Schedule** tab, select one of the following options:

   - Select the **Run by schedule** check box to enable scheduled task start.
   - Clear the **Run by schedule** check box to disable scheduled task start.

   The task schedule settings are not deleted, but applied the next time you enable a scheduled task start.

4. Click **OK**.

The task schedule settings are saved.

Using user accounts to start tasks

You can start tasks under the system account or specify a different account.

About using accounts to start tasks

You can specify the account to run the following Kaspersky Industrial CyberSecurity for Nodes tasks:

- Rule Generator for Applications Launch Control
- Rule Generator for Device Control
- On-Demand Scan
- Update

By default, these tasks are run using system account permissions.

A different account with proper access permissions is recommended in the following cases:

- **Update** task: if you specified a public folder on a different device on the network as the update source.
- **Update** task: if you use a proxy server with built-in Windows NTLM authentication to access the update source.
- **On-Demand Scan** tasks: if the system account does not have permission to access the scanned objects (for example, files in shared folders on the protected device).
- **Rule Generator for Applications Launch Control** task: if the generated rules are exported to a configuration file that the system account cannot access (for example, in a shared folder on the protected device).

You can run Update, On-Demand Scan, and Rule Generator tasks with system account permissions. Kaspersky Industrial CyberSecurity for Nodes performs these tasks and accesses shared folders on another device in the network if this device is registered in the same domain as the protected device. In this case, the system account must have access permissions for these folders. Kaspersky Industrial CyberSecurity for Nodes accesses the device using permissions for the account **<domain name \ device_name>**.

Specifying a user account to start a task

To specify an account to start a task:

1. In the Application Console tree, open the context menu of the task you want to start by using a specific account.
2. Select **Properties**.

   The **Task settings** window opens.
3. In the window that opens, on the **Run as** tab, follow these steps:

a. Select **User name**.

b. Enter the user name and password for the account you want to use.

> The selected user must be registered on the protected device or in the same domain as this protected device.

c. Confirm the password.

4. Click **OK**.

The modified settings are saved.

Importing and exporting settings

This section explains how to export Kaspersky Industrial CyberSecurity for Nodes settings. You will also learn how to export specific software settings to an XML configuration file, and how to import these settings from a configuration file back into the application.

About importing and exporting settings

You can export Kaspersky Industrial CyberSecurity for Nodes settings to an XML configuration file and import settings into Kaspersky Industrial CyberSecurity for Nodes from the configuration file. You can save all application settings or only settings for individual components to a configuration file.

When you export all settings of Kaspersky Industrial CyberSecurity for Nodes to a file, the general application settings and settings of the following Kaspersky Industrial CyberSecurity for Nodes components and functions are saved:

- Real-Time File Protection
- KSN Usage
- Device Control
- Applications Launch Control
- Rule Generator for Device Control
- Rule Generator for Applications Launch Control
- On-Demand Scan
- PLC Project Integrity Check
- PLC Project Investigation
- Wi-Fi Control
- Kaspersky Industrial CyberSecurity for Nodes database and software modules update

- Quarantine
- Backup
- Logs
- Administrator and user notifications
- Trusted Zone
- Exploit Prevention
- Blocked Hosts storage
- Password protection

Also, you can save the general settings of Kaspersky Industrial CyberSecurity for Nodes in the file, as well as the rights of user accounts.

You cannot export group task settings.

Kaspersky Industrial CyberSecurity for Nodes exports all passwords used by the application, for example, account data for running tasks or connecting to a proxy server. Exported passwords are saved in encrypted form in the configuration file. You can import passwords only using Kaspersky Industrial CyberSecurity for Nodes installed on this protected device if it has not been reinstalled or updated.

You cannot import previously saved passwords using Kaspersky Industrial CyberSecurity for Nodes installed on a different protected device. After settings have been imported on protected device, all passwords must be entered manually.

If a Kaspersky Security Center policy is active at the time of export, the application exports the specified values used by that policy.

Settings from a configuration file containing parameters for individual components of Kaspersky Industrial CyberSecurity for Nodes (e.g., from a file created in Kaspersky Industrial CyberSecurity for Nodes installed with incomplete set of components) can be imported. After the settings are imported, only those Kaspersky Industrial CyberSecurity for Nodes settings that were contained in the configuration file are changed. All other settings remain the same.

Settings of an active Kaspersky Security Center policy that have been blocked do not change when importing the settings.

Exporting settings

To export settings to a configuration file:

1. In the Application Console tree, do one of the following:
   - In the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node, select **Export settings** to export all Kaspersky Industrial CyberSecurity for Nodes settings.
   - In the context menu of a specific task, select **Export settings** to export the settings of an individual functional component of the application.

- To export the Trusted Zone settings:

  a. In the Application Console tree, open the **Kaspersky Industrial CyberSecurity for Nodes** node context menu.

  b. Select **Configure Trusted Zone settings**.

  The **Trusted Zone** window opens.

  c. Click the **Export** button.

  The Settings Export Wizard opens.

2. Follow the instructions in the **Settings Export Wizard**: specify the name and path of the configuration file you want to use to save the settings.

   You can use system environment variables when specifying the path, but not user environment variables.

   If a Kaspersky Security Center policy is active at the time of export, the application exports the settings used by that policy.

3. Click the **Close** button in the **Export of application settings complete** window.

The Settings Export Wizard closes and saves the export settings.

Importing settings

To import settings from a saved configuration file:

1. In the Application Console tree, do one of the following:

   - In the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node, select **Import settings** to import all Kaspersky Industrial CyberSecurity for Nodes settings.

   - In the context menu of a specific task, select **Import settings** to import the settings of an individual functional component of the application.

   - To import the Trusted Zone settings:

     a. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.

     b. Select **Configure Trusted Zone settings**.

     The **Trusted Zone** window opens.

     c. Click the **Import** button.

     The Settings Import Wizard opens.

2. Follow the instructions in the **Settings Import Wizard**: specify the configuration file with the settings you want to import.

   After importing the general Kaspersky Industrial CyberSecurity for Nodes settings or its functional component settings to the protected device, you cannot revert to the previous settings.

3. Click the **Close** button in the **Application settings import completed** window.

   The Settings Import Wizard closes and saves the imported settings.

4. In the Application Console toolbar, click the **Refresh** button.

The Application Console window displays the imported settings.

Kaspersky Industrial CyberSecurity for Nodes does not import passwords (account credentials for starting tasks or connecting to the proxy server) from a file created on another protected device or on the same protected device after Kaspersky Industrial CyberSecurity for Nodes has been re-installed or updated on it. After import is complete, passwords must be entered manually.

Using security settings templates

This section contains information about using security settings templates in Kaspersky Industrial CyberSecurity for Nodes protection and scan tasks.

About security settings templates

You can manually configure the security settings of a node in the tree or in a list of the protected device's file resources, and save the configured setting values as a template. This template can then be used to specify the security settings of other nodes in Kaspersky Industrial CyberSecurity for Nodes protection and scan tasks.

You can use templates to specify the security settings of the following Kaspersky Industrial CyberSecurity for Nodes tasks:

- Real-Time File Protection
- Scan at Operating System Startup
- Critical Areas Scan
- On-Demand Scan tasks

Security settings from a template applied to a parent node in the protected device's file resource tree are applied to all child nodes. The parent node template is not applied to child nodes in the following cases:

- If you specified the security settings of the child nodes separately.
- If the child nodes are virtual. In this case, you must apply the template to each virtual node separately.

Creating a security settings template

To manually save the security settings of a node to a template:

1. In the Application Console tree, select the task for which you want to create a security settings template.

2. In the details pane of the selected task, click the **Configure protection scope** or **Configure scan scope** link.
3. In the tree or list of the protected device's network file resources, select the template that you want to view.
4. On the **Security level** tab, click the **Save as template** button.
   The **Template properties** window opens.
5. In the **Template name** field, enter the name of the template.
6. In the **Description** field, enter additional template information.
7. Click **OK**.

The security settings template is saved.

Viewing security settings in a template

To view security settings in a template that you created:

1. In the Application Console tree, select the task with the security settings template want to view.
2. In the context menu of the selected task, select **Settings templates**.
   The **Templates** window opens.
3. In the list of templates, select the template that you want to view.
4. Click the **View** button.

The **<Template name>** window opens. The **General** tab displays the template name and additional information about the template. The **Options** tab lists security settings saved in the template.

Applying a security settings template

To apply security settings from a template to a selected node:

1. In the Application Console tree, select the task to which you want to apply a security settings template.
2. In the details pane of the selected task, click the **Configure protection scope** or **Configure scan scope** link.
3. In the tree or list of the protected device's network file resources, open the context menu of the node or item to which you want to apply the template.
4. Select **Apply template** → **<Template name>**.
5. Click the **Save** button.

This applies the security settings template to the selected node in the file resource tree of the protected device. The value on the **Security level** tab for the selected node changes to **Custom**.

If the security settings of a template are applied to a parent node in the protected device file resource tree, these settings are also applied to all child nodes.

You can configure the protection or scan scope of child nodes in the file resource tree of the protected device separately. In this case, the security settings of the template applied to the parent node are not automatically applied to the child nodes.

To apply security settings from a template to all selected nodes:

1. In the Application Console tree, select the task to which you want to apply the security settings template.
2. In the details pane of the selected task, click the **Configure protection scope** or **Configure scan scope** link.
3. In the tree or list of the protected device's network file resources, select a parent node to apply the template to the selected node and its child nodes.
4. In the context menu, select **Apply template** → **<Template name>**.
5. Click the **Save** button.

The security settings template is applied to the parent and all child nodes in the protected device's file resource tree. The value on the **Security level** tab for the selected node changes to **Custom**.

Deleting a security settings template

To delete a security settings template:

1. In the Application Console tree, select the task with the security settings template that you want to delete.
2. In the context menu of the selected task, select **Settings templates**.
   The **Templates** window opens.

   In the results pane of the **On-Demand Scan** parent node you can view settings templates for On-Demand Scan tasks.
3. In the list of templates, select the template that you want to delete.
4. Click the **Remove** button.
   A window opens to confirm deletion.
5. In the window that opens, click **Yes**.

The selected template is deleted.

You can apply the security settings template to protect or scan nodes in the file resource tree of the protected device. In this case, the security settings for such nodes are unchanged after the template is deleted.

Viewing protection status and Kaspersky Industrial CyberSecurity for Nodes information

To view information about the device protection status Kaspersky Industrial CyberSecurity for Nodes,

select the **Kaspersky Industrial CyberSecurity for Nodes** node in the Kaspersky Industrial CyberSecurity for Nodes Console tree.

By default, information in the details pane of Kaspersky Industrial CyberSecurity for Nodes Console is refreshed automatically:

- Every 10 seconds in case of a local connection.
- Every 15 seconds in case of a remote connection.

You can refresh information manually.

*To refresh information in the **Kaspersky Industrial CyberSecurity for Nodes** node manually,*

select the **Refresh** command in the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.

The following application information is displayed in the details pane of Kaspersky Industrial CyberSecurity for Nodes Console:

- Kaspersky Security Network Usage status.
- Device protection status.
- Information about database and application module updates.
- Actual diagnostics data.
- Data about protected device control tasks.
- License information.
- Status of the Industrial network protection.
- Status of integration with Kaspersky Security Center: details of the server with Kaspersky Security Center installed, to which the application is connected; information about application tasks controlled by the active policy.

Color coding is used to display the protection status:

- *Green*. The task is being run in accordance with the configured settings. Protection is active.
- *Yellow*. The task was not started, has been paused, or has been stopped. Security threats may occur. You are advised to configure and start the task.
- *Red*. The task completed with an error or a security threat was detected while the task was running. You are advised to start the task or take measures to eliminate the detected security threat.

Some details in this block (for example, task names or the number of threats detected) are links that, when clicked, take you to the node of the relevant task or open the task log.

The **Kaspersky Security Network Usage** section displays current task status, for example, *Running*, *Stopped* or *Never performed*. The indicator can take the following values:

- Green color of the panel – signifies that the KSN Usage task is running and file requests for statuses are being send to KSN.
- Yellow color of the panel – one of the Statements is accepted, but the task is not running, or the task is running, but file requests are not sent to KSN.
- Red color of the panel – task failed.

Computer protection

The **Computer protection** section (see the table below) displays information about the device's current protection status.

Information about device protection status

Protection section	Information
Device protection status indicator	The color of the panel with the name of the section reflects the status of tasks being performed in the section. The indicator can take the following values: • Green color of the panel – displayed by default and signifies that Real-Time File Protection component is installed and the task is running. • Yellow color of the panel – signifies that Real-Time File Protection component is not installed, and the Critical Areas Scan task has not been performed for a long time. • Red color of the panel – Real-Time File Protection tasks are not running.
Real-Time File Protection	**Task status** – current task status, for example, Running or Stopped. **Detected** – the number of objects detected by Kaspersky Industrial CyberSecurity for Nodes. For example, if Kaspersky Industrial CyberSecurity for Nodes detects one malware in five files, the value in this field increases by one. If the number of detected malwares exceeds 0, the value is highlighted in red.
Critical Areas Scan	**Last scan date** – the date and time of the last Critical Areas Scan for viruses and other computer security threats. *Never performed* – an event that occurs when the Critical Areas Scan task has not been performed in the last 30 days or longer (default value). You can change the threshold for generating this event.
Anti-Cryptor	**Task status** – current task status, for example, *Running* or *Stopped*. **Operation mode** – one of the two available modes for the Anti-Cryptor task: **Active** or **Notify only**. **Hosts blocked** – the number of hosts which displayed potentially dangerous activity and were blocked when attempting to connect to the protected computer.
Backed up objects	*Backup free space threshold exceeded* – this event occurs when the threshold of Backup free space is nearing the specified limit. Kaspersky Industrial CyberSecurity for Nodes continues to move objects to Backup. In this case, the value in the **Space used** field is highlighted in yellow. *Maximum Backup size exceeded* – this event occurs when the Backup size has reached the specified limit. Kaspersky Industrial CyberSecurity for Nodes continues to move objects to Backup. In this case, the value in the **Space used** field is highlighted in red. **Backed up objects** – the number of objects currently in Backup. **Space used** – amount of Backup space used.

Update

The **Update** section (see the table below) displays information about how up-to-date the anti-virus databases and application modules are.

Information about the status of Kaspersky Industrial CyberSecurity for Nodes databases and modules

Update section	Information
Status indicator of databases and software modules	The color of the panel with the name of the section reflects the status of application databases and modules. The indicator can take the following values: • Green color of the panel – displayed by default and signifies that application database is up to date and that the last database update task was completed successfully. • Yellow color of the panel – signifies that databases are out of date, or the last database update task failed. • Red color of the panel – the event *Application database is extremely out of date* or *Application database is corrupted* has occurred.
Database Update and **Software Modules Update**	**Database status** – an evaluation of the Database Update status. It can take the following values: • **Application database is up to date** – application databases were updated no more than 7 days ago (default). • **Application database is out of date** – application databases were updated between 7 and 14 days ago (default). • **Application database is extremely out of date** – application databases were updated no more than 14 days ago (default). You can change the thresholds for generating the *Application database is out of date* and *Application database is extremely out of date* events. **Database release date** – the date and time of release of the latest databases update. The date and time are specified in UTC format. **Status of the latest completed Database Update task** – the date and time of the latest database update. The date and time are specified according to the local time of the protected device. The value in the field is colored red if the *Failed* event occurred. **Number of module updates available** – the number of Kaspersky Industrial CyberSecurity for Nodes module updates available to be downloaded and installed. **Number of module updates installed** – the number of installed Kaspersky Industrial CyberSecurity for Nodes module updates.

Control

The **Control** section (see table below) displays information about the Applications Launch Control, Device Control, and Firewall Management tasks.

Information about protected device control status

Control section	Information

Status indicator for protected device control	The color of the panel with the name of the section reflects the status of tasks being performed in the section. The indicator can take the following values: • Green color of the panel – displayed by default and signifies that all the Applications Launch Control component and is installed and task is running in the Active mode; Exploit Protection functionality is installed and active. • Yellow color of the panel occurs under one or more conditions: Exploit Prevention is not running; Applications Launch Control is running in the Statistics only mode; Exploit Prevention is running in the Active mode and Applications Launch Control is not running or failed. • Red color of the panel – the Applications Launch Control task is not running or failed and Exploit Prevention is not running or in the Statistics only mode.
Applications Launch Control	**Task status** – current task status, for example, *Running* or *Stopped*. **Operation mode** – one of the two available modes for the Applications Launch Control task: **Active** or **Statistics only**. **Applications launches denied** – the number of attempts to start applications blocked by Kaspersky Industrial CyberSecurity for Nodes during the Applications Launch Control task. If the number of blocked application launches exceeds 0, the field value is colored in red. **Average processing time (ms)** – the time it took Kaspersky Industrial CyberSecurity for Nodes to process an attempt to start applications on the protected device.
Exploit prevention	**Task status** – current status, for example, *Running* or *Stopped*. **Prevention mode** – one of two available modes, selected during configuration of process memory protection: **Terminate on exploit** or **Statistics only**. **Processes protected** – the total number of processes being protected and handled in accordance with the selected mode.
Device control	**Task status** – current task status, for example, *Running* or *Stopped*. **Operation mode** – one of the two available modes for the Device Control task: **Active** or **Statistics only**. **Devices blocked** – the number of attempts to connect a external device, that were blocked by Kaspersky Industrial CyberSecurity for Nodes during the Device Control task. If the number of blocked external devices exceeds 0, the field value is colored in red.
Firewall Management	**Task status** – current task status, for example, *Running* or *Stopped*. **Connection attempts blocked** – the number of connections to a protected computer, which were blocked by the specified firewall rules.
Wi-Fi Control	Allowed Wi-Fi networks – the number of Wi-Fi networks that are allowed to connect to the protected computer. Blocked Wi-Fi networks – the number of Wi-Fi networks that are blocked.

Diagnostics

The **Diagnostics** section (see the table below) displays information about the File Integrity Monitor and Log Inspection tasks.

Information about System Inspection status

Diagnostics section	Information

Diagnostics status indicator	The color of the panel with the name of the section reflects the status of tasks being performed in the section. The indicator can take the following values: • Green – displayed by default and signifies that one or both system inspection components are installed and tasks are running. • Yellow – both components are installed, but one of the system inspection tasks is not running; the *Not running* event occurs. • Red – one of the tasks failed.
File Integrity Monitor	**Task status** – current task status, for example, *Running* or *Stopped*. **Non-sanctioned file operations** – The number of changes to files within the monitoring scope. These changes may indicate that the security of a protected device has been breached.
Log Inspection	**Task status** – current task status, for example, *Running* or *Stopped*. **Violations of the configured rules** – the number of recorded violations based on data from the Windows Event Log, identified based on the specified task rules or use of the heuristic analyzer.

Industrial network protection tab

The **PLC in protection area** section displays information about the list of PLCs that are included in the protection scope.

Information about receiving PLCs data

PLC in protection area section	Information
PLC in protection area status indicator	The color of the panel with the name of the section reflects the status of tasks being performed in the section. The indicator can take the following values: • Green – signifies that the task has been completed successfully at least once. • Yellow – signifies that the investigation was never performed. • Red – task failed.
Retrieving data about PLC	**Task status** – current task status, for example, *Running* or *Stopped*. **PLC in the list** - the number of PLCs in the protection area.

The **PLC integrity** section displays information about number of protected PLCs and events of integrity violations.

Information about the PLC Project Integrity task

PLC integrity section	Information
PLC Integrity status indicator	The color of the panel with the name of the section reflects the status of tasks being performed in the section. The indicator can take the following values: • Green – signifies that the task has been completed successfully at least once.

	• Yellow – signifies that the integrity check was never performed. • Red – task failed.
PLC Investigator	**Task status** – current task status, for example, *Running* or *Stopped*. **PLC in active protection area** – the number of PLCs in the protection area. **Integrity violations** – the number of detected violations.

The Kaspersky Industrial CyberSecurity for Nodes licensing information is displayed in the row in the bottom left corner of the details pane of the **Kaspersky Industrial CyberSecurity for Nodes** node.

You can configure Kaspersky Industrial CyberSecurity for Nodes properties by following the Application Properties link.

You can connect to a different protected device by following the Connect to another computer link.

Working with the Web Plug-in from Web Console and Cloud Console

This section provides information about the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in and describes how to manage the application installed on a protected device or on a group of protected devices.

Managing Kaspersky Industrial CyberSecurity for Nodes from Web Console and Cloud Console

You can centrally manage several protected devices with Kaspersky Industrial CyberSecurity for Nodes installed and included in an administration group via the Kaspersky Industrial CyberSecurity for Nodes Web Plug-in. Kaspersky Security Center Web Console and Kaspersky Security Center Cloud Console also let you separately configure each protected device in the administration group.

An administration group is created manually on Kaspersky Security Center Web Console. The group includes several devices with Kaspersky Industrial CyberSecurity for Nodes installed for which you want to configure the same control and protection settings. For details on using administration groups, see *Kaspersky Security Center Help*.

Application settings for a single protected device are unavailable if the operation of Kaspersky Industrial CyberSecurity for Nodes on the protected device is controlled by an active Kaspersky Security Center policy.

Kaspersky Industrial CyberSecurity for Nodes can be managed from Kaspersky Security Center Web Console in the following ways:

- **Using Kaspersky Security Center policies**. Kaspersky Security Center policies can be used to remotely configure the same protection settings for a group of devices. Task settings specified in the active policy have priority over task settings configured locally in the Application Console or remotely in the device properties window of Kaspersky Security Center Web Console. You can use policies to configure general application settings, Real-Time Computer Protection task settings, Local Activity Control tasks settings, and scheduled local system task start settings.

- **Using Kaspersky Security Center group tasks**. Kaspersky Security Center group tasks allow remote configuration of common settings of tasks with an expiration period for a group of devices. You can use group tasks to activate the application, configure On-Demand Scan task settings, update task settings, and Rule Generator for Applications Launch Control task settings.

- **Using tasks for a set of devices**. Tasks for a set of devices allow remote configuration of common task settings with a limited execution period for protected devices that do not belong to any administration group.

- **Using the properties window of a single device**. In the device properties window, you can remotely configure the task settings for a single protected device included in an administration group. You can also configure both general application settings and settings for all Kaspersky Industrial CyberSecurity for Nodes tasks if the selected protected device is not controlled by an active Kaspersky Security Center policy.

Kaspersky Security Center Web Console and Kaspersky Security Center Cloud Console allow you to configure application settings and advanced features, and work with logs and notifications. You can configure these settings for a group of protected devices and for individual protected devices.

Web Plug-in limitations

Kaspersky Industrial CyberSecurity for Nodes Web Plug-in has the following limitations compared to Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in:

- To add users or user groups, you need to specify the security descriptor strings using the security descriptor definition language (SDDL).

- Predefined security level cannot be changed for the Real-Time File Protection task.

- Application Launch Control task rules cannot be created using digital certificate or Kaspersky Security Center events.

- Device Control task rules cannot be generated based on connected devices or on system data.

Managing application settings

This section contains information about configuring Kaspersky Industrial CyberSecurity for Nodes general settings in Kaspersky Security Center Web Console.

Configuring general application settings in Web Plug-in

You can configure Kaspersky Industrial CyberSecurity for Nodes general settings in Web Plug-in for a group of protected devices or one protected device.

Configuring scalability, interface, and scan settings in Web Plug-in

To configure scalability settings and the application interface:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Application settings** section.

5. Click **Settings** in the **Scalability, interface and scan settings** subsection.

6. Configure the settings described in the table below.

Scalability settings

Setting	Description
Automatically detect scalability settings	Kaspersky Industrial CyberSecurity for Nodes automatically controls the number of processes used. This is the default value.
Set the number of working processes manually	Kaspersky Industrial CyberSecurity for Nodes controls the number of active working processes according to the values specified.
Maximum number of active processes	Maximum number of processes that Kaspersky Industrial CyberSecurity for Nodes uses. The entry field is available if the **Set the number of working processes manually** option is selected.
Number of processes for real-time protection	Maximum number of processes that are used by the Real-Time Computer Protection task components. The entry field is available if the **Set the number of working processes manually** option is selected.
Number of processes for background on-demand scan tasks	Maximum number of processes used by the On-Demand Scan component when running On-Demand Scan tasks in background mode. The entry field is available if the **Set the number of working processes manually** option is selected.
Display System Tray Icon in the taskbar	Configure whether the System Tray Icon will be displayed in the notification area.
Restore file attributes after scanning	When Kaspersky Industrial CyberSecurity for Nodes performs on-demand scan tasks, the time when each scanned file was last accessed is updated. After the scan, Kaspersky Industrial CyberSecurity for Nodes resets the time when the file was last accessed to the initial value. This behavior can affect the work of backup systems by causing creation of backup copies for files that haven't been changed. This can also cause false detections in file change tracking applications. By default, this option is enabled.
Limit CPU usage for scanning threads	Kaspersky Industrial CyberSecurity for Nodes limits its use of the protected device CPU during on-demand scan tasks to the value specified in the **Upper limit (per cent)** field. Enabling of this option can negatively affect the performance of Kaspersky Industrial CyberSecurity for Nodes.

	By default, this option is disabled.
Upper limit (in percentages)	Maximum allowable value of CPU utilization by Kaspersky Industrial CyberSecurity for Nodes. The entry field is available if the **Limit CPU usage for scanning threads** option is selected.
Folder for temporary files created during scanning	Folder into which Kaspersky Industrial CyberSecurity for Nodes needs to unpack archive files during scanning. By default, the C:\Windows\Temp folder is used.
HSM system settings	Select the option for accessing the hierarchical storage.

Configuring security settings in Web Plug-in

To configure security settings manually, take the following steps:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Application settings** section.
5. Click **Settings** in the **Security and reliability** subsection.
6. Configure the settings described in the table below.

Security settings

Setting	Description
Protect application processes from external threats	If the **Protect application processes from external threats** check box is selected, the application protects its processes against code injection or accessing of processes data. When enabling or disabling the option, no need to restart the application services for changes to apply. The option is enabled by default.
Perform task recovery	This check box enables or disables the recovery of Kaspersky Industrial CyberSecurity for Nodes tasks when the application returns an error or terminates. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes automatically recovers Kaspersky Industrial CyberSecurity for Nodes tasks when the application returns an error or terminates. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not recover Kaspersky Industrial CyberSecurity for Nodes tasks when the application returns an error or terminates. The check box is selected by default.
Recover On-Demand	The number of attempts to recover an On-Demand Scan task after

Scan tasks no more than (times) in range 1 - 10 attempts	Kaspersky Industrial CyberSecurity for Nodes returns an error. The entry field is available if the **Perform task recovery** check box is selected.
Do not start scheduled scan tasks	This check box enables or disables the start of a scheduled scan task after the protected device switches to a UPS source until the standard power supply is restored. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not start scheduled scan tasks after the protected device switches to a UPS source until the standard power supply is restored. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes starts scheduled scan tasks regardless of the power supply. The check box is selected by default.
Stop current scan tasks	The check box enables or disables running scan tasks after the protected device switches to a UPS source. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes pauses running scan tasks after the protected device switches to a UPS source. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes continues running scan tasks after the protected device switches to a UPS source. The check box is selected by default.
Apply password protection	Set a password to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.

Configuring connection settings in Web Plug-in

The configured connection settings are used to connect Kaspersky Industrial CyberSecurity for Nodes to update and activation servers and during integration of applications with KSN services.

To configure the connection settings take the following steps:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Application settings** section.
5. Click **Settings** in the **Scalability, interface and scan settings** subsection.
6. Configure the settings described in the table below.

Connection settings

Setting	Description
Do not use proxy server	If this option is selected, Kaspersky Industrial CyberSecurity for Nodes connects to KSN services directly, without using any proxy server.
Use specified proxy server settings	If this option is selected, Kaspersky Industrial CyberSecurity for Nodes connects to KSN using proxy server settings specified manually.

Do not use proxy server for local addresses	This check box enables or disables the use of a proxy server when accessing devices located in the same network as the protected device with Kaspersky Industrial CyberSecurity for Nodes installed. If this check box is selected, devices are accessed directly from the network that hosts the protected device with Kaspersky Industrial CyberSecurity for Nodes installed. No proxy server is used. If the check box is cleared, a proxy server is used to connect to local devices. The check box is selected by default.
Proxy server authentication settings	Specify the authentication settings
Do not use authentication	Authentication is not performed. This mode is selected by default.
Use NTLM authentication	Authentication is performed using the NTLM network authentication protocol developed by Microsoft.
Use NTLM authentication with user name and password	Authentication is performed with a user name and password using the NTLM network authentication protocol developed by Microsoft.
Apply user name and password	Authentication is performed using the user name and password.

Configuring scheduled start of local system tasks

You can use policies to allow or block the start of the local system On-Demand Scan task and the Update task. This is done according to the schedule configured locally on each protected device in the administration group:

- If the scheduled start of a specific type of local system task is prohibited by a policy, these tasks will not be performed on the protected device according to the schedule. You can start local system tasks manually.
- If the scheduled start of a specific type of local system task is allowed by a policy, these tasks will be performed in accordance with the scheduled parameters configured locally for this task.

By default, starting of local system tasks is prohibited by policy.

We recommend that you do not allow local system tasks to start if updates or on-demand scans are administered by Kaspersky Security Center group tasks.

If you do not use group update or on-demand scan tasks, allow local system tasks to be started in the policy: Kaspersky Industrial CyberSecurity for Nodes will perform application database and module updates, and start all local system on-demand scan tasks in accordance with the default schedule.

You can use policies to allow or block the scheduled start of the following local system tasks:

- On-Demand Scan tasks: Critical Areas Scan, Quarantine Scan, Scan at Operating System Startup, Application Integrity Control, Baseline File Integrity Monitor.

- Update tasks: Database Update, Software Modules Update, Copying Updates.

If the protected device is excluded from the administration group, the local system tasks schedule will be enabled automatically.

To allow or block the scheduled start of Kaspersky Industrial CyberSecurity for Nodes local system tasks in a policy:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Application settings** section.
5. Click **Settings** in the **Run local system tasks** subsection.
6. Configure the settings described in the table below.

Scheduled launch of local system tasks settings

Setting	Description
Allow on-demand scan tasks launch	Select or clear the check box to allow or disallow the scheduled launch of on-demand scan tasks.
Allow update tasks and Copying Update task launch	Select or clear the check box to allow or disallow the scheduled launch of update tasks and Copying Update task.

Configuring Quarantine and Backup settings in Web Plug-in

To configure general Quarantine and Backup settings in Kaspersky Security Center:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Supplementary** section.
5. Click **Settings** in the **Storages** subsection.
6. Configure the settings described in the table below.

Quarantine and Backup settings

Setting	Description
Backup folder	Specify the backup folder.
Maximum Backup size (MB)	Set the maximum Backup size.

Threshold value for space available (MB)	Specify the minimum value of free space in the Backup folder.
Target folder for restoring objects	Specify a folder for restored objects.
Quarantine folder	Specify the backup folder.
Maximum Quarantine size (MB)	Set the maximum Backup size.
Threshold value for space available (MB)	Specify the minimum value of free space in the Backup folder.
Target folder for restoring objects	Specify a folder for restored objects.
Host blocking term	Specify the number of days, hours and minutes after which blocked hosts regain access to network file resources.

Creating and configuring policies

This section provides information on using Kaspersky Security Center policies for managing Kaspersky Industrial CyberSecurity for Nodes on several protected devices.

Global Kaspersky Security Center policies can be created for managing protection on several devices where Kaspersky Industrial CyberSecurity for Nodes is installed.

A policy enforces the specified Kaspersky Industrial CyberSecurity for Nodes settings, functions and tasks on all protected devices for one administration group.

Several policies for one administration group can be created and enforced in turns. The policy currently active for a group has *active* status in the Administration Console.

Information on policy enforcement is logged in the Kaspersky Industrial CyberSecurity for Nodes system audit log. This information can be viewed in the Application Console in the **System audit log** node.

Kaspersky Security Center offers one way to apply policies on protected devices: *Prohibit changing the settings*. After a policy has been applied, Kaspersky Industrial CyberSecurity for Nodes uses the settings for which you have selected the icon in the policy properties on protected devices. In this case, the selected settings are used instead of the settings in effect before the policy was applied. Kaspersky Industrial CyberSecurity for Nodes does not apply the active policy settings for which the icon is selected in the policy properties.

If a policy is active, the values of settings marked with the icon in the policy are displayed in the Application Console but cannot be edited. The values of other settings (marked with the icon in the policy) can be edited in the Application Console.

The settings configured in the active policy and marked with the icon also block changes in Kaspersky Security Center for one protected device in the **Properties: <Protected device name>** window.

Settings that are specified and sent to the protected device using an active policy are saved in the local task settings after the active policy is disabled.

If the policy defines the settings for any Real-Time Computer Protection task, and if such a task is currently running, then the settings defined by the policy will be modified as soon as the policy is applied. If the task is not running, the settings are applied when it starts.

Creating a policy

To create a policy:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the **Add** button.
3. The **New policy** window opens.
4. In the **Select application** section, select Kaspersky Industrial CyberSecurity for Nodes and click **Next**.
5. On the **General** tab, you can perform the following actions:
   - Change the policy name.

     The policy name cannot contain the following symbols: `" * < : > ? \ | .`
   - Select the policy status:
     - **Active**. After the next synchronization, the policy will be used as the active policy on the computer.
     - **Inactive**. Backup policy. If necessary, an inactive policy can be switched to active status.
     - **Out-of-office**. The policy is activated when a computer leaves the organization network perimeter.
   - Configure the inheritance of settings:
     - **Inherit settings from parent policy**. If this toggle button is switched on, the policy setting values are inherited from the top-level policy. Policy settings cannot be edited if is set for the parent policy.
     - **Force inheritance of settings in child policies**. If the toggle button is on, the values of the policy settings are propagated to the child policies. In the child policy settings the **Inherit settings from parent policy** check box is automatically selected. Child policy settings are inherited from the parent policy, except for the settings marked with . Child policy settings cannot be edited if is set for the parent policy.
6. On the **Application settings** tab, configure the policy settings as required.
7. Click **Save**.

The created policy appears in the list of policies on the **Policies & profiles** tab of the selected administration group. In the **<Policy name>** window, you can configure other settings, tasks and functions of Kaspersky Industrial CyberSecurity for Nodes.

Kaspersky Industrial CyberSecurity for Nodes policy settings sections

General

In the **General** section, you can configure the following policy settings:

- Indicate the policy status.
- Configure the inheritance settings for parent and child policies.

Event configuration

In the **Event configuration** section, you can configure settings for the following event categories:

- *Critical event*
- *Functional failure*
- *Warning*
- *Informational message*
  You can use the **Properties** button to configure the following settings for the selected events:
- Indicate the storage location and retention period for information about logged events.
- Indicate the notification method for logged events.

Application settings

Application Settings

Section	Options
Scalability, interface and scan settings	In the **Scalability, interface and scan settings** subsection, you can click the **Settings** button to configure the following settings: • Choose whether to configure scalability settings automatically or manually. • Configure the application icon display settings.
Security and reliability	In the **Security and reliability** subsection, you can click the **Settings** button to configure the following settings: • Configure the task run settings. • Specify how the application should behave when the protected device is running on UPS power. • Enable or disable password-protection of application functions.
Connections	In the **Connections** subsection, you can use the **Settings** button to configure the following proxy server settings for connecting with update servers, activation servers, and KSN: • Configure the proxy server settings. • Specify the proxy server authentication settings.

Run local system tasks	In the **Run local system tasks** subsection, you can use the **Settings** button to allow or block the start of the following local system tasks according to a schedule configured on protected devices: • On-Demand Scan task. • Update tasks and Copying Update task.

Supplementary

Supplementary settings

Section	Options
Trusted Zone	Click the **Settings** button on the **Trusted Zone** subsection to configure the following Trusted Zone application settings: • Create a list of Trusted Zone exclusions. • Enable or disable scanning of file backup operations. • Create a list of trusted processes.
Removable Drives Scan	In the **Removable Drives Scan** subsection, you can use the **Settings** button to configure scan settings for removable drives.
User access permissions for application management	In the **User access permissions for application management** subsection, you can configure user rights and user group rights to manage Kaspersky Industrial CyberSecurity for Nodes.
User access permissions for Kaspersky Security Service management	In the **User access permissions for Kaspersky Security Service management** subsection, you can configure user rights and user group rights to manage the Kaspersky Security Service.
Storages	In the **Storages** subsection, click the **Settings** button to configure the following Quarantine, Backup and Blocked Hosts settings: • Specify the path to the folder where you want to place Quarantine or Backup objects. • Configure the maximum size of Backup and Quarantine and also specify the free space threshold. • Specify the path to the folder where you want to place objects restored from Quarantine or Backup. • Configure transmission of information about Quarantine and Backup objects to the Administration Server. • Configure how long hosts are blocked.

Real-time computer protection

Real-Time Server Protection settings

Section	Options

Real-Time File Protection	In the **Real-Time File Protection** subsection, you can click the **Settings** button to configure the following task settings: • Indicate the protection mode. • Configure use of the Heuristic Analyzer. • Configure use of the Trusted Zone. • Indicate the protection scope. • Set the security level for the selected protection scope: you can select a predefined security level or configure the security settings manually. • Configure the task start settings.
KSN Usage	In the **KSN Usage** subsection, you can click the **Settings** button to configure the following task settings: • Indicate the actions to perform on KSN untrusted objects. • Configure data transfer and usage of Kaspersky Security Center as a KSN proxy server.
Traffic Security	In the **Traffic Security** subsection, you can click the **Settings** button to configure the following task settings: • Configure the task mode. • Configure the malware protection. • Enable mail threat protection, anti-phishing and URL processing.
Exploit Prevention	In the **Exploit Prevention** subsection, you can click the **Settings** button to configure the following task settings: • Select the process memory protection mode. • Indicate actions to reduce exploit risks. • Add to and edit the list of protected processes.
Script Monitoring	In the **Script Monitoring** subsection, click the **Settings** button to configure the following task run settings: • Allow or block execution of probably dangerous scripts. • Configure the use of Heuristic Analyzer. • Configure application of the trusted zone. • Configure the task run settings.

Local activity control

Local Activity Control settings

Section	Options
Applications Launch Control	In the **Applications Launch Control** subsection, you can use the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure settings for controlling subsequent application launches. • Indicate the scope of the Applications Launch Control rules. • Configure use of KSN. • Configure the task start settings.
Device control	In the **Device control** subsection, you can click the **Settings** button to configure the following task settings: • Select the task operating mode. • Configure the task start settings. **Network attached storage protection** Network Attached Storage Protection settings

Section	Options
RPC Network Storage Protection	In the **RPC Network Storage Protection** subsection, you can click the **Settings** button to configure the following settings: • Heuristic analyzer usage. • Network attached storage connection settings. • Task protection scope.
ICAP Network Storage Protection	In the **ICAP Network Storage Protection** subsection, you can click the **Settings** button to configure the following settings: • ICAP service connection settings. • Integration with other components. • Security level.
Anti-Cryptor for NetApp	In the **Anti-Cryptor for NetApp** subsection, you can click the **Settings** button to configure the following settings: • Task mode. • Heuristic analyzer usage. • Connection and authentication settings. • Specify exclusions from the protection scope.

Network activity control

Network activity control settings

Section	Options
Firewall Management	In the **Firewall Management** subsection, you can click the **Settings** button to configure the following task settings: • Configure firewall rules. • Configure the task start settings.
Anti-Cryptor	In the **Anti-Cryptor** subsection, you can click the **Settings** button to configure the following task settings: • Configure the Anti-Cryptor protection scope. • Configure the task start settings.

System Inspection

System Inspection settings

Section	Options
File Integrity Monitor	In the **File Integrity Monitor** subsection, you can configure control over changes in files that can signify a security breach on a protected device.
Log Inspection	In the **Log Inspection** section, you can configure protected device integrity monitoring based on the results of an analysis of the Windows Event Log.

Logs and notifications

Logs and Notifications settings

Section	Options
Task logs	In the **Task logs** subsection, you can click the **Settings** button to configure the following settings: • Specify the importance level of the logged events for the selected software components. • Specify the task log storage settings. • Specify the SIEM integration with Kaspersky Security Center settings.
Event notifications	In the **Event notifications** subsection, you can click the **Settings** button to configure the following settings: • Specify the user notification settings for the *Object detected*, *Untrusted mass storage detected and restricted*, and *Host listed as untrusted* events. • Specify the administrator notification settings for any event selected in the event list in the **Notification settings** section.

Interaction with Administration Server	In the **Interaction with Administration Server** subsection, you can click the **Settings** button to select the types of objects that Kaspersky Industrial CyberSecurity for Nodes will report to the Administration Server.

To view detailed information about Network Attached Storage Protection tasks, see *Kaspersky Industrial CyberSecurity for Nodes Implementation Guide for Network Storages Protection*.

Revision history

In the **Revision history** section, you can manage revisions: compare with the current revision or other policy, add descriptions of revisions, save revisions to a file or perform a rollback.

Creating and configuring tasks using Kaspersky Security Center

This section contains information about Kaspersky Industrial CyberSecurity for Nodes tasks, and how to create them, configure task settings, and start and stop them.

About task creation in Web Plug-in

You can create group tasks for administration groups and sets of protected devices. The following types of tasks can be created:

- Activation of the Application
- Copying Updates
- Database Update
- Software Modules Update
- Rollback of Database Update
- On-Demand Scan
- Application Integrity Control
- Baseline File Integrity Monitor
- Rule Generator for Applications Launch Control
- Rule Generator for Device Control

You can create local and group tasks in the following ways:

- For one protected device: in the **Properties <Protected device name>** window in the **Tasks** section.
- For an administration group: in the details pane of the node of the selected group of protected devices on the **Tasks** tab.

- For a set of protected devices: in the details pane of the **Device selections** node.

You can use policies to disable schedules for update and On-Demand Scan local system tasks on all protected devices in the same administration group.

General information on tasks in Kaspersky Security Center is provided in the *Kaspersky Security Center Help*.

Creating a task in Web Plug-in

To create a new task in the Kaspersky Security Center Administration Console:

1. Start the task wizard in one of the following ways:
   - To create a local task:
     a. In the main window of the Web Console, select **Devices** → **Managed devices**.
     b. Click the **Groups** tab to select the administration group that the protected device belongs to.
     c. Click the protected device name.
     d. In the **<Device name>** window that opens select the **Tasks** tab.
     e. Click **Add**.
   - To create a group task:
     a. In the main window of the Web Console, select **Devices** → **Managed devices**.
     b. Click the **Groups** tab to select the administration group for which you want to create a task.
     c. Click **Add**.
   - To create a task for a custom set of protected devices:
     a. In the main window of the Web Console, select **Devices** → **Device selections**.
     b. Select the selection for which you want to create a task.
     c. Click **Start**.
     d. In the **Selection results** window, select the devices for which you want to create a task.
     e. Click **New task**.

   The task wizard window opens.
2. In the **Application** drop-down list, select **Kaspersky Industrial CyberSecurity for Nodes**.
3. In the **Task type** drop-down list, select the type of the task to be created.
   If you selected any task type except Rollback of Database Update, Application Integrity Control or Activation of the Application, the settings window opens.

4. Depending on the selected task type, do one of the following:

   - Create an On-Demand Scan task.
   - To create an update task, configure task settings based on your requirements:

     a. Select an update source in the **Database update source** section.

     b. In the **Connection settings** window, configure the proxy server settings.
   - After creating a Software Modules Update task, configure the required application module update settings in the **Software Modules Update** window:

     a. Select whether to copy and install critical software module updates, or only to check for their availability without installation.

     b. If **Copy and install critical software modules updates** is selected: a protected device restart may be required to apply the installed software modules. If you wish Kaspersky Industrial CyberSecurity for Nodes to restart the protected device automatically upon task completion, select the **Allow operating system restart** check box.

     c. To obtain information about Kaspersky Industrial CyberSecurity for Nodes module upgrades, select **Receive information about available scheduled software modules updates**.

     Kaspersky does not publish planned update packages on the update servers for automatic installation; these can be downloaded manually from the Kaspersky website. An administrator notification about the **New scheduled software modules update is available** event can be configured. This will contain the URL of our website from which scheduled updates can be downloaded.
   - To create the Copying Updates task, specify the set of updates and the destination folder in the **Copying Updates** window.
   - To create the Activation of the Application task:

     a. In the **List of keys in Kaspersky Security Center storage** window, specify the key file that you want to use to activate the application.

     b. Select the **Use as additional key** check box if you want to create a task for renewing the license.
   - Create and configure the Rule Generator for Applications Launch Control task.
   - Create and configure the Rule Generator for Device Control task.

5. Click **Next**.

6. If the task is being created for a set of protected devices, select the network (or group) of protected devices on which this task will be executed.

7. Click **Next**.

8. In the **Finishing creation** window, select the **Open task details when creation is complete** check box if you want to configure task settings.

9. Click the **Finish** button.

The task created is displayed in the **Tasks** list.

Configuring group tasks in Web Plug-in

To configure a group task for multiple protected devices:

1. In the main window of the Web Console, select **Devices** → **Tasks**.
2. Click the task name in the list of Kaspersky Security Center tasks.

   The **<Task name>** window opens.
3. Depending on the type of configured task, do one of the following:

   - To configure an On-Demand Scan task:

     a. In the **Scan scope** section, configure a scan scope.

     b. In the **Options** section, configure the task priority level and integration with other software components.
   - To configure an update task, adjust the task settings based on your requirements:

     a. In the **Update sources** section, configure update source and proxy server settings.

     b. In the **Optimization** section, configure disk subsystem optimization.
   - To configure the Software Modules Update task, in the **Advanced settings** section, choose an action to perform: copy and install critical updates of software modules or only check for them.
   - To configure the Copying Updates task, specify the set of updates and the destination folder in the **Copying updates settings** section.
   - To configure the Activation of the Application task, apply the key file that you want to use to activate the application. Select the **Use as additional key** check box if you want to add an activation code or key file for renewing the license.
   - To configure the automatic generation of allowing rules for Device Control, specify the settings that will be used to create the list of allowing rules.
4. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).
5. On the **Settings** tab in the **Account** section, specify the account whose rights will be used to run the task. For detailed information on configuring settings in this section, see *Kaspersky Security Center Help*.
6. Click **Save**.

The newly configured group task settings are saved.

Configuring Activation of the Application task in Web Plug-in

To configure an Activation of the Application task:

1. In the main window of the Web Console, select **Devices** → **Tasks**.

2. Click the task name in the list of Kaspersky Security Center tasks.

   The **<Task name>** window opens.

3. In the **Common** section, specify the key file that you want to use to activate the application. Select the **Use as additional key** check box if you want to add a key to extend the license.

4. Configure the task schedule in the **Schedule** section.

5. In the **<Task name>** window, click **OK**.

Configuring Update tasks in Web Plug-in

To configure the Copying Updates, Database Update, or Software Modules Update tasks:

1. In the main window of the Web Console, select **Devices** → **Tasks**.

2. Click the task name in the list of Kaspersky Security Center tasks.

   The **<Task name>** window opens.

3. In the **Update sources** section, configure update source settings:

   - In the **Database update source** section, specify Kaspersky Security Center Administration Server or Kaspersky update servers as an application update source. You can also create a customized list of update sources: by adding custom HTTP and FTP servers or network folders manually, and setting them as update sources.

     You can specify the usage of Kaspersky update servers, if manually customized servers are not available.

     > To use an SMB-shared folder as an update source, you need to specify a user account to start a task.

     > When configuring an update task via the Cloud Console, only **Distribution points** and **Kaspersky update servers** settings are available to specify the update source.

   - In the **Connection settings** section, configure the use of a proxy server for connecting to Kaspersky update servers and other servers.

4. In the **Optimization** section for the Database Update task, you can configure the feature that reduces the workload on the disk subsystem:

   - **Disk I/O usage optimization**
   - **RAM used for optimization (400 - 9999 MB)**

5. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).

6. In the **<Task name>** window, click **OK**.

Configuring crash diagnostics settings in Web Plug-in

If a problem occurs during operation of Kaspersky Industrial CyberSecurity for Nodes (for example, Kaspersky Industrial CyberSecurity for Nodes crashes) and you want to diagnose it, you can enable the creation of trace files and a dump file for the Kaspersky Industrial CyberSecurity for Nodes process and send these files for analysis to Kaspersky Technical Support.

Kaspersky Industrial CyberSecurity for Nodes does not send any trace or dump files automatically. Diagnostic data can only be sent by a user who has the required permissions.

Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump file in unencrypted form. The folder where files are saved is selected by the user and managed by the operating system configuration and Kaspersky Industrial CyberSecurity for Nodes settings. You can configure access permissions and allow only required users to access logs, trace files and dump files.

To configure crash diagnostics settings in Kaspersky Security Center:

1. In the Kaspersky Security Center Administration Console, open the **Application settings** window.
2. Open the **Malfunction diagnosis** section and do the following:
   - If you want the application to write debug information to a file, select the **Write debug information to trace file** check box.
     - In the field below, specify the folder where Kaspersky Industrial CyberSecurity for Nodes will save trace files.
     - Configure the level of detail of debug information.
     - Specify the maximum size of trace files.
     - Specify the maximum number of files for one trace log.

       Kaspersky Industrial CyberSecurity for Nodes will create up to the maximum number of trace files for each component to be debugged.

     - Specify the components to be debugged. Component codes must be separated with a semicolon. The codes are case sensitive (see the table below).

Kaspersky Industrial CyberSecurity for Nodes subsystem codes

Component Code	Name of component
*	All components.
gui	User interface subsystem, Kaspersky Industrial CyberSecurity for Nodes snap-in in Microsoft Management Console.
ak_conn	Subsystem for integrating Network Agent and Kaspersky Security Center.
bl	Control process, implements Kaspersky Industrial CyberSecurity for Nodes control tasks.
wp	Work process, handles anti-virus protection tasks.
blgate	Kaspersky Industrial CyberSecurity for Nodes remote management process.
ods	On-Demand Scan subsystem.

oas	Real-Time File Protection subsystem.
qb	Quarantine and Backup subsystem.
scandll	Auxiliary module for virus scans.
core	Subsystem for basic anti-virus functionality.
avscan	Anti-virus processing subsystem.
avserv	Subsystem for controlling the anti-virus kernel.
prague	Subsystem for basic functionality.
updater	Subsystem for updating databases and software modules.
snmp	SNMP protocol support subsystem.
perfcount	Performance counter subsystem.

The trace settings of the Kaspersky Industrial CyberSecurity for Nodes snap-in (gui) and the Administration Plug-in for Kaspersky Security Center (ak_conn) are applied after these components are restarted. The trace settings of the SNMP protocol support subsystem (snmp) are applied after the SNMP service is restarted. The trace settings of the performance counter subsystem (perfcount) are applied after all processes that use performance counters are restarted. Trace settings for other Kaspersky Industrial CyberSecurity for Nodes subsystems are applied as soon as the crash diagnostics settings are saved.

By default, Kaspersky Industrial CyberSecurity for Nodes logs debug information for all Kaspersky Industrial CyberSecurity for Nodes components.

The entry field is available if the **Write debug information to trace file** check box is selected.

- If you want the application to create a dump file, select the **Create dump file** check box.
  - In the field below, specify the folder in which Kaspersky Industrial CyberSecurity for Nodes will save the dump file.

3. Click **OK**.

The configured application settings are applied on the protected device.

Managing task schedules

You can configure the start schedule for Kaspersky Industrial CyberSecurity for Nodes tasks, and configure settings for running tasks on a schedule.

Scheduling tasks

You can schedule local system and custom tasks in the Application Console. You cannot schedule group tasks in the Application Console.

To schedule group tasks using the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Tasks**.
2. Click the task name in the list of Kaspersky Security Center tasks.

   The **<Task name>** window opens.

3. Select the **Application settings** section.

4. In the **Schedule** section, select the **Run by schedule** check box.

   Fields with schedule settings for the On-Demand Scan and Update tasks are unavailable if scheduling of these tasks is blocked by a Kaspersky Security Center policy.

5. Configure schedule settings in accordance with your requirements. To do this, perform the following actions:

   a. In the **Frequency** list, select one of the following values:

   - **Hourly**, if you want the task to run at intervals of a specified number of hours; specify the number of hours in the **Every <number> hour(s)** field.
   - **Daily**, if you want the task to run at intervals of a specified number of days; specify the number of days in the **Every <number> day(s)** field.
   - **Weekly**, if you want the task to run at intervals of a specified number of weeks; specify the number of weeks in the **Every <number> week(s)** field. Specify the days of the week on which the task will be started (by default tasks run on Mondays).
   - **At application launch**, if you want the task to run every time Kaspersky Industrial CyberSecurity for Nodes starts.
   - **After application database update**, if you want the task to run after every update of the application databases.

   b. Specify the time for the first task start in the **Start time** field.

   c. In the **Start date** field, specify the date when the schedule starts.

6. In the **Task stop settings** section:

   a. Select the **Duration** check box and, in the fields to the right, enter the maximum number of hours and minutes of task execution.

   b. Select the **Pause task** check box and, in the fields to the right, enter the start and end values of a time interval under 24 hours during which task execution will be paused.

7. In the **Advanced schedule settings** section:

   a. Select the **Cancel schedule** check box and specify the date from which the schedule will cease to apply.

   b. Select the **Run skipped tasks** check box to enable the start of skipped tasks.

   c. Select the **Randomize the task start time within the interval** check box and specify a value in minutes.

8. Click the **Save** button to save the task start settings.

Enabling and disabling scheduled tasks

You can enable and disable scheduled tasks either before or after configuring the schedule settings.

To enable or disable the task start schedule:

1. In the main window of the Web Console, select **Devices** → **Tasks**.
2. Click the task name in the list of Kaspersky Security Center tasks.
   The **<Task name>** window opens.
3. Select the **Application settings** section.
4. Select the **Schedule** section.
5. Do one of the following:
   - Select the **Run by schedule** check box if you want to enable scheduled task start.
   - Clear the **Run by schedule** check box if you want to disable scheduled task start.

     The configured task start schedule settings are not deleted and will be applied at the next scheduled start of the task.
6. Click **Save**.

The configured task start schedule settings are saved.

Reports in Kaspersky Security Center

Reports in Kaspersky Security Center contain information about the status of managed devices. Reports are based on information stored on Administration Server.

Starting from Kaspersky Security Center 11, the following types of reports are available for Kaspersky Industrial CyberSecurity for Nodes:

- Report on the status of application components
- Report on prohibited applications
- Report on prohibited applications in test mode

See *Kaspersky Security Center Help* for detailed information about all Kaspersky Security Center reports and how to configure them.

Report on the status of Kaspersky Industrial CyberSecurity for Nodes components

You can monitor the protection status of all network devices and get a structured overview of the set of components on each device.

The report displays one of the following states for each component: *Running*, *Paused*, *Stopped*, *Malfunction*, *Not installed*, *Starting*.

Not Installed status refers to the component, not the application itself. If the application is not installed, the Kaspersky Security Center Web Console assigns the N/A (Not available) status.

You can create component selections and use filtering to display network devices with a specified set of components and state.

See *Kaspersky Security Center Help* for detailed information about creating and using selections.

To review the status of components in the application settings:

1. In the main window of the Web Console, select **Devices** → **Managed devices**.
2. Click the protected device name.
3. On the **General** tab, select the **Components** section.
4. Review the status table.

   Information about Exploit Prevention component status is not available in this table.

To review a Kaspersky Security Center Web Console standard report:

1. Select **Monitoring and Reporting** → **Reports**.
2. Select the **Report on the status of application components** list item and click the **Show report** button.

   A report is generated.
3. Review the following report details:

   - A graphical diagram.
   - A summary table of components and aggregated numbers of network devices where each of the components is installed, and groups they belong to.
   - A detailed table specifying the component status, version, device and group.

Reports on prohibited applications in active and test modes

Based on the results of the Applications Launch Control task, two types of reports can be generated: a report on prohibited applications (if the task is started in Active mode) and a report on prohibited applications in test mode (if the task is started in Statistics only mode). These reports display information about blocked applications on the protected devices of the network. Each report is generated for all administration groups and accumulates data from all the Kaspersky applications installed on the protected devices.

To review a report on prohibited applications in Statistics only mode:

1. Start the Applications Launch Control task in Statistics only mode.
2. Select **Monitoring and Reporting** → **Reports**.

3. Select the **Report on prohibited applications in test mode** list item and click the **Show report** button.

   A report is generated.

4. Review the following report details:

   - A graphical diagram that displays the top 10 applications with the largest number of blocked starts.
   - A summary table of application blocks, specifying the executable file name, reason, time of blocking, and number of devices where the blocking occurred.
   - A detailed table specifying data about the device, file path and criteria for blocking.

To review a report on prohibited applications in Active mode:

1. Start the Applications Launch Control task in Active mode.
2. Select **Monitoring and Reporting** → **Reports**.
3. Select the **Report on prohibited applications in test mode** list item and click the **Show report** button.

   A report is generated.

This report consists of the same data about blocks as the report on prohibited applications in test mode.

Application licensing

This section provides information about the main concepts related to licensing of the application.

About the End User License Agreement

The *End User License Agreement* is a binding agreement between you and AO Kaspersky Lab, stipulating the terms on which you may use the application.

Carefully review the terms of the End User License Agreement before you start using the application.

You can read the terms of the End User License Agreement and the Privacy Policy, that describes processing and transmission of data, in the following ways:

- During the installation of Kaspersky Industrial CyberSecurity for Nodes.
- Fom the **Start** menu (**All programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **EULA and Privacy Policy**) after the installation.
- During the installation of Kaspersky Security Gateway.
- By reading the file license.txt document included in the distribution kit.
- On the Kaspersky web site (https://www.kaspersky.ru/business/eula).

By confirming that you agree with the End User License Agreement when installing the application, you signify your acceptance of the terms of the End User License Agreement. If you do not accept the terms of the End User License Agreement, you must abort application installation and must not use the application.

About the license

A *license* is a time-limited right to use the application, granted to you under the End User License Agreement.

A valid license entitles you to receive the following services:

- Use of the application in accordance with the terms of the End User License Agreement
- Technical support

The application is activated with the key file of the purchased commercial license.

When a commercial license expires, the application continues to run but some of its features become unavailable (for example, Kaspersky Industrial CyberSecurity for Nodes databases cannot be updated). To continue using all the features of Kaspersky Industrial CyberSecurity for Nodes, you must renew your commercial license.

To ensure maximum protection of your computer against security threats, we recommend renewing the license before it expires.

About license certificate

A *license certificate* is a document that you receive along with a key file or an activation code (if applicable).

A license certificate contains the following information about the current license:

- Order number
- Information about the user who has been granted the license
- Information about the application that can be activated under the license provided
- Limit of the number of licensing units (e.g., devices on which the application can be used under the license provided)
- License validity start date
- License expiration date or license term
- License type

About the key

A *key* is a sequence of bits with which you can activate and subsequently use the application in accordance with the terms of the End User License Agreement. A key is generated by Kaspersky.

You can add a key to the application by using a key file. After you add a key to the application, the key is displayed in the application interface as a unique alphanumeric sequence.

Kaspersky can add a key to the denylist due to violations of the License Agreement. If your key is blocked, a different key must be added in order for the application to work.

A key may be an "active key" or an "additional key".

An *active key* is the key that the application currently uses to function. A key for a commercial or trial license may be added as the active key. The application can have no more than one active key.

An *additional key* is a key that confirms the right to use the application but is not currently in use. An additional key automatically becomes active when the license associated with the current active key expires. An additional key may be added only if there is an active key.

About the key file

A *key file* is a file with the .key extension provided to you by Kaspersky. Key files are designed to activate the application by adding a license key.

You receive a key file at the email address that you provided when you bought Kaspersky Industrial CyberSecurity for Nodes or ordered the trial version of Kaspersky Industrial CyberSecurity for Nodes.

You do not need to connect to Kaspersky activation servers in order to activate the application with a key file.

You can restore a key file if it has been accidentally deleted. You may need a key file to register a Kaspersky CompanyAccount, for example.

To restore your key file, perform any of the following actions:

- Contact the license seller.
- Receive a key file through Kaspersky website by using your available activation code.

About activation code

An *activation code* is a unique sequence of 20 letters and numbers. You have to enter an activation code in order to add a key for activating Kaspersky Industrial CyberSecurity for Nodes. You receive the activation code at the email address that you provided when you bought Kaspersky Industrial CyberSecurity for Nodes or ordered the trial version of Kaspersky Industrial CyberSecurity for Nodes.

To activate the application with an activation code, you need Internet access in order to connect to Kaspersky activation servers.

If you have lost your activation code after installing the application, it can be recovered. You may need the activation code to register a Kaspersky CompanyAccount, for example. To recover your activation code, contact the Kaspersky Lab partner from whom you purchased the license.

About subscription

A *subscription* is a purchase order for the application with specific parameters (such as the subscription expiry date and number of devices protected). It provides the right to use the application within selected parameters (subscription end date, number of protected devices). A Kaspersky Industrial CyberSecurity for Nodes subscription can be registered with the service provider (for example, your ISP). You can renew a subscription manually or automatically, or cancel it. You can also suspend and then resume a subscription. Subscription management is available through the service provider; you cannot manage a subscription independently.

The subscription management options depend on the service provider. The service provider may offer a *grace period* for renewing a subscription.

A grace period is a time interval during which application functionality remains unchanged between the end of a subscription and its renewal.

A subscription can be *limited* or *unlimited*.

A limited subscription offers a limited license term and is not automatically renewed.

An unlimited subscription is automatically renewed without your involvement if payment is made on time, and does not have a fixed expiration date.

The status of a subscription is displayed in the details pane of the **Kaspersky Industrial CyberSecurity for Nodes** node and is updated automatically every hour. You cannot manually update the status of a subscription.

About data provision

By accepting the terms of the End User License Agreement, you agree to automatically send the following data to Kaspersky:

- To support the mechanism for receiving updates – information about the installed application and licensing certificate: identifier of the application being installed and its full version, including build number, type, and license identifier, installation identifier, unique update task identifier.

- To manage confirmations for data processing – information about the status of acceptance of the License Agreement and other documents, that stipulate data transferring terms: identifier and version of License Agreement or other document, as a part of which the data processing terms are accepted or declined; an attribute, signifying the user's action (confirmation or recall of the terms acceptance); date and time of status changes of the data processing terms acceptance.

- To activate the application with an activation code - information about the type, version and localization of the installed application, versions of the installed updates, the identifier of the protected device and the identifier of the application installation on the protected device, the activation code and the unique identifier of activation of the current license, the type, version and word size of the operating system, the name of the virtual environment when the application is installed in the virtual environment, and identifiers of the application components that are active at the time the information is provided.

The data Kaspersky receives from you when you use the application is protected and processed in accordance with the requirements established by the law and the current Kaspersky rules. Data is transmitted via encrypted communication channels. For more detailed information about processing, storage, and destruction of information obtained during the use of the application and transmitted to Kaspersky, please refer to the Privacy Policy on www.kaspersky.com/Products-and-Services-Privacy-Policy.

Local data processing

While executing the application's primary functions described in this Guide, Kaspersky Industrial CyberSecurity for Nodes locally processes and stores a sequence of data on the protected computer.

The table below contains information about local processing and storing by Kaspersky Industrial CyberSecurity for Nodes of data contained in reports.

Processing and storing of data contained in reports

Functional area	Audit.
Type of use	Kaspersky Industrial CyberSecurity for Nodes stores the data locally and sends the data to the Administration Server. The Administration Server's database stores information about application events that occur on the managed protected devices.
Storage	• %ALLUSERSPROFILE%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\<product version>\Reports • %SystemRoot%\System32\Winevt\Logs\Kaspersky Security.evtx • Administration Server's database
Security measures	Access-control list.
Storage period	Kaspersky Industrial CyberSecurity for Nodes stores the data until the uninstallation of Kaspersky Industrial CyberSecurity for Nodes. During the Kaspersky Industrial CyberSecurity for Nodes uninstallation, all the data stored by Kaspersky Industrial CyberSecurity for Nodes on the protected device is deleted.

Purpose	Providing primary functionality.

Kaspersky Industrial CyberSecurity for Nodes does not delete events in the Windows Event Log.

Kaspersky Industrial CyberSecurity for Nodes locally processes and stores in reports the following data:

- Names and attributes of processed files and full paths to them on the scanned media.
- Actions taken on scanned files by Kaspersky Industrial CyberSecurity for Nodes.
- User actions taken on scanned files on the protected computer.
- Information about accounts of users performing any actions on the protected network or protected device.
- Device Instance Path values for devices added to the Device Control rules.
- Information about processes and scripts running on the system: checksums (MD5, SHA-256) and full paths to executable files, information about digital certificates.
- Windows Firewall settings.
- Windows Event Log entries.
- Names of user accounts taking actions on scanned files on the protected computer.
- Instances of executable files being started, and the types, names, checksums, and attributes of these files.
- Information about network activity: the IP addresses of blocked external devices, identifiers of compromised logon sessions from which access to protected shared resources was performed.
- Information about the Wi-Fi networks, that protected computer connects to: network names and network identifiers.
- Information about the PLC projects, that are added to the protection scope, including PLC connection settings (IP, rack and slot numbers, password) and firmware checksums.
- Information about the Windows USN Journal status.

The table below contains information about local processing and storing by Kaspersky Industrial CyberSecurity for Nodes of data about parameters specified by a user.

Kaspersky Industrial CyberSecurity for Nodes processes and stores only the parameters' data specified by a user.

Processing and storing of data about parameters specified by a user

Functional area	Auto-remediation, Sandbox integration.
Type of use	Kaspersky Industrial CyberSecurity for Nodes stores the data about parameters locally and sends the data to the Administration Server. The Administration Server's database stores information about parameters of the managed protected devices.
Storage	%ALLUSERSPROFILE%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\<product version>\

Security measures	Access-control list.
Storage period	Kaspersky Industrial CyberSecurity for Nodes stores the data until the uninstallation of Kaspersky Industrial CyberSecurity for Nodes. During the Kaspersky Industrial CyberSecurity for Nodes uninstallation, all the data stored by Kaspersky Industrial CyberSecurity for Nodes on the protected device is deleted.
Purpose	Providing primary functionality.

Kaspersky Industrial CyberSecurity for Nodes does not delete the data about parameters exported into configuration file.

Kaspersky Industrial CyberSecurity for Nodes does not delete Quarantine objects and Backup objects if the **Export quarantine objects** and **Export quarantine objects** check boxes are selected in the Setup Wizard.

Kaspersky Industrial CyberSecurity for Nodes locally processes and stores the following data about parameters specified by a user:

- Information about objects placed in Quarantine or Backup.
- Information about the settings configured via the Application Console or via the Administration Plug-in, for example:
  - Kaspersky Industrial CyberSecurity for Nodes password, names of user accounts under which Kaspersky Industrial CyberSecurity for Nodes tasks are run.
  - The name of user account used for proxy server authentication.
  - The addresses of network folders or folders on the HTTP or FTP servers used as user-defined update sources.
  - Information about the Wi-Fi networks.
  - Information about the PLC projects, that are added to the protection scope, including PLC connection settings and firmware checksums.
  - IP addresses and identifiers of blocked logon sessions.
  - Windows Firewall settings.
  - Checksums (MD5, SHA-256) and paths to executable files added to the Application Launch Control task rules.
  - Device Instance Path values for devices added to the Device Control rules.
  - Information about folders included in scopes of Kaspersky Industrial CyberSecurity for Nodes tasks.
  - Information about events in the Windows Event Log.
  - Information about files detected through the use of iSwift or iCheker tecnology.
  - Checksums (MD5, SHA-256) and paths to the files added to the Trusted Zone.

- Information about added license keys.
- Information about digital certificates.

- Data about files processed by the Kaspersky Industrial CyberSecurity for Nodes, for example, checksums (MD5, SHA-256) of files, information about digital certificates, full paths to files.

Kaspersky Industrial CyberSecurity for Nodes processes and stores data as part of the application's basic functionality, including to log application events and receive diagnostic data. Locally processed data is processed and protected in accordance with the configured and applied application settings.

Kaspersky Industrial CyberSecurity for Nodes lets you configure the level of protection for data processed locally: you can change user privileges to access process data, change data retention periods for such data, entirely or partially disable functionality that involves data logging, and change the path and attributes of the folder on the drive where data is logged.

Detailed information about configuring application functionality that involves data processing can be found in the corresponding sections of this Guide.

Local data processing by means of the application auxiliary components

The Kaspersky Industrial CyberSecurity for Nodes installation package comprises the application auxiliary components, which can be installed on your device even if Kaspersky Industrial CyberSecurity for Nodes is not installed on it.

While performing the main functions of the application described in this Guide, the application auxiliary components locally process and store a set of data on the protected device where they are installed, even if they are installed separately from Kaspersky Industrial CyberSecurity for Nodes.

The table below contains information about local processing and storing by Kaspersky Industrial CyberSecurity for Nodes of data written in dump and trace files.

By default, Kaspersky Industrial CyberSecurity for Nodes does not write dump and trace files.

Processing and storing of data written in dump and trace files

Storage	By default the folder to which dump and trace files are saved is not specified. You can specify the folder
Security measures	Kaspersky Industrial CyberSecurity for Nodes does not restrict access to dump and trace files.
Storage period	Kaspersky Industrial CyberSecurity for Nodes does not delete dump and trace files.
Purpose	Providing technical support.

Kaspersky Industrial CyberSecurity for Nodes locally processes and stores the following data written in dump and trace files:

- Information about actions performed by Kaspersky Industrial CyberSecurity for Nodes on the protected device.
- Information about objects processed by Kaspersky Industrial CyberSecurity for Nodes.
- Information about errors that occurred during the running of Kaspersky Industrial CyberSecurity for Nodes.

The data processed by the auxiliary components is not automatically sent to Kaspersky or other third-party systems.

By default, all data locally processed by the application auxiliary components during the operation is deleted after removal of these components.

The exceptions are trace files of the application auxiliary components, it is recommended to delete this files manually.

You can find the detailed information about working with files containing diagnostic data of the application auxiliary components in the corresponding sections of this Guide.

Activating the application with a key file

You can activate Kaspersky Industrial CyberSecurity for Nodes by applying a key file.

If an active key has already been added to Kaspersky Industrial CyberSecurity for Nodes and you add another key as the active key, the new key replaces the previously added key. The previously added key is removed.

If an additional key has already been added to Kaspersky Industrial CyberSecurity for Nodes and you add another key as an additional key, the new key replaces the previously added key. The previously added additional key is removed.

If an active key and an additional key have already been added to Kaspersky Industrial CyberSecurity for Nodes and you add a new key as the active key, the new key replaces the previously added active key; the additional key is not removed.

To activate Kaspersky Industrial CyberSecurity for Nodes using a key file:

1. In the Application Console tree, expand the **Licensing** node.
2. In the results pane of the **Licensing** node, click the **Add key** link.
3. In the window that opens, click the **Browse** button.
4. Select a key file with the .key extension.

   You can also add a key as an additional key. To add a key as an additional key, select the **Use as additional key** check box.

5. Click **OK**.

The selected key file will be applied. Information about the added key will be available on the **Licensing** node.

Activating the application with an activation code

To activate the application using an activation code, the protected device must be connected to the Internet.

You can activate Kaspersky Industrial CyberSecurity for Nodes by using an activation code.

When activating the application with this method, Kaspersky Industrial CyberSecurity for Nodes sends data to the activation server to verify the entered code:

- If the activation code verification is successful, the application is activated.
- If the activation code verification fails, the corresponding notification is displayed. In this case, you must contact the software vendor from whom you purchased your Kaspersky Industrial CyberSecurity for Nodes license.
- If the number of activations with the activation code is exceeded, the corresponding notification is displayed. The application activation procedure is interrupted, and the application suggests that you contact Kaspersky Technical Support.

You can activate Kaspersky Industrial CyberSecurity for Nodes with an activation code using the Application Console, or by creating the Activation of the Application group task via the Administration Plug-in or via the Web Plug-in.

To activate Kaspersky Industrial CyberSecurity for Nodes with an activation code using the Application Console:

1. In the Application Console tree, expand the **Licensing** node.
2. In the results pane of the **Licensing** node, click the **Add activation code** link.
3. In the window that opens, enter the activation code in the **Activation code** field.
   - If you want to use the activation code as an additional key, enable **Use as additional key** check box.
   - If you want to view the license information, click the **Show license information** button; it will be displayed in the **License information** group box.
4. Click **OK**.

   Kaspersky Industrial CyberSecurity for Nodes sends information about the applied activation code to the activation server.

Viewing information about current license

Viewing the license status

Information about the status of the current license is displayed in the details pane of the **Kaspersky Industrial CyberSecurity for Nodes** node of the Application Console. The license status can take the following values:

- **Checking the key status** – Kaspersky Industrial CyberSecurity for Nodes is checking the added key file applied and waiting for a response about the current status.
- **License expiration date** – Kaspersky Industrial CyberSecurity for Nodes has been activated until the specified date. The status is highlighted in yellow in the following cases:
  - The license will expire in 14 days and no additional key have been added.
  - The added key has been added to the denylist and is about to be blocked.
- **Application not activated** – Kaspersky Industrial CyberSecurity for Nodes is not activated because the key has not been added. The status is highlighted in red.

- **License has expired** – Kaspersky Industrial CyberSecurity for Nodes is not activated because the license has expired. The status is highlighted in red.
- **End User License Agreement has been violated** – Kaspersky Industrial CyberSecurity for Nodes is not activated because the terms of the End User License Agreement have been violated. The status is highlighted in red.
- **Key is in denylist** – the added key file has been blocked and added to the denylist by Kaspersky, for example, if the key was used by third parties to activate the application illegally. The status is highlighted in red.

Viewing information about the current license

To view the information about the current license,

in the Application Console tree, expand the **Licensing** node.

General information about the current license is displayed in the details pane of the **Licensing** node (see the table below).

General information about the license in the Licensing node

Field	Description
Activation status	Information about the activation status of the application. Information in the Activation status column in the control panel of the Licensing node may have the following values: • **Applied** – if you have activated the application using a key. • **Activation error** – if application activation failed. You can view the cause of unsuccessful activation in the task log.
Key	The number of the key that you used to activate the application.
License type	License type: *Commercial*.
Expiration date	Expiry date and time of the license associated with an active key.
Activation code status or key status	Activation code status or key status: *Active* or *Additional*.

To view the detailed information about license,

in the details pane of the **Licensing** node open the context menu of the license you want view and select **Properties**.

In the **Key properties** window, the **General** tab displays detailed information about the current license, and the **Advanced** tab displays information about the customer and the contact details of Kaspersky or the retailer from whom you purchased Kaspersky Industrial CyberSecurity for Nodes (see the table below).

Detailed license information in the Properties <Key number> window

Field	Description
General tab	
Key	The number of the key that you used to activate the application.
Key addition	Date when the key was added to the application.

date	
License type	License type: commercial or trial.
Days till expiration	Number of days remaining until the expiry of the license associated with the active key.
Expiration date	Expiry date of the license associated with an active key. If you activate the application under unlimited subscription, the field value is *Unlimited*. If Kaspersky Industrial CyberSecurity for Nodes is unable to determine the license expiry date, the field value is set to *Unknown*.
Application	The name of the application that was activated with the added key.
Key usage restriction	Restriction on key usage (if any).
Eligible for technical support	Information on whether Kaspersky or one of its partners will provide technical support for customers according to the license terms.
Advanced tab	
Information about the license	Number and type of current license.
Support information	Contact details of Kaspersky or of its partner providing technical support. This field may be empty if technical support is not provided.
Owner information	Information about the license customer: a customer name and the name of an organization for which the license was acquired.

Functional limitations when the license expires

When the current license expires, the following limitations are applied to the functional components:

- All tasks are stopped, except the Real-Time File Protection, On-Demand Scan and Application Integrity Control tasks.
- You cannot start any tasks except the Real-Time File Protection, On-Demand Scan and Application Integrity Control. These tasks continue to run using the old anti-virus databases.
- Exploit Prevention functionality is limited:
  - Processes are protected until they are restarted.
  - New processes cannot be added to the protection scope.

Other functions (repositories, logs, diagnostic information) are still available.

Renewing license

By default, when the license has 14 days remaining before expiration, Kaspersky Industrial CyberSecurity for Nodes notifies you about this. In this case the status **License expiration date** in the details pane of the **Kaspersky Industrial CyberSecurity for Nodes** node is highlighted in yellow.

You can renew the license before the expiration date using an additional key. This ensures that your computer remains protected after expiration of the existing license and before you activate the application with a new license.

To renew a license:

1. Purchase a new key file.
2. In the Application Console tree, open the **Licensing** node.
3. In the context menu of the **Licensing** node select the **Add key** option.
4. In the window that opens, click the **Browse** button and select a new key file with the .key extension.
5. Select the **Use as additional key** check box.
6. Click **OK**.

The additional key will be added and automatically applied upon expiration of the current Kaspersky Industrial CyberSecurity for Nodes license.

Make sure the additional key that you add has a later expiration date than the active one.

You cannot use a subscription as an additional key.

Deleting the key

You can remove the added key.

If an additional key has been added to Kaspersky Industrial CyberSecurity for Nodes and you remove the active key, the additional key automatically becomes the active key.

If you delete an added key, you can restore it by re-applying the key file.

To remove a key that has been added:

1. In the Application Console tree, select the **Licensing** node.
2. In the results pane of the **Licensing** node in the table containing information on added keys, select the key that you want to remove.
3. In the context menu of the line containing information on the selected key, select **Remove**.
4. Click the **Yes** button in the confirmation window to confirm that you want to delete the key.

The selected key will be removed.

Starting and stopping Kaspersky Industrial CyberSecurity for Nodes

This section contains information about starting Application Console and about starting and stopping the Kaspersky Security Service.

Starting the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in

No additional actions are required to start the Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in in Kaspersky Security Center. Once the Plug-in is installed on the administrator's protected device, it is started together with Kaspersky Security Center. Detailed information about starting Kaspersky Security Center can be found in the *Kaspersky Security Center Help*.

Starting the Kaspersky Industrial CyberSecurity for Nodes Console from the Start menu

The names of settings may vary under different Windows operating systems.

*To start the Application Console from the **Start** menu:*

1. In the **Start** menu, select **Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Administration Tools** > **Kaspersky Industrial CyberSecurity for Nodes Console**.

To add other snap-ins to the Application Console, start the Application Console in author mode.

To start the Application Console in author mode:

1. In the **Start** menu, select **Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Administration Tools**.
2. In the context menu of the Application Console, select the **Author** command.

   The Application Console is started in author mode.

If the Application Console has been started on the protected device, the Application Console window opens.

If you started the Application Console on a non-protected device, connect to the protected device.

To connect to the protected device:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.
2. Select the **Connect to another computer** command.

   The **Select protected device** window opens.
3. Select **Another device** in the window that opens.
4. Specify the network name of the protected device in the entry field on the right.

5. Click **OK**.

   The Application Console will connect to the protected device.

If the user account that you are using to log in to Microsoft Windows does not have sufficient permissions to access the Kaspersky Security Management Service on the protected device, select the **Connect as user** check box and specify a different user account that the required permissions.

Starting and stopping the Kaspersky Security Service

By default, the Kaspersky Security Service starts automatically immediately after the operating system. The Kaspersky Security Service manages the work processes that execute the Real-Time Computer Protection, Computer Control, On-Demand Scan and update tasks.

By default when Kaspersky Industrial CyberSecurity for Nodes is started, the Real-Time File Protection and Scan at Operating System Startup tasks are started, as well as other tasks that are scheduled to start **At application launch**.

If the Kaspersky Security Service is stopped, all running tasks are stopped. After you restart the Kaspersky Security Service, the application automatically starts only those tasks scheduled to run **At application launch**, while other tasks have to be started manually.

You can start and stop the Kaspersky Security Service using the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node or using the Microsoft Windows Services snap-in.

You can start and stop Kaspersky Industrial CyberSecurity for Nodes if you are a member of the Administrators group on the protected device.

To stop or start the application using the Application Console:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.
2. Select one of the following items:
   - **Stop the service**.
   - **Start the service**.

   The Kaspersky Security Service will be started or stopped.

Starting Kaspersky Industrial CyberSecurity for Nodes components in the operating system safe mode

This section provides information about Kaspersky Industrial CyberSecurity for Nodes working in the operating system safe mode.

About Kaspersky Industrial CyberSecurity for Nodes working in the operating system safe mode

Kaspersky Industrial CyberSecurity for Nodes components can be started when the operating system loads in safe mode. In addition to the Kaspersky Security Service (kavfs.exe), the klam.sys driver is loaded. It is used to register the Kaspersky Security Service as a protected service during the start of the operating system. For more details, see section Registering the Kaspersky Security Service as a protected service.

Kaspersky Industrial CyberSecurity for Nodes can be started in the following safe modes of the operating system:

- Safe Mode Minimal – This mode is started when the standard option of the operating system safe mode is selected. At that, Kaspersky Industrial CyberSecurity for Nodes can start the following components:
  - Real-Time File Protection.
  - On-Demand Scan.
  - Applications Launch Control and Rule Generator for Applications Launch Control.
  - Log Inspection.
  - File Integrity Monitor.
  - Baseline File Integrity Monitor.
  - Application Integrity Control.

Safe Mode with Networking – In this mode, the operating system is loaded in safe mode with network drivers. In addition to the components started in Safe Mode Minimal, Kaspersky Industrial CyberSecurity for Nodes can start the following components in this mode:

- Database Update.
- Software Modules Update.

Starting Kaspersky Industrial CyberSecurity for Nodes in safe mode

By default, Kaspersky Industrial CyberSecurity for Nodes is not started when the operating system is loaded in safe mode.

To make Kaspersky Industrial CyberSecurity for Nodes start in the operating system safe mode:

1. Start Windows Registry Editor (C:\Windows\regedit.exe).
2. Open the [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klam\Parameters] key of the system registry.
3. Open the LoadInSafeMode parameter.
4. Set the value to `1`.

5. Click **OK**.

To cancel start of Kaspersky Industrial CyberSecurity for Nodes in the operating system safe mode:

1. Start Windows Registry Editor (C:\Windows\regedit.exe).
2. Open the [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klam\Parameters] key of the system registry.
3. Open the LoadInSafeMode parameter.
4. Set the value to `0`.
5. Click **OK**.

Compact Diagnostic Interface

This section describes how to use the Compact Diagnostic Interface for reviewing protected device status or current activity, and how to configure writing of dump and trace files.

About the Compact Diagnostic Interface

The Compact Diagnostic Interface component (also referred to as the "CDI") is installed and uninstalled along with the System Tray Icon component independently from the Application Console, and can be used when the Application Console is not installed on the protected device. The CDI is started from the System Tray Icon or by running kavfsmui.exe from the application folder on the protected device.

From the CDI window, you can do the following:

- Review information about general application status.
- Review security incidents that have occurred.
- Review current activity on the protected device.
- Start or stop writing dump and trace files.
- Open the Application Console.
- Open the **About the application** window with the list of installed updates and available patches.

The CDI is available even if access to Kaspersky Industrial CyberSecurity for Nodes functions is password-protected. No password is required.

> The CDI component cannot be configured via Kaspersky Security Center.

Reviewing the Kaspersky Industrial CyberSecurity for Nodes status via the Compact Diagnostic Interface

To open the Compact Diagnostic Interface window, perform the following actions:

1. Right-click the Kaspersky Industrial CyberSecurity for Nodes System Tray Icon in the toolbar notification area.
2. Select the **Open Compact Diagnostic Interface** option.
   The **Compact diagnostic interface** window opens.

Review the current status of the key, Real-Time Computer Protection tasks, and Update tasks on the **Protection status** tab. Different colors are used to notify the user about the protection status (see the table below).

Compact Diagnostic Interface protection status.

Section	Status
Real-time	The panel is *green* for either of the following scenarios (if any of the conditions are

protection status	met): • Recommended configuration: • The Real-Time File Protection task is started with the default settings. • The Applications Launch Control task is started in **Active** mode with the default settings. • Acceptable configuration: • The Real-Time File Protection task is configured by the user. • Applications Launch Control task settings are modified.
	The panel is *yellow* if one or more of the following conditions are met: • The Real-Time File Protection task is paused (by the user or schedule). • The Applications Launch Control task is started in **Statistics only** mode. • Exploit Protection and Applications Launch Control are started in **Statistics only** mode.
	The panel is *red* if both of the following conditions are met: • The Real-Time File Protection component is not installed or the task is stopped or paused. • The Applications Launch Control component is not installed or the task is started in **Statistics only** mode.
Licensing	The panel is *green* if the current license is valid.
	A *yellow* panel signifies that one of the following events has occurred: • *Checking the license status*. • *The license will expire in 14 days and no additional key or activation code has been added.* • *The added key has been added to the denylist and is about to be blocked.*
	A *red* panel signifies that one of the following events has occurred: • *Application not activated* • *License has expired* • *End User License Agreement has been violated* • *Key is in denylist*
Update	The panel is *green* when Application databases are up-to-date.
	The panel is *yellow* when Application databases are out of date.
	The panel is *red* when Application databases are extremely out of date.

Reviewing security event statistics

The **Statistics** tab displays all security events. Each protection task statistic is displayed in a separate block specifying the number of incidents and the date, and time when the last incident occurred. When an incident is logged, the block color changes to red.

To review the statistics:

1. Right-click the Kaspersky Industrial CyberSecurity for Nodes System Tray Icon in the toolbar notification area.
2. Select the **Open Compact Diagnostic Interface** option.
   The **Compact diagnostic interface** window opens.
3. Open the **Statistics** tab.
4. Review the security incidents for the protection tasks.

Reviewing current application activity

On this tab, you can review the status of current tasks and application processes, and promptly get notifications about critical events that occur.

Different colors are used to indicate the application activity status:

- In the **Tasks** section:
  - *Green*. There are no conditions that would require yellow or red.
  - *Yellow*. Critical areas have not been scanned for a long time.
  - *Red*. At least one of the following conditions is true:
    - No tasks are started and a start schedule is not set up for any of the tasks.
    - Application launch errors are logged as critical events.
- In the **Kaspersky Security Network** section:
  - *Green*. The KSN Usage task is started.
  - *Yellow*. The KSN Statement is accepted, but the task is not started.

To review the current application activity on the protected device:

1. Right-click the Kaspersky Industrial CyberSecurity for Nodes System Tray Icon in the toolbar notification area.
2. Select the **Open Compact Diagnostic Interface** option.
   The **Compact diagnostic interface** window opens.
3. Open the **Current application activity** tab.

4. Review the following information in the **Tasks** section:

   - **Critical areas not scanned for a long time**

     This field is displayed only if the application returns a corresponding warning about critical area scans.

   - **Running now**
   - **Execution failed**
   - **Next start defined by a schedule**

5. Review the following information in the **Kaspersky Security Network** section:

   - **KSN is on. File reputation services are enabled** or **Protection is off**.
   - **KSN is on. File reputation services are enabled, application statistics is being sent to KSN**.

     The application sends information about malware, including fraudulent software, detected during execution of the Real-Time File Protection task and the On-Demand Scan tasks, as well as debugging information about errors during scanning.

     The field is displayed if the **Send Kaspersky Security Network statistics** check box is selected in the KSN Usage task settings.

6. Review the following information in the **Integration with Kaspersky Security Center** section:

   - **Local management is allowed**.
   - **Policy is applied: <Administration Server name>**.

Configuring writing of dump and trace files

You can configure the writing of dump and trace files via the CDI.

You can also configure malfunction diagnostics via the Application Console.

To start writing dump and trace files, perform the following actions:

1. Right-click the Kaspersky Industrial CyberSecurity for Nodes System Tray Icon in the toolbar notification area.
2. Select the **Open Compact Diagnostic Interface** option.
   The **Compact diagnostic interface** window opens.
3. Open the **Troubleshooting** tab.
4. Change the following trace settings if necessary:

   a. Select the **Write debug information to the trace file in this folder** check box.

b. Click the **Browse** button to specify the folder where Kaspersky Industrial CyberSecurity for Nodes will save trace files.

Tracing will be enabled for all components with the default parameters using the *Debug* level of detail and the default maximum log size of 50 MB.

5. Change the following dump-file settings if necessary:

a. Select the **Create dump file on malfunction in this folder** check box.

b. Click the **Browse** button to specify the folder where Kaspersky Industrial CyberSecurity for Nodes will save the dump file.

6. Click the **Apply** button.

The new configuration will be applied.

Real-Time File Protection

This section contains information about the Real-Time File Protection task and how to configure it.

About the Real-Time File Protection task

When the Real-Time File Protection task is running, Kaspersky Industrial CyberSecurity for Nodes scans the following protected device objects when they are accessed:

- Files.
- NTFS alternate data streams.
- Master boot records and boot sectors on local hard drives and external devices.
- Windows Server 2016 and Windows Server 2019 container files.

When any application writes a file to the protected device or reads a file from it, Kaspersky Industrial CyberSecurity for Nodes intercepts the file, scans it for threats, and, if a threat is detected, performs a default action or an action you have specified: try to disinfect, move to Quarantine, or delete it. Before disinfection or deletion, Kaspersky Industrial CyberSecurity for Nodes saves an encrypted copy of the source file to the Backup folder.

Kaspersky Industrial CyberSecurity for Nodes intercepts file operations, executed in Windows Server 2016 and Windows Server 2019 containers.

A *container* is an isolated environment, which allows applications to run without direct interaction with the operating system. If container is located in task the task protection scope, Kaspersky Industrial CyberSecurity for Nodes scans container files, which are being accessed by users, for computer threats. When a threat is detected, the application attempts to disinfect the container. If the attempt is successful, the container continues to work; if disinfection fails, the container is shut down.

Kaspersky Industrial CyberSecurity for Nodes also detects malware for processes running under Windows Subsystem for Linux®. For such processes, the Real-Time File Protection task applies action defined by the current configuration.

About the task protection scope and security settings

By default, the Real-Time File Protection task protects all objects of the device file system. If there is no security requirement to protect all objects of the file system or you want to exclude any objects from the task scope, you can limit the protection scope.

In the Application Console, the protection scope is displayed as a tree or list of the device's file resources that Kaspersky Industrial CyberSecurity for Nodes can monitor. By default, the network file resources of the device are displayed as a list.

In the Administration Plug-in, only the list view is available.

To display network file resources as a tree in the Application Console,

open the drop-down list in the upper left section of the **Protection scope settings** window and select **Tree-view**.

Whether the protected device's file resources are displayed as a list or a tree, the node icons have the following meanings:

☑ The node is included in the protection scope.

☐ The node is excluded from the protection scope.

☑ At least one of this node's child nodes is excluded from the protection scope, or the security settings of the child node(s) differ(s) from those of the parent node (for the tree view only).

The ☑ icon is displayed if all child nodes are selected, but the parent node is not selected. In this case, changes in the composition of the parent node's files and folders are disregarded automatically when the protection scope for the selected child node is created.

Using the Application Console, you can also add virtual drives to the protection scope. The names of the virtual nodes are displayed in blue.

Security settings

The task security settings can be configured as common settings for all nodes or items included in the protection scope, or as different settings for each node or item in the device's file resource tree or list.

Security settings configured for the selected parent node are automatically applied to all its child nodes. The security settings of the parent node are not applied to child nodes that are configured separately.

The settings for a selected protection scope can be configured using one of the following methods:

- Selecting one of three predefined security levels.
- Configuring the security settings manually for the selected nodes or items in the file resource tree or list (the security level changes to **Custom**).

A set of settings for a node or item can be saved in a template in order to be applied later to other nodes or items.

About virtual protection scopes

Kaspersky Industrial CyberSecurity for Nodes can scan not only existing folders and files on hard drives and removable drives, but also drives that are dynamically created on the protected device by various applications and services.

If all device objects are included in the protection scope, these dynamic nodes will automatically be included in the protection scope. However, if you want to specify special values for the security settings of these dynamic nodes or if you have selected only part of the device for protection, then in order to include virtual drives, files or folders in the protection scope, you will first have to create them in the Application Console: that is, specify the virtual protection scope. The drives, files and folders created will exist only in the Application Console, but not in the file structure of the protected device.

If, while creating a protection scope, all subfolders or files are selected without the parent folder being selected, then all virtual folders or files that appear in it will not automatically be included in the protected scope. "Virtual copies" of these should be created in the Application Console and added to the protection scope.

Predefined protection scopes

The file resource tree or list displays the nodes to which you have read-access based on the configured Microsoft Windows security settings.

Kaspersky Industrial CyberSecurity for Nodes covers the following predefined protection scopes:

- **Local hard drives**. Kaspersky Industrial CyberSecurity for Nodes protects files on the device hard drives.
- **Removable drives**. Kaspersky Industrial CyberSecurity for Nodes protects files on external devices, such as CDs or removable drives. All removable drives, individual disks, folders or files can be included in or excluded from the protection scope.
- **Network**. Kaspersky Industrial CyberSecurity for Nodes protects files that are written to network folders or read from them by applications running on the device. Kaspersky Industrial CyberSecurity for Nodes does not protect files when such files are accessed by applications from other protected devices.
- **Virtual drives**. Virtual folders, files, and drives temporarily connected to the device can be included in the protection scope, for example, common cluster drives.

By default, you can view and configure predefined protection scopes in the scope list; you can also add predefined scopes to the list during its formation in the protection scope settings.

By default, the protection scope includes all predefined areas except virtual drives.

Virtual drives created using the SUBST command are not displayed in the protected device's file resource tree in the Application Console. To include objects on the virtual drive in the protection scope, include the device folder associated with the virtual drive in the protection scope.

Connected network drives will also not be displayed in the protected device's file resource list. To include objects on network drives in the protection scope, specify the path to the folder that corresponds to this network drive in UNC format.

About predefined security levels

One of the following predefined security levels for the nodes selected either in the protected device's file resource tree or file resource list can be applied: **Maximum performance**, **Recommended**, and **Maximum protection**. Each of these levels contains its own predefined set of security settings (see the table below).

Maximum performance

The **Maximum performance** security level is recommended if your network has additional protected device security measures, for example, firewalls and existing security policies, beyond using Kaspersky Industrial CyberSecurity for Nodes on protected devices.

Recommended

The **Recommended** security level ensures the best combination of protection and performance impact on devices. Kaspersky experts recommend this level as adequate to protect devices on most corporate networks. The **Recommended** security level is set by default.

Maximum protection

The **Maximum protection** security level is recommended if your organization's network has elevated device security requirements.

Preset security levels and corresponding setting values

Options	Security level		
	Maximum performance	Recommended	Maximum protection
Objects protection	By extension	By format	By format
Protect only new and modified files	Enabled	Enabled	Disabled
Action to perform on infected and other objects	Block access and disinfect. Remove if disinfection fails	Notify only	Block access and disinfect. Remove if disinfection fails
Action to perform on probably infected objects	Block access and quarantine	Notify only	Block access and quarantine
Exclude files	No	No	No
Do not detect	No	No	No
Stop scanning if it takes longer than (sec.)	60 sec.	60 sec.	60 sec.
Do not scan compound objects larger than (MB)	8 MB	8 MB	Not set
Scan alternate NTFS streams	Yes	Yes	Yes
Scan disk boot sectors and MBR	Yes	Yes	Yes
Compound objects protection	• Packed objects* *New and modified objects only	• SFX archives* • Packed objects* • Embedded OLE objects* *New and modified objects only	• SFX archives* • Packed objects* • Embedded OLE objects* *All objects
Entirely remove compound file that cannot be modified by the application in case of embedded object detection	No	No	Yes

The **Objects protection**, **Use iChecker technology**, **Use iSwift technology**, and **Use heuristic analyzer** settings are not included in the settings of the predefined security levels. If you edit the **Objects protection**, **Use iChecker technology**, **Use iSwift technology**, or **Use heuristic analyzer** security settings after selecting one of the predefined security levels, the security level that you have selected will not change.

File extensions scanned by default in the Real-Time File Protection task

Kaspersky Industrial CyberSecurity for Nodes scans files with the following extensions by default:

- *386;*
- *acm;*
- *ade, adp;*
- *asp;*
- *asx;*
- *ax;*
- *bas;*
- *bat;*
- *bin;*
- *chm;*
- *cla, clas*;*
- *cmd;*
- *com;*
- *cpl;*
- *crt;*
- *dll;*
- *dpl;*
- *drv;*
- *dvb;*
- *dwg;*
- *efi;*
- *emf;*

- *eml;*
- *exe;*
- *fon;*
- *fpm;*
- *hlp;*
- *hta;*
- *htm, html*;*
- *htt;*
- *ico;*
- *inf;*
- *ini;*
- *ins;*
- *isp;*
- *jpg, jpe;*
- *js, jse;*
- *lnk;*
- *mbx;*
- *msc;*
- *msg;*
- *msi;*
- *msp;*
- *mst;*
- *nws;*
- *ocx;*
- *oft;*
- *otm;*
- *pcd;*
- *pdf;*

- *php;*
- *pht;*
- *phtm*;*
- *pif;*
- *plg;*
- *png;*
- *pot;*
- *prf;*
- *prg;*
- *reg;*
- *rsc;*
- *rtf;*
- *scf;*
- *scr;*
- *sct;*
- *shb;*
- *shs;*
- *sht;*
- *shtm*;*
- *swf;*
- *sys;*
- *the;*
- *them*;*
- *tsp;*
- *url;*
- *vb;*
- *vbe;*
- *vbs;*

- *vxd;*
- *wma;*
- *wmf;*
- *wmv;*
- *wsc;*
- *wsf;*
- *wsh;*
- *do?;*
- *md?;*
- *mp?;*
- *ov?;*
- *pp?;*
- *vs?;*
- *xl?.*

Default Real-Time File Protection task settings

By default, the Real-Time File Protection task uses the settings described in the table below. You can change the values of these settings.

Default Real-Time File Protection task settings

Setting	Default value	Description
Protection scope	The entire protected device, excluding virtual drives.	Use this option to change the protection scope.
Security settings	Common settings for the entire protection scope correspond to the **Recommended** security level.	For nodes selected in the protected device's file resource list or tree, you can: • Select a different predefined security level • Manually change security settings You can save a group of security settings for a selected node as a template to use later for a different node.
Objects protection mode	**Smart mode**	Use this option to select the protection mode, i.e. define the type of access attempts for which Kaspersky Industrial CyberSecurity for Nodes scans objects.
Heuristic analyzer	The **Medium** security level is	The Heuristic Analyzer can be enabled or

	applied.	disabled and the analysis level can be configured.
Apply Trusted Zone	Applied.	General list of exclusions that can be used in selected tasks.
Use KSN for protection	Applied.	Use this option to improve your device's protection using the Kaspersky Security Network cloud service (available if the KSN Statement is accepted).
Task start schedule	At application start.	Use this option to configure for scheduled task start.
Block access to network shared resources for the hosts that show malicious activity	Not applied.	Use this option to block current session and to add host IP or host LUID for which malicious activity was detected in the Blocked hosts storage section.
Launch critical areas scan when active infection is detected	Applied.	When active infection is detected, Kaspersky Industrial CyberSecurity for Nodes creates and launches a temporary Critical Areas Scan task.

Managing the Real-Time File Protection task via the Administration Plug-in

In this section, learn how to navigate the Administration Plug-In interface and configure task settings for one or all protected devices on the network.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening policy settings for the Real-Time File Protection task

To open the Real-Time File Protection task settings via the Kaspersky Security Center policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Real-Time Computer Protection** section.
6. Click the **Settings** button in the **Real-Time File Protection** subsection.
   The **Real-time file protection** window opens.

If a protected device is being managed by an active Kaspersky Security Center policy and this policy blocks changes to the application settings, these settings cannot be edited via the Application Console.

Opening the Real-Time File Protection task properties

To open the Real-Time File Protection task settings window for a single network device:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Devices** tab.
4. Open the **Properties: <Protected device name>** window in one of the following ways:
   - Double-click the name of the protected device.
   - Select the **Properties** item in the context menu of the protected device.

   The **Properties: <Protected device name>** window opens.
5. In the **Tasks** section, select the **Real-Time File Protection** task.
6. Click the **Properties** button.
   The **Properties: Real-Time File Protection** window opens.

Configuring the Real-Time File Protection task

To configure the Real-Time File Protection task settings:

1. Open the **Real-time file protection** window.
2. Configure the following task settings:
   - On the **General** tab:
     - Interception parameters
     - Heuristic analyzer
     - Integration with other components
   - On the **Task management** tab:
     - Scheduled task start settings.
3. Select the **Protection scope** tab and do the following:
   - Click the **Add** or **Edit** button to edit the protection scope.

- In the window that opens, choose what you want to include in the task protection scope:
  - **Predefined scope**
  - **Disk, folder or network location**
  - **File**
- Select one of the predefined security levels or manually configure the protection settings.

4. Click **OK** in the **Real-time file protection** window.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to a running task. The date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Selecting the protection mode

In the Real-Time File Protection task, the protection mode can be selected. The **Objects protection mode** section lets you specify the type of access attempts for which Kaspersky Industrial CyberSecurity for Nodes scans objects.

The value of the **Objects protection mode** setting applies to the entire protection scope specified in the task. You cannot specify different values for the setting for individual nodes within the protection scope.

To select the protection mode:

1. Open the **Real-time file protection** window.
2. In the window that opens, open the **General** tab and select the protection mode that you want to set:
   - **Smart mode**
   - **On access and modification**
   - **On access**
   - **When run**
   - **Deeper analysis of launching processes (process launch is blocked until the analysis ends)**
3. Click **OK**.

The selected protection mode will take effect.

Configuring Heuristic Analyzer and integration with other application components

To start the KSN Usage task, you must accept the Kaspersky Security Network Statement.

To configure Heuristic Analyzer and integration with other components:

1. Open the **Real-time file protection** window.
2. On the **General** tab, clear or select the **Use heuristic analyzer** check box.
3. If necessary, adjust the level of analysis using the slider.
4. In the **Integration with other components** section, configure the following settings:
   - Select or clear the **Apply Trusted Zone** check box.
   - Select or clear the **Use KSN for protection** check box.

     The **Send data about scanned files** check box must be selected in the KSN Usage task settings.

   - Select or clear the **Block access to network shared resources for the hosts that show malicious activity** check box.
   - Select or clear the **Launch critical areas scan when active infection is detected** check box.
5. Click **OK**.

The configured task settings are applied immediately to a running task. If the task is not running, the modified settings are applied at next start.

Scheduling tasks

You can schedule local system and custom tasks in the Application Console. You cannot schedule group tasks in the Application Console.

To schedule group tasks using the Administration Plug-in:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node.
2. Select the group that the protected device belongs to.
3. In the results pane, select the **Tasks** tab.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task.
   - Open the context menu of the task name and select the Properties item.
5. Select the **Schedule** section.
6. In the **Schedule settings** block, select the **Run by schedule** check box.

Fields with schedule settings for the On-Demand Scan and Update tasks are unavailable if scheduling of these tasks is blocked by a Kaspersky Security Center policy.

7. Configure schedule settings in accordance with your requirements. To do this, perform the following actions:

a. In the **Frequency** list, select one of the following values:

- **Hourly**, if you want the task to run at intervals of a specified number of hours; specify the number of hours in the **Every <number> hour(s)** field.
- **Daily**, if you want the task to run at intervals of a specified number of days; specify the number of days in the **Every <number> day(s)** field.
- **Weekly**, if you want the task to run at intervals of a specified number of weeks; specify the number of weeks in the **Every <number> week(s)** field. Specify the days of the week to start the task (by default tasks run on Mondays).
- **At application launch**, if you want the task to run every time Kaspersky Industrial CyberSecurity for Nodes starts.
- **After application database update**, if you want the task to run after every update of the application databases.

b. Specify the time for the first task start in the **Start time** field.

c. In the **Start date** field, specify the date when the schedule starts.

After you have scheduled the start time, date and frequency of the task, the estimated time for the next start is displayed.

Go to the **Schedule** tab and open the **Task settings** window. In the **Next start** field in the top of the window, the estimated start time is displayed. Each time you open the window, this estimated start time is updated and displayed.

The **Next start** field displays the **Blocked by policy** value if Kaspersky Security Center policy settings prohibit scheduled local system tasks from starting.

8. Use the **Advanced** tab to configure the following schedule settings in accordance with your requirements.

- In the **Task stop settings** section:

  a. Select the **Duration** check box and, in the fields to the right, enter the maximum number of hours and minutes of task execution.

  b. Select the **Pause from** check box and, in the fields to the right, enter the start and end values of a time interval under 24 hours during which task execution will be paused.

- In the **Advanced settings** section:

  a. Select the **Cancel schedule from** check box and specify the date from which the schedule will cease to apply.

  b. Select the **Run skipped tasks** check box to enable the start of skipped tasks.

c. Select the **Randomize the task start time within the interval of** check box and specify a value in minutes.

9. Click **OK**.

10. Click the **Apply** button to save the task start settings.

If you want to configure application settings for a single task using Kaspersky Security Center, see section "Configuring local tasks in the Application settings window of the Kaspersky Security Center".

Creating and configuring the task protection scope

To create and configure the task protection scope via the Kaspersky Security Center:

1. Open the **Real-time file protection** window.

2. Select the **Protection scope** tab.

   All items already protected by the task are listed in the **Protection scope** table.

3. Click the **Add** button to add new item to the list.

   The **Add objects to protection scope** window opens.

4. Select an object type to add it to a protection scope:

   - **Predefined scope** - to include one of the predefined scopes in the protection scope on the device. Then in the drop-down list, select the desired protection scope.
   - **Disk, folder or network location** - to include individual drive, folder or a network object in the protection scope. Then select the desired protection scope by clicking the **Browse** button.
   - **File** - to include an individual file in the protection scope. Then select the desired protection scope by clicking the **Browse** button.

   You cannot add an object to a protection scope if it has already been added as an exclusion from a protection scope.

5. To exclude individual items from the protection scope, clear check boxes next to the names of these items or take the following steps:

   a. Open the context menu of the protection scope by right-clicking it.

   b. In the context menu, select the **Add exclusion** option.

   c. In the **Add exclusion** window, select an object type that you want to add as an exclusion from the protection scope following the procedure used when adding an object to the protection scope.

6. To modify the protection scope or an existing exclusion, select the **Edit scope** option in the context menu of the desired protection scope.

7. To hide a previously added protection scope or an exclusion in the list of network file resources, select the **Remove scope** option in the context menu of the desired protection scope.

   A protection scope is removed from the Real-Time File Protection task scope when it is removed from the network file resource list.

8. Click **OK**.

The Protection scope settings window closes. Your newly configured settings are saved.

The **Real-Time File Protection** task can be started if at least one of the device's file resource nodes is included in a protection scope.

Selecting predefined security levels for On-Demand Scan tasks

You can apply one of the following three predefined security levels to a node selected in the device's file resource list: **Maximum performance**, **Recommended**, and **Maximum protection**.

To select one of the predefined security levels:

1. Open the **Properties: Real-Time File Protection** window.
2. Select the **Protection scope** tab.
3. In the protected device's list, select an item included in the protection scope in order to set a predefined security level.
4. Click the **Configure** button.

   The **Real-time file protection settings** window opens.
5. On the **Security level**, tab select the security level to be applied.

   The window displays the list of security settings corresponding to the security level selected.
6. Click **OK**.
7. Click **OK** in the **Properties: Real-Time File Protection** window.

   Configured task settings are saved and applied immediately to a running task. If the task is not running, the modified settings are applied at next start.

Configuring security settings manually

By default, the Real-Time File Protection task uses common security settings for the entire protection scope. These settings correspond to the **Recommended** predefined security level.

The default values of security settings can be modified by configuring them as common settings for the entire protection scope or as different settings for individual items in the device's file resource list or nodes in the tree.

To configure the security settings of the selected node manually:

1. Open the **Real-time file protection** window.
2. On the **Protection scope** tab, select the node whose security settings you want to configure, and click **Configure**.

   The **Real-time file protection settings** window opens.
3. On the **Security level** tab, click the **Settings** button to customize the configuration.
4. You can configure custom security settings for the selected node in accordance with your requirements:
   - General settings
   - Actions
   - Performance
5. Click **OK** in the **Real-time file protection** window.

The new protection scope settings are saved.

Configuring general task settings

To configure the general security settings of the Real-Time File Protection task:

1. Open the **Real-time file protection settings** window.
2. Select the **General** tab.
3. In the **Objects protection** section, specify the objects types that you want to include in the protection scope:
   - All objects
   - **Objects scanned by format**
   - **Objects scanned according to list of extensions specified in anti-virus database**
   - **Objects scanned by specified list of extensions**
   - **Scan disk boot sectors and MBR**
   - **Scan alternate NTFS streams**
4. In the **Performance** group box, select or clear the **Protect only new and modified files** check box.

   To switch between available options when the check box is cleared, click on the **All** / **Only new** link for each of the compound object types.
5. In the **Compound objects protection** section, specify the compound objects that you want to include in the protection scope:

- **All** / **Only new archives**
- **All** / **Only new SFX archives**
- **All** / **Only new email databases**
- **All** / **Only new packed objects**
- **All** / **Only new plain email**
- **All** / **Only new embedded OLE objects**

6. Click **Save**.

The new task configuration will be saved.

Configuring actions

To configure actions on infected and other detected objects during the Real-Time File Protection task:

1. Open the **Real-time file protection settings** window.
2. Select the **Actions** tab.
3. Select the action to be performed on infected and other detected objects:
   - **Notify only**.
   - **Block access**.
   - **Perform additional action**.
     Select the action from the drop-down list:
     - **Disinfect**.
     - **Disinfect. Remove if disinfection fails**.
     - **Remove**.
     - **Recommended**.
4. Select the action to be performed on probably infected objects:
   - **Notify only**.
   - **Block access**.
   - **Perform additional action**.
     Select the action from the drop-down list:
     - **Quarantine**.
     - **Remove**.

- **Recommended**.

5. Configure actions to be performed on objects depending on the type of object detected:

   a. Clear or select the **Perform actions depending on the type of object detected** check box.

   b. Click the **Settings** button.

   c. In the window that opens, select a primary action and a secondary action (to be performed if the primary action fails) for each type of detected object.

   d. Click **OK**.

6. Select the action to perform on unmodifiable compound files: select or clear the **Entirely remove compound file that cannot be modified by the application in case of embedded object detection** check box.

7. Click **Save**.

The new task configuration will be saved.

Configuring performance

To configure performance settings for the Real-Time File Protection task:

1. Open the **Real-time file protection settings** window.

2. Select the **Performance** tab.

3. In the **Exclusions** section:

   - Clear or select the **Exclude files** check box.
   - Clear or select the **Do not detect** check box.
   - Click the **Edit** button for each setting to add exclusions.

4. In the **Advanced settings** section:

   - **Stop scanning if it takes longer than (sec.)**
   - **Do not scan compound objects larger than (MB)**
   - **Use iSwift technology**
   - **Use iChecker technology**

Managing the Real-Time File Protection task via the Application Console

In this section, you will learn how to navigate the Application Console interface and configure task settings on a protected device.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the Real-Time File Protection task settings

To open the general task settings window:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Real-Time File Protection** child node.
3. Click the **Properties** link in the results pane.
   The **Task settings** window opens.

Opening the Real-Time File Protection task scope settings

To open the Protection scope settings window for the Real-Time File Protection task:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Real-Time File Protection** child node.
3. Click the **Configure protection scope** link in the results pane.
   The **Protection scope settings** window opens.

Configuring the Real-Time File Protection task

To configure the Real-Time File Protection task settings:

1. Open the **Task settings** window.
2. On the **General** tab, configure the following task settings:
   - Objects protection mode
   - **Heuristic analyzer**
   - **Integration with other components**
3. On the **Schedule** and **Advanced** tabs, specify the scheduled start settings.
4. Click **OK** in the **Task settings** window.
   The modified settings are saved.

5. In the results pane of the **Real-Time File Protection** node click the **Configure protection scope** link.

6. Do the following:

   - In the tree or list of the device's file resources, select the nodes or items that you want to be included in the task protection scope.

   - Select one of the predefined security levels or configure the object protection settings manually.

7. In the **Protection scope settings** window, click the **Save** button.

   Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to a running task. The date and time of the settings modification, and the values of task settings set before and after modification, are saved in the system audit log.

Selecting protection mode

In the Real-Time File Protection task, the protection mode can be selected. The **Objects protection mode** section lets you specify the type of access attempts for which Kaspersky Industrial CyberSecurity for Nodes scans objects.

The value of the **Objects protection mode** setting applies to the entire protection scope specified in the task. You cannot specify different values for the setting for individual nodes within the protection scope.

To select the protection mode:

1. Open the **Task settings** window.

2. In the window that opens, open the **General** tab and select the protection mode that you want to set:

   - **Smart mode**
   - **On access and modification**
   - **On access**
   - **When run**
   - **Deeper analysis of launching processes (process launch is blocked until the analysis ends)**

3. Click **OK**.

   The selected protection mode will take effect.

Configuring Heuristic Analyzer and integration with other application components

To start the KSN Usage task, you must accept the Kaspersky Security Network Statement.

To configure Heuristic Analyzer and integration with other components:

1. Open the **Task settings** window.
2. On the **General** tab, clear or select the **Use heuristic analyzer** check box.
3. If necessary, adjust the level of analysis using the slider.
4. In the **Integration with other components** section, configure the following settings:
   - Select or clear the **Apply Trusted Zone** check box.

     Click the **Trusted Zone** link to open the Trusted Zone settings.
   - Select or clear the **Use KSN for protection** check box.

     > The **Send data about scanned files** check box must be selected in the KSN Usage task settings.
   - Select or clear the **Block access to network shared resources for the hosts that show malicious activity** check box.
   - Select or clear the **Launch critical areas scan when active infection is detected** check box.
5. Click **OK**.

The newly configured settings will be applied.

Configuring the task schedule settings

In the Application Console, you can schedule when to start local system and custom tasks. However, you cannot schedule when to start group tasks.

To schedule a task:

1. Open the context menu of the task you want to schedule.
2. Select **Properties**.

   The **Task settings** window opens.
3. In the window that opens, on the **Schedule** tab, select the **Run by schedule** check box.
4. Follow these steps to specify schedule settings:

   a. In the **Frequency** drop-down menu, select one of the following:
   - **Hourly**: to run the task at hourly intervals; specify the number of hours in the **Every <number> hour(s)** field.
   - **Daily**: to run the task at daily intervals; specify the number of days in the **Every <number> day(s)** field.
   - **Weekly**: to run the task at weekly intervals; specify the number of weeks in the **Every <number> week(s) on** field. Specify the days of the week to start the task (by default the task runs on Mondays).
   - **At application launch**: to run the task every time Kaspersky Industrial CyberSecurity for Nodes starts.

- **After application database update**: to run the task after every update of the application database.

b. In the **Start time** field, specify the time when to start the task for the first time.

c. In the **Start date** field, specify the date when to start the task for the first time.

After you have specified the task start frequency, the time of the first task start, and the date from which the schedule applies, the estimated time for the next task start will appear in the top part of the window in the **Next start** field. The estimated time of the next task start will be updated and displayed each time you open the **Task settings** window on the **Schedule** tab.

The **Next start** field displays the **Blocked by policy** value if Kaspersky Security Center active policy settings prohibit a scheduled local system task from starting.

5. Use the **Advanced** tab to specify the following schedule settings:

- In the **Task stop settings** section:

  a. Select the **Duration** check box. In the fields to the right, enter maximum task duration in hours and minutes.

  b. Select the **Pause from** check box. In the fields to the right, enter when to pause and resume the task (under 24 hours).

- In the **Advanced settings** section:

  a. Select the **Cancel schedule from** check box and specify the task schedule end date.

  b. Select the **Run skipped tasks** check box to start skipped tasks.

  c. Select the **Randomize the task start within interval of** check box and specify a value in minutes.

6. Click **OK**.

The task schedule settings are saved.

Creating a protection scope

This section provides instructions on creating and managing a protection scope in the Real-Time File Protection task.

Configuring the view for network file resources

To select the view for network file resources during configuration of protection scope settings:

1. Open the **Protection scope settings** window.

2. Open the drop-down list in the upper left section of the window and select one of the following options:

- Select the **Tree-view** option to display the network file resources as a tree.
- Select the **List-view** option to display the network file resources as a list.

By default, the network file resources of the protected device are displayed as a list.

3. Click the **Save** button.

Creating a protection scope

The procedure for creating the Real-Time File Protection task scope depends on the selected network file resource view. You can view the network file resources as a tree or a list (set as default).

To apply the new protection scope settings to the task, the Real-Time File Protection task must be restarted.

To create a protection scope using the network file resource tree:

1. Open the **Protection scope settings** window.
2. In the left section of the window, open the network file resource tree to display all the nodes and child nodes.
3. Do the following:
   - To exclude individual nodes from the protection scope, clear check boxes next to the names of these nodes.
   - To include individual nodes in the protection scope, clear the **My Computer** check box and do the following:
     - If all drives of one type are to be included in the protection scope, select the check box opposite the name of the required disk type (for example, to add all removable drives on the device, select the **Removable drives** check box).
     - If an individual disk of a certain type is to be included in the protection scope, expand the node that contains the list of drives of this type and check the box next to the name of the required drive. For example, in order to select removable drive F:, expand the **Removable drives** node and check the box for **F:** drive.
     - If you would like to include only a single folder or file on the drive, select the check box next to the name of that folder or file.
4. Click the **Save** button.

The **Protection scope settings** window closes. Your newly configured settings are saved.

To create a protection scope using the network file resources list:

1. Open the **Protection scope settings** window.
2. To include individual nodes in the protection scope, clear the **My Computer** check box and do the following:
   a. Open the context menu of the protection scope by right-clicking it.

b. In the context menu of the button, select **Add protection scope**.

c. In the **Add protection scope** window select an object type to add it to the protection scope:

- **Predefined scope** - to include one of the predefined scopes in the protection scope on the device. Then in the drop-down list, select the desired protection scope.
- **Disk, folder or network location** - to include an individual drive, folder or a network object in the protection scope. Then select the desired scope by clicking the **Browse** button.
- **File** - to include an individual file in the protection scope. Then select the desired scope by clicking the **Browse** button.

You cannot add an object to a protection scope if it has already been added as an exclusion from a protection scope.

3. To exclude individual nodes from the protection scope, clear check boxes next to the names of these nodes or take the following steps:

a. Open the context menu of the protection scope by right-clicking it.

b. In the context menu, select the **Add exclusion** option.

c. In the **Add exclusion** window, select an object type that you want to add as an exclusion from the protection scope following the procedure used when adding an object to the protection scope.

4. To modify the protection scope or an existing exclusion, select the **Edit scope** option in the context menu of the desired protection scope.

5. To hide a previously added protection scope or an exclusion in the list of network file resources, select the **Remove from the list** option in the context menu of the desired protection scope.

A protection scope is removed from the Real-Time File Protection task scope when it is removed from the network file resource list.

6. Click the **Save** button.

The **Protection scope settings** window closes. Your newly configured settings are saved.

The Real-Time File Protection task can be started if at least one of the device's file resource nodes is included in a protection scope.

If a complex protection scope is specified, for example, if different security values for settings for multiple nodes in the device's file resource tree are specified, this may slow the scanning of objects when they are accessed.

Including network objects in the protection scope

Network drives, folders or files can be added to the protection scope by specifying their path in UNC (Universal Naming Convention) format.

You can scan network folders under the system account.

To add a network location to the protection scope:

1. Open the **Protection scope settings** window.
2. Open the drop-down list in the upper left part of the window and select **Tree-view**.
3. In the context menu of the **Network** node:
   - Select **Add network folder**, if you want to add a network folder to the protection scope.
   - Select **Add network file**, if you want to add a network file to the protection scope.
4. Enter the path to the network folder or file in UNC format.
5. Press the **ENTER** key.
6. Select the check box next to the newly added network object to include it in the protection scope.
7. If necessary, change the security settings for the added network object.
8. Click the **Save** button.

The modified task settings are saved.

Creating a virtual protection scope

You can expand the protection / scan scope by adding individual virtual drives, folders, or files only if the protection / scan scope is presented as a tree of file resources.

To add a virtual drive to the protection scope:

1. Open the **Protection scope settings** window.
2. Open the drop-down list in the window upper left sector and select **Tree-view**.
3. Open the context menu of the **Virtual drives** node.
4. Select the **Add virtual drive** option.
5. In the list of available names, select the name of the virtual drive that is being created.
6. Select the check box next to the drive to include the drive in the protection scope.
7. In the **Protection scope settings** window, click the **Save** button.

Your newly configured settings are saved.

To add a virtual folder or virtual file to the protection scope:

1. Open the **Protection scope settings** window.
2. Open the drop-down list in the upper left part of the window and select **Tree-view**.
3. Open the context menu of the virtual drive to which you want to add a folder or a file, and select one of the following options:
   - **Add virtual folder** - if you want to add a virtual folder to the protection scope.
   - **Add virtual file** - if you want to add a virtual file to the protection scope.
4. In the entry field, specify the name of the folder or file.
5. In the line containing the name of the created folder or file, select the check box to include the folder or file in the protection scope.
6. In the **Protection scope settings** window, click the **Save** button.

The modified task settings are saved.

Configuring security settings manually

By default Real-Time Computer Protection tasks use common security settings for the entire protection scope. These settings correspond to the **Recommended** predefined security level.

The default values of security settings can be modified by configuring them as common settings for the entire protection scope or as different settings for individual items in the device's file resource list or nodes in the tree.

When working with the protected device's file resource tree, security settings that are configured for the selected parent node are automatically applied to all child nodes. The security settings of the parent node are not applied to child nodes that are configured separately.

To configure security settings manually:

1. Open the **Protection scope settings** window.
2. In the left window section select the node to configure security settings.

   A predefined template containing security settings can be applied for a selected node or item in the protection scope.

   In the left part of the window, you can select the view for network file resources, create a protection scope, or create a virtual protection scope.
3. In the right part of the window, do one of the following:
   - On the **Security level** tab select the security level to be applied.
   - Configure the required security settings of the selected node or item in accordance with your requirements in the following tabs:
     - **General**
     - **Actions**

- Performance

4. In the **Protection scope settings** window, click the **Save** button.

The new protection scope settings are saved.

Selecting predefined security levels for Real-Time File Protection task

You can apply one of the following three predefined security levels to a node selected in the protected device's file resource tree or list: **Maximum performance**, **Recommended**, and **Maximum protection**.

To select one of the predefined security levels:

1. Open the **Protection scope settings** window.
2. In the protected device's network file resource tree or list, select a node or item to set the predefined security level.
3. Make sure that the selected node or item is included in the protection scope.
4. In the right part of the window, on the **Security level** tab select the security level to be applied.

   The window displays the list of security settings corresponding to the selected security level.
5. Click the **Save** button.

   The task settings are saved and applied immediately to the running task. If the task is not running, the modified settings are applied at the next start.

Configuring general task settings

To configure the general security settings of the Real-Time File Protection task:

1. Open the **Protection scope settings** window.
2. Select the **General** tab.
3. In the **Objects protection** section, specify the objects that you want to include in the protection scope:
   - All objects
   - Objects scanned by format
   - Objects scanned according to list of extensions specified in anti-virus database
   - Objects scanned by specified list of extensions
   - Scan disk boot sectors and MBR
   - Scan alternate NTFS streams
4. In the **Performance** group box, select or clear the Protect only new and modified files check box.

To switch between available options when the check box is cleared, click on the **All** / **Only new** link for each of the compound object types.

5. In the **Compound objects protection** section, specify the compound objects that you want to include in the protection scope:
   - **All** / **Only new archives**
   - **All** / **Only new SFX archives**
   - **All** / **Only new email databases**
   - **All** / **Only new packed objects**
   - **All** / **Only new plain email**
   - **All** / **Only new embedded OLE objects**
6. Click **Save**.

The new task configuration will be saved.

Configuring actions

To configure actions on infected and other detected objects for the Real-Time File Protection task:

1. Open the **Protection scope settings** window.
2. Select the **Actions** tab.
3. Select the action to be performed on infected and other detected objects:
   - **Notify only**
   - **Block access**
   - **Perform additional action**.
     Select the action from the drop-down list:
     - **Disinfect**.
     - **Disinfect. Remove if disinfection fails**.
     - **Remove**.
     - **Recommended**.
4. Select the action to be performed on probably infected objects:
   - **Notify only**
   - **Block access**

- **Perform additional action**.

  Select the action from the drop-down list:

  - **Quarantine**.
  - **Remove**.
  - **Recommended**.

5. Configure actions to be performed on objects depending on the type of object detected:

   a. Clear or select the **Perform actions depending on the type of object detected** check box.

   b. Click the **Settings** button.

   c. In the window that opens, select a primary action and a secondary action (to be performed if the primary action fails) for each type of detected object.

   d. Click **OK**.

6. Select the action to perform on unmodifiable compound files: select or clear the **Entirely remove compound file that cannot be modified by the application in case of embedded object detection** check box.

7. Click **Save**.

The new task configuration will be saved.

Configuring performance

To configure performance settings for the Real-Time File Protection task:

1. Open the **Protection scope settings** window.
2. Select the **Performance** tab.
3. In the **Exclusions** section:
   - Clear or select the **Exclude files** check box.
   - Clear or select the **Do not detect** check box.
   - Click the **Edit** button for each setting to add exclusions.
4. In the **Advanced settings** section:
   - **Stop scanning if it takes longer than (sec.)**
   - **Do not scan compound objects larger than (MB)**
   - **Use iSwift technology**
   - **Use iChecker technology**

Real-Time File Protection task statistics

When the Real-Time File Protection task is running, you can view detailed real-time information about the number of objects processed by Kaspersky Industrial CyberSecurity for Nodes since the task was started.

To view the Real-Time File Protection task statistics:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Real-Time File Protection** child node.

   Task statistics are displayed in the **Statistics** section of the results pane of the selected node.

The information can be viewed about objects processed by Kaspersky Industrial CyberSecurity for Nodes since it was started (see the table below).

Real-Time File Protection task statistics

Field	Description
Detected	Number of objects detected by Kaspersky Industrial CyberSecurity for Nodes. For example, if Kaspersky Industrial CyberSecurity for Nodes detects one malicious object in five files, the value in this field increases by one.
Infected and other objects detected	Number of objects that Kaspersky Industrial CyberSecurity for Nodes found and classified as infected, or number of found legitimate software files that can be used by intruders to damage your device or personal data.
Probably infected objects detected	Number of objects detected by Kaspersky Industrial CyberSecurity for Nodes as probably infected.
Objects not disinfected	Number of objects that Kaspersky Industrial CyberSecurity for Nodes did not disinfect for the following reasons: • The detected object is of a type that cannot be disinfected. • An error occurred during disinfection.
Objects not moved to Quarantine	Number of objects that Kaspersky Industrial CyberSecurity for Nodes attempted to quarantine unsuccessfully, for example, due to insufficient disk space.
Objects not removed	Number of objects that Kaspersky Industrial CyberSecurity for Nodes attempted to delete unsuccessfully, for example, because access to the object was blocked by another application.
Objects not scanned	Number of objects in the protection scope that Kaspersky Industrial CyberSecurity for Nodes failed to scan, because, for example, access to the object was blocked by another application.
Objects not backed up	Number of objects whose copies Kaspersky Industrial CyberSecurity for Nodes attempted to save in Backup unsuccessfully, for example, due to insufficient disk space.
Processing errors	Number of objects whose processing resulted in an error.

Objects disinfected	Number of objects disinfected by Kaspersky Industrial CyberSecurity for Nodes.
Moved to Quarantine	Number of objects quarantined by Kaspersky Industrial CyberSecurity for Nodes.
Moved to Backup	Number of objects whose copies Kaspersky Industrial CyberSecurity for Nodes saved to Backup.
Objects removed	Number of objects removed by Kaspersky Industrial CyberSecurity for Nodes.
Password-protected objects	Number of objects (archives, for example) that Kaspersky Industrial CyberSecurity for Nodes missed because they were password protected.
Corrupted objects	Number of objects skipped by Kaspersky Industrial CyberSecurity for Nodes because their format was corrupted.
Objects processed	Total number of objects processed by Kaspersky Industrial CyberSecurity for Nodes.

You can view the Real-Time File Protection task statistics in the task log by clicking the **Open task log** link in the **Management** section in the detail pane.

If the value of the **Total events** field in the Real-Time File Protection task log window exceeds 0, we recommend that you manually process the events in the task log on the **Events** tab.

Managing Real-Time File Protection task via the Web Plug-in

In this section, learn how to manage the Real-Time File Protection task via the Web Plug-in interface.

Configuring Real-Time File Protection task

Predefined security level can not be changed for the Real-Time File Protection task via the Web Plug-in.

To configure Real-Time File Protection task via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Real-Time File Protection** subsection.
6. Configure the settings described in the table below.

Real-Time File Protection task settings

Setting	Description
Smart mode	Kaspersky Industrial CyberSecurity for Nodes selects objects to be scanned on its own. An object is scanned on being opened and then again after being saved if the object has been modified. If the object is accessed multiple times and modified by the process, Kaspersky Industrial CyberSecurity for Nodes rescans the object only after the object is saved by the process for the last time.
On access	Kaspersky Industrial CyberSecurity for Nodes scans all objects when they are opened for reading, execution, or modification.
On access and modification	Kaspersky Industrial CyberSecurity for Nodes scans an object when it is opened and rescans after it is saved, if the object was modified. This option is selected by default.
When run	Kaspersky Industrial CyberSecurity for Nodes scans a file only when it is accessed to be executed.
Deeper analysis of launching processes (process launch is blocked until the analysis ends)	Kaspersky Industrial CyberSecurity for Nodes performs longer analysis of launching processes with higher probability to detect a threat. The process launch is blocked until the end of analysis.
Use Heuristic Analyzer	This check box enables / disables Heuristic Analyzer during object scanning. If the check box is selected, Heuristic Analyzer is enabled. If the check box is cleared, Heuristic Analyzer is disabled. The check box is selected by default.
Heuristic analysis level	The heuristic analysis level sets the balance between the thoroughness of searches for threats, the load on the operating system's resources and the time required for scanning. The following scanning sensitivity levels are available: • **Light**. Heuristic Analyzer performs fewer instructions within executable files. The probability of threat detection in this mode is somewhat lower. Scanning is faster and less resource-intensive. • **Medium**. Heuristic Analyzer performs the number of executable file instructions recommended by Kaspersky experts. This level is selected by default. • **Deep**. Heuristic Analyzer performs more instructions within executable files. The probability of threat detection in this mode is higher. Scanning uses more system resources, takes more time, and can produce a higher number of false alarms. The setting is available if the **Use heuristic analyzer** check box is selected.
Apply Trusted Zone	This check box enables / disables use of the Trusted Zone for a task. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes adds file operations of trusted processes to the scan exclusions configured in the task settings. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes disregards the file operations of trusted processes when forming the protection scope for the task.

	The check box is selected by default.
Use KSN for protection	This check box enables or disables the use of KSN services. If the check box is selected, the application uses Kaspersky Security Network data to ensure that the application responds more quickly to new threats and to reduce the likelihood of false positives. If the check box is cleared, the task does not use KSN services. The check box is selected by default.
Block access to network shared resources for the hosts that show malicious activity	The check box enables or disables blocking current session and controls the availability of network shared resources in terms of current session. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes blocks current session and, in terms of current session, makes network shared resources unavailable for hosts for which malicious activity was detected in the Blocked hosts storage section If the check box is cleared, conditions are not applied and Kaspersky Industrial CyberSecurity for Nodes functions typically. The check box is cleared by default. You can view the list of blocked hosts in the Blocked Hosts storage. You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings.
Launch critical areas scan when active infection is detected	If the check box is selected, when active infection is detected, Kaspersky Industrial CyberSecurity for Nodes creates and launches a temporary Critical Areas Scan task. When the Critical Areas Scan temporary task finishes, Kaspersky Industrial CyberSecurity for Nodes removes this temporary task. If the check box is cleared, when active infection is detected, Kaspersky Industrial CyberSecurity for Nodes does not create and launch Critical Areas Scan task. The check box is selected by default.
Use Kaspersky Sandbox for protection	This check box enables or disables the use of Kaspersky Sandbox. If the check box is selected, Kaspersky Endpoint Agent sends objects to Kaspersky Sandbox. Kaspersky Sandbox analyzes the behavior of these objects to identify malicious activity and signs of targeted attacks. If the check box is cleared, the task does not send objects to Kaspersky Sandbox. The check box is cleared by default.
Protection scope	You can configure security settings of the protection scope.

Configuring the task protection scope

To configure a protection scope for Real-Time File Protection task:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Real-Time File Protection** subsection.
6. Select the **Protection scope** section.
7. Do one of the following:
   - Click **Add** button to add a new rule.
   - Select an existing rule and click **Edit** button.

   The **Edit scope** window opens.
8. Switch the toggle button to **Active** and select an object type.
9. In the **Objects protection** section, configure the following settings:
   - **Objects protection mode**:
     - All objects
     - Objects scanned by format
     - Objects scanned according to list of extensions specified in anti-virus database
     - Objects scanned by specified list of extensions
   - Scan disk boot sectors and MBR
   - Scan alternate NTFS streams
10. In the **Objects protection** section, select or clear the Protect only new and modified files check box.
11. In the **Compound objects protection** section, specify the compound objects that you want to include in the scan scope:
    - Archives
    - SFX archives
    - Packed objects
    - Email databases
    - Plain email
    - Embedded OLE objects
    - Entirely remove compound file that cannot be modified by the application in case of embedded object detection

12. Select the action to be performed on infected and other detected objects:

- Notify only.
- Block access.
- **Perform additional action**.
  Select the action from the drop-down list:
  - **Disinfect**.
  - **Disinfect. Remove if disinfection fails**.
  - Remove.
  - Recommended.

13. Select the action to be performed on probably infected objects:

- Notify only.
- Block access.
- **Perform additional action**.
  Select the action from the drop-down list:
  - **Quarantine**.
  - Remove.
  - Recommended.

14. Configure actions to be performed on objects depending on the type of object detected:

a. Clear or select the Perform actions depending on the type of object detected check box.

b. Click the **Settings** button.

c. In the window that opens, select a primary action and a secondary action (to be performed if the primary action fails) for each type of detected object.

d. Click **OK**.

15. In the **Exclusions** section, configure the following settings:

- Clear or select the Exclude files check box.
- Clear or select the Do not detect check box.

16. In the **Performance** section, configure the following settings:

- Stop scanning if it takes longer than (sec.)
- Do not scan compound objects larger than (MB)

- Use iSwift technology
- Use iChecker technology

17. Click the **OK** button.

On-Demand Scan

This section provides information about On-Demand Scan tasks, and instructions on configuring On-Demand Scan task settings and security settings on the protected device.

About On-Demand Scan tasks

Kaspersky Industrial CyberSecurity for Nodes scans the specified area for viruses and other computer security threats. Kaspersky Industrial CyberSecurity for Nodes scans protected device files, RAM, and autorun objects.

Kaspersky Industrial CyberSecurity for Nodes provides the following On-Demand Scan tasks:

- The Scan at Operating System Startup task is performed every time Kaspersky Industrial CyberSecurity for Nodes starts. Kaspersky Industrial CyberSecurity for Nodes scans boot sectors and master boot records of hard drives, removable drives, system memory, and process memory. Every time Kaspersky Industrial CyberSecurity for Nodes runs the task, it creates a copy of non-infected boot sectors. If it detects a threat in those sectors the next time the task starts, it replaces them with the backup copy.

  > The Scan at Operating System Startup task might not be performed if a protected device wakes up after either sleep or hibernate mode. The task is performed only at protected device restart or start up after complete shut down.

- By default, the Critical Areas Scan task is performed weekly on a schedule. Kaspersky Industrial CyberSecurity for Nodes scans objects in critical areas of the operating system: autorun objects, boot sectors and master boot records of hard drives and removable drives, system memory and process memory. The application scans files in system folders, for example, %windir%\system32. Kaspersky Industrial CyberSecurity for Nodes applies security settings that correspond to the Recommended level. You can modify the settings of the Critical Areas Scan task.

- The Quarantine Scan task is executed by default according to a schedule after every database update. The Quarantine Scan task scope cannot be modified.

- The Application Integrity Control task is performed daily. It provides the option of checking Kaspersky Industrial CyberSecurity for Nodes modules for damage or modification. The application installation folder is checked. The task execution statistics indicate the number of modules checked and the number of modules found to be corrupted. The values of the task settings are defined by default and cannot be edited. The task start schedule settings can be edited.

Additionally, you can create custom On-Demand Scan tasks, for example, a task for scanning shared folders on the protected device.

Kaspersky Industrial CyberSecurity for Nodes may run several On-Demand Scan tasks at the same time.

About the task scan scope and security settings

In the Application Console, the scan scope of the selected On-Demand task is displayed as a tree or in the list of the protected device file resources that Kaspersky Industrial CyberSecurity for Nodes can control. By default, the network file resources of the protected device are displayed in a list-view mode.

In the Administration Plug-in only the list view is available.

To display network file resources in the tree-view mode in the Application Console,

open the drop down list in the **Scan scope settings** window upper left sector and select **Tree-view**.

The items or nodes are displayed in a list-view or in a tree-view mode of the protected device file resources as follows:

☑ The node is included in the scan scope.

☐ The node is excluded from the scan scope.

☑ At least one of the child nodes of this node is excluded from the scan scope, or the security settings of the child node(s) differ(s) from the setting of a parental node (for a tree-view mode only).

The ☑ icon is displayed if all child nodes are selected, but the parent node is not selected. In this case, changes in the composition of files and folders of the parent node are disregarded automatically when the scan scope for the selected child node is being created.

Using the Application Console, you can also add virtual drives to the scan scope. The names of the virtual nodes are displayed in blue font.

Security settings

In the selected On-Demand task, the default security settings can be modified by configuring them as common settings for the entire protection or scan scope, or as different settings for different nodes or items in the device's file resource tree or list.

Security settings configured for the selected parent node are automatically applied to all child nodes. The security settings of the parent node are not applied to child nodes that are configured separately.

The settings for a selected scan scope or protection scope can be configured using one of the following methods:

- Select one of three predefined security levels (**Maximum performance**, **Recommended**, or **Maximum protection**).
- Manually change the security settings for the selected nodes or items in the tree or list of the protected device's file resources (the security level changes to **Custom**).

A set of node settings can be saved in a template in order to be applied later to other nodes.

Predefined scan scopes

The tree or list of protected device file resources for the selected On-Demand Scan task is displayed in the **Scan scope settings** window.

The file resource tree or list displays the nodes to which you have read-access based on the configured Microsoft Windows security settings.

Kaspersky Industrial CyberSecurity for Nodes contains the following predefined scan scopes:

- **My Computer**. Kaspersky Industrial CyberSecurity for Nodes scans the entire protected device.
- **Local hard drives**. Kaspersky Industrial CyberSecurity for Nodes scans objects on a protected device hard drives. All hard drives, individual disks, folders or files can be included in or excluded from the scan scope.
- **Removable drives**. Kaspersky Industrial CyberSecurity for Nodes scans files on external devices, such as CDs or removable drives. All removable drives, individual disks, folders or files can be included in or excluded from the scan scope.
- **Network**. Network folders or files can be added to the scan scope by specifying their path in UNC (Universal Naming Convention) format. The account used to start the task must have permissions to access the added network folders and files. By default, On-Demand Scan tasks run under the system account.

  Connected network drives will also not be displayed in the protected device's file resource tree. To include objects on network drives in the scan scope, specify the path to the folder that corresponds to the network drive in UNC format.

- **System memory**. Kaspersky Industrial CyberSecurity for Nodes scans the executable files and modules of the processes running in the operating system when the scan is initiated.
- **Startup objects**. Kaspersky Industrial CyberSecurity for Nodes scans objects referred to by registry keys and configuration files, for example WIN.INI or SYSTEM.INI, as well as the application's modules that are started automatically at protected device startup.
- **Shared folders**. You can include shared folders on the protected device in the scan scope.
- **Virtual drives**. Virtual folders, files, and drives connected to the protected device can be included in the scan scope, for example, common cluster drives.

  Virtual drives created using a SUBST command are not displayed in the protected device's file resource tree in the Application Console. In order to scan objects on a virtual drive, include the protected device folder associated with the virtual drive in the scan scope.

By default, you can view and configure predefined scan scopes in the network file resource tree; you can also add predefined scopes to the network file resource list during its formation in the scan scope settings.

By default, On-Demand Scan tasks are run under the following scopes:

- Scan at Operating System Startup task:
  - **Local hard drives**
  - **Removable drives**
  - **System memory**
- Critical Areas Scan:
  - **Local hard drives** (excluding Windows folders)
  - **Removable drives**
  - **System memory**

- **Startup objects**

- Other tasks:
  - **Local hard drives** (excluding Windows folders)
  - **Removable drives**
  - **System memory**
  - **Startup objects**
  - **Shared folders**

Online storage file scanning

About cloud files

Kaspersky Industrial CyberSecurity for Nodes can interact with Microsoft OneDrive cloud files. The application supports the new OneDrive Files On-Demand feature.

> Kaspersky Industrial CyberSecurity for Nodes does not support other online storages.

OneDrive Files On-Demand helps you access all your OneDrive files without having to download all of them and use storage space on your device. You can download files to your hard drive when you need to.

When the OneDrive Files On-Demand feature is on, you see status icons next to each file in the **Status** column in File Explorer. Each file has one of the following statuses:

This status icon indicates that the file is *only available online*. Online-only files are not physically stored on your hard drive. You can't open online-only files when your device is not connected to the Internet.

This status icon indicates that a file is *locally available*. This happens when you open an online-only file and it downloads to your device. You can open a locally available file anytime, even without Internet access. To clear up space you can change the file back to online-only.

This status icon indicates that a file is *stored on your hard drive and is always available*.

Cloud file scanning

Kaspersky Industrial CyberSecurity for Nodes can only scan cloud files that are stored locally on a protected device. Such OneDrive files have the and statuses. The files are skipped during scanning, since they are not physically located on the protected device.

> Kaspersky Industrial CyberSecurity for Nodes does not automatically download files from the cloud during the scanning, even if they are included in the scan scope.

Cloud files are processed by several Kaspersky Industrial CyberSecurity for Nodes tasks in various scenarios depending on the task type:

- Real-time cloud file scanning: you can add folders containing cloud files to the Real-Time File Protection task protection scope. A file is scanned when it is accessed by the user. If a file is accessed by the user, it is downloaded, becomes locally available, and its status changes to . This allows the file to be processed by the Real-Time File Protection task.

- On-demand cloud file scanning: you can add folders containing cloud files to the On-Demand Scan task's scan scope. The task scans files with the and statuses. If any files are found in the scope, they will be skipped during scanning and an informational event will be recorded in the task log, indicating that the scanned file is only a placeholder for a cloud file and does not exist on a local drive.

- Application Control rule generation and usage: you can create allowing and denying rules for and files using the Rule Generator for Applications Launch Control task. The Applications Launch Control task applies the Default Deny principle and created rules to process and block cloud files.

  The Applications Launch Control task blocks the start of all cloud files, irrespective of their status. The files are not included in the rule generation scope by the application, as they are not physically stored on your hard drive. Since allowing rules cannot be created for such files, they are subject to the Default Deny principle.

When a threat is detected in a OneDrive cloud file, the application applies the action specified in the settings of the task performing the scanning. Thus, the file may be removed, disinfected, moved to quarantine, or backed up.

Changes to local files are synchronized with the copies stored on OneDrive in accordance with the principles outlined in the relevant Microsoft OneDrive documentation.

About predefined security levels

The **Use iChecker technology**, **Use iSwift technology**, **Use heuristic analyzer**, and **Check Microsoft signature in files** security settings are not included in the settings for the preset security levels. If the **Use iChecker technology**, **Use iSwift technology**, **Use heuristic analyzer**, and **Check Microsoft signature in files** settings change, the preset security level you have selected will not change.

You can apply one of the following three predefined security levels to a node selected in the device's file resource tree: **Maximum performance**, **Recommended**, or **Maximum protection**. Each of these levels contains its own predefined security settings (see the table below).

Maximum performance

The **Maximum performance** security level is recommended if your network has additional protected device security measures, for example, firewalls and existing security policies, beyond using Kaspersky Industrial CyberSecurity for Nodes on protected devices.

Recommended

The **Recommended** security level ensures the best combination of protection and performance impact on devices. Kaspersky experts recommend this level as adequate to protect devices on most corporate networks. The **Recommended** security level is set by default.

Maximum protection

The **Maximum protection** security level is recommended if your organization's network has elevated device security requirements.

Predefined security levels and corresponding security setting values

Options	Security level		
	Maximum performance	Recommended	Maximum protection
Scan objects	By format	All objects	All objects
Scan only new and modified files	Enabled	Disabled	Disabled
Action to perform on infected and other objects	Disinfect. Remove if disinfection fails	Perform recommended action (Disinfect. Remove if disinfection fails)	Disinfect. Remove if disinfection fails
Action to perform on probably infected objects	Quarantine	Perform recommended action (Quarantine)	Quarantine
Exclude files	No	No	No
Do not detect	No	No	No
Stop scanning if it takes longer than (sec.)	60 sec.	No	No
Do not scan compound objects larger than (MB)	8 MB	No	No
Scan alternate NTFS streams	Yes	Yes	Yes
Scan disk boot sectors and MBR	Yes	Yes	Yes
Scan of compound objects	• SFX archives* • Packed objects* • Embedded OLE objects* * New and modified objects only	• SFX archives* • Packed objects* • Embedded OLE objects* * All objects	• Archives* • SFX archives* • Email databases* • Plain mail* • Packed objects* • Embedded OLE objects* * All objects

About the Removable Drives Scan

You can configure scanning of removable drives connected to the protected device via a USB port.

Kaspersky Industrial CyberSecurity for Nodes scans a removable drive using the On-Demand Scan task. The application automatically creates a new On-Demand Scan task when the removable drive is connected and deletes the task after the scanning is complete. The created task is performed with the predefined security level defined for removable drive scanning. You cannot configure the settings of the temporary On-Demand Scan task.

Kaspersky Industrial CyberSecurity for Nodes scans connected removable drives when they are registered as USB external devices in the operating system. The application does not scan a removable drive if the connection is blocked by the Device Control task. The application does not scan MTP-connected mobile devices.

Kaspersky Industrial CyberSecurity for Nodes allows access to removable drives during scanning.

Scan results for each removable drive are available in the log for the On-Demand Scan task created when the removable drive is connected.

You can change the settings of the Removable Drives Scan component (see the table below).

Removable Drives Scan settings

Setting	Default value	Description
Scan removable drives on connection via USB	Check box is cleared	You can turn on or turn off scanning of removable drive upon connection to the protected device via USB.
Scan removable drives if its stored data volume does not exceed (MB)	8192 MB	You can reduce the component's scope by setting the maximum volume of data on the scanned drive. Kaspersky Industrial CyberSecurity for Nodes does not scan a removable drive if the volume of stored data exceeds the specified value.
Scan with security level	Maximum protection	You can configure created On-Demand Scan tasks by selecting one of three security levels: • **Maximum protection** • **Recommended** • **Maximum performance** The algorithm used when infected, probably infected, and other objects are detected, as well as the other scan settings for each security level, correspond to the predefined security levels in the On-Demand Scan tasks.

About the Baseline File Integrity Monitor task

During the Baseline File Integrity Monitor task, Kaspersky Industrial CyberSecurity for Nodes does not check locked files, folders, file shortcuts and cloud files.

The Baseline File Integrity Monitor task monitors the integrity of files in the monitoring scope by comparing the files' hash (MD5 hash or SHA256 hash) to a baseline.

On the first Baseline File Integrity Monitor task run, Kaspersky Industrial CyberSecurity for Nodes creates a baseline by calculating and storing hash for files in the task's monitoring scope. If a Baseline File Integrity Monitor task monitoring scope was changed, Kaspersky Industrial CyberSecurity for Nodes updates the baseline on the next Baseline File Integrity Monitor task run by calculating and storing hash for files in the task's monitoring scope. If a Baseline File Integrity Monitor task was deleted, Kaspersky Industrial CyberSecurity for Nodes deletes the baseline for this Baseline File Integrity Monitor task.

You can delete a baseline without deleting the Baseline File Integrity Monitor task by using the command line.

The Baseline File Integrity Monitor task tracks the following changes of files in the monitoring scope:

- the monitoring scope contains file which is not present in the baseline
- the monitoring scope does not contain a file present in the baseline
- the hash of a file in the monitoring scope differs from the hash of this file in a baseline

The Baseline File Integrity Monitor task does not track changes to file's attributes and alternative streams.

If a file or a folder is inaccessible, Kaspersky Industrial CyberSecurity for Nodes will not add this file or folder to the baseline during the baseline creation and will create an event about a failure to calculate file's checksum during the run of the Baseline File Integrity Monitor task.

A file or a folder may be inaccessible for the following reasons:

- the specified path does not exist
- a type of files specified by mask is not present under the specified path
- the specified file is locked
- the specified file is empty

Default On-Demand Scan tasks settings

By default On-Demand Scan tasks have the settings described in the table below. You can configure local system and custom On-Demand Scan tasks.

Default On-Demand Scan tasks settings

Setting	Default value	Description
Scan scope	Applied in local system and custom tasks:	You can change the scan scope. The scan scope cannot be configured for the **Quarantine Scan** and **Application Integrity Control** local system tasks.

	• **Scan at Operating System Startup**: the entire protected device, excluding shared folders and autorun objects. • **Critical Areas Scan**: the entire protected device, excluding shared folders and certain operating system files. • Custom **On-Demand Scan** tasks: the entire protected device.	
Security settings	Common settings for the entire scan scope correspond to the **Recommended** security level.	For nodes selected in the protected device's file resource list or tree, you can: • Select a different predefined security level • Manually change security settings You can save a group of security settings for a selected node as a template to use later for a different node.
Use heuristic analyzer	It is used with the **Medium** analysis level for Critical Areas Scan, Scan at Operating System Startup, and custom tasks. It is used with the **Deep** analysis level for the Quarantine Scan task.	Heuristic Analyzer can be enabled or disabled and the analysis level can be configured. The Quarantine Scan task analysis level cannot be configured. Heuristic Analyzer is not used in the Application Integrity Control and Baseline File Integrity Monitor tasks.
Apply Trusted Zone	Applied (Not applied for Quarantine Scan task)	General list of exclusions that can be used in selected tasks.
Use KSN for scanning	Applied	You can improve your device's protection using the Kaspersky Security Network cloud service infrastructure.
Settings to start a task with specific permissions	The task is started under the system account.	You can edit settings to start tasks with specific account permissions for all system and custom On-Demand Scan tasks, except Quarantine Scan and Application Integrity Control tasks.
Perform task in background mode (low priority)	Not applied	You can configure the priority level of On-Demand Scan tasks.
Task start schedule	Applied in local system tasks: • Scan at Operating System Startup - **At application launch** • Critical Areas Scan - **Weekly** • Quarantine Scan - **After application database update**	You can configure the settings for scheduled task startup.

	• Application Integrity Control - **Daily** Not used in newly created custom tasks.	
Registering scan execution and updating the device protection status	The device protection status is updated weekly after the Critical Areas Scan is performed.	You can configure settings for registering the execution of the Critical Areas Scan in the following ways: • Edit the settings of the Critical Areas Scan task start schedule. • Edit the scan scope of the Critical Areas Scan task. • Create custom On-Demand Scan tasks.

Managing On-Demand Scan tasks via the Administration Plug-in

In this section, learn how to navigate the Administration Plug-In interface and configure task settings for one or all protected devices on the network.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the On-Demand Scan task wizard

To start creating a new custom On-Demand Scan task:

1. To create a local task:
   a. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console.
   b. Select the administration group that the protected device belongs to.
   c. In the results pane, on the **Devices** tab open the context menu for the protected device.
   d. Select the **Properties** menu option.
   e. In the window that opens, click the **Add** button in the **Tasks** section.

   The **New Task Wizard** window opens.
2. To create a group task:
   a. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

b. Select the administration group for which you want to create a task.

c. Open the **Tasks** tab.

d. Click the **Create a task** button.

The **New Task Wizard** window opens.

3. To create a task for a custom group of protected devices:

a. In the **Device selections** node in the Kaspersky Security Center Administration Console tree, click the **Run selection** button to perform a device selection.

b. Open the **Selection results "selection name"** tab.

c. In the **Perform selection** drop-down list, select the **Create a task for a selection result** option.

The **New Task Wizard** window opens.

4. Select the **On-Demand Scan** task in the list of available tasks for Kaspersky Industrial CyberSecurity for Nodes.

5. Click **Next**.

The **Settings** window opens.

Configure the task settings as required.

To configure an existing On-Demand Scan task,

double-click the task name in the list of Kaspersky Security Center tasks.

The **Properties: On-Demand Scan** window opens.

Opening the On-Demand Scan task properties

To open the application properties for the On-Demand Scan task for a single protected device:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

2. Select the administration group that the protected device belongs to.

3. Select the **Devices** tab.

4. Double-click the name of the protected device for which you want to configure the scan scope.

The **Properties: <Protected device name>** window opens.

5. Select the **Tasks** section.

6. In the list of tasks created for the device, select the On-Demand Scan task that you created.

7. Click the **Properties** button.

The **Properties: On-Demand Scan** window opens.

Configure the task settings as required.

Creating an On-Demand Scan task

To create a custom On-Demand Scan task:

1. Open the **Settings** window in the New Task Wizard.
2. Select the required **Task creation method**.
3. Click **Next**.
4. Create a scan scope in the **Scan scope** window:

   By default, the scan scope includes critical areas of the protected device. Scan scopes are marked in the table with the icon ☑. Excluded scan scopes are marked with the ☐ icon in the table.

   You can change the scan scope: add specific preset scan scopes, disks, folders, network objects and files and assign specific security settings for each scope added.

   - To exclude all critical areas from the scan, open the context menu on each of the lines and select the **Remove scope** option.
   - To include a predefined scan scope, disk, folder, network object, or file in the scan scope:
     a. Right-click the **Scan scope** table and select **Add scope** or click the **Add** button.
     b. In the **Add objects to the scan scope** window, select the predefined scope in the **Predefined scope** list, specify the protected device drive, folder, network object, or file on the protected device or on another network protected device, and click the **OK** button.
   - To exclude subfolders or files from the scan, select the added folder (disk) in the **Scan scope** window of the wizard:
     a. Open the context menu and select the **Configure** option.
     b. Click the **Settings** button in the **Security level** window.
     c. On the **General** tab in the **On-demand scan settings** window clear the **Subfolders** and **Subfiles** check boxes.
   - To change scan scope security settings:
     a. Open the context menu on the scope whose settings you wish to configure, and select **Configure**.
     b. In the **On-demand scan settings** window, select one of the predefined security levels, or click the **Settings** button to configure security settings manually.

     Security settings are configured the same way as for the Real-Time File Protection task.

- To skip embedded objects in the added scan scope:

  a. Open the context menu on the **Scan scope** table, select **Add exclusion**.

  b. Specify the objects to exclude: select predefined scope in the **Predefined scope** list, specify the protected device disk, folder, network object, or file on the protected device or on another network protected device.

  c. Click the **OK** button.

5. In the **Options** window, configure the heuristic analyzer and integration with other components:

   - Configure use of the heuristic analyzer.
   - Select the **Apply Trusted Zone** check box, if you want to exclude objects added to the Trusted Zone list from the scan scope of the task.
   - Select the **Use KSN for scanning** check box, if you want to use Kaspersky Security Network cloud services for the task.
   - To assign *Low* priority to the working process in which the task will be executed, select the **Perform task in background mode** check box in the **Options** window.

     By default, the working processes in which Kaspersky Industrial CyberSecurity for Nodes tasks are run have *Medium* (Normal) priority.

   - To use the created task as a Critical Areas Scan task, select the **Consider task as critical areas scan** check box in the **Options** window.

6. Click **Next**.
7. In the **Schedule** window, set the scheduled task start settings.
8. Click **Next**.
9. In the **Selecting an account to run the task** window, specify the account you want to use.
10. Click **Next**.
11. Specify a task name.
12. Click **Next**.

    The task name should be no longer than 100 characters and cannot contain the following symbols: " * < > & \ : |

    The **Finish creating the task** window opens.

13. You can optionally run the task after the Wizard finishes by selecting the **Run task after Wizard finishes** check box.
14. Click **Finish** to finish creating the task.

The new On-Demand Scan task will be created for the selected protected device or a group of protected devices.

Assigning the Critical Areas Scan status to an On-Demand Scan task

By default, Kaspersky Security Center assigns the *Warning* status to the protected device if the Critical Areas Scan task is performed less often than specified by the *Critical areas scan has not been performed for a long time* event-generation threshold in Kaspersky Industrial CyberSecurity for Nodes.

To configure scanning of all protected devices in a single administration group:

1. Create a group On-Demand Scan task.
2. In the **Options** window of the task wizard, select the **Consider task as critical areas scan** check box. The specified task settings (the scan scope and security settings) will be applied to all protected devices in the group. Configure the task schedule.

   You can select the **Consider task as critical areas scan** check box when creating the On-Demand Scan task for a group of protected devices or later in the **Properties: <Task name>** window.

3. Using a new or existing policy, disable the scheduled start of On-Demand Scan local system tasks on the group protected devices.

Kaspersky Security Center Administration Server will then evaluate the security status of the protected device and will notify you about it based on the results of the last run of a task with the Critical Areas Scan status, rather than based on the results of the Critical Areas Scan local system task.

You can assign the *Critical Areas Scan* status both to On-Demand Scan group tasks and to tasks for groups of protected devices.

The Application Console can be used to view whether an On-Demand Scan task is a Critical Areas Scan task.

In the Application Console, the **Consider task as critical areas scan** check box is displayed in the task properties but cannot be edited.

Running an On-Demand Scan task in the background

By default the processes in which Kaspersky Industrial CyberSecurity for Nodes tasks are executed are assigned the *Medium (Normal)* priority.

A process that will run an On-Demand Scan task can be assigned *Low* priority. Demoting the process priority increases the time required to execute the task, but may have a beneficial effect on the performance of the processes of other running programs.

Multiple background tasks can be running in a single worker process with low priority. You can specify the maximum number of processes for On-Demand Scan background tasks.

To change the priority of an existing On-Demand Scan task:

1. Open the **Properties: On-Demand Scan** window.
2. Select or clear the **Perform task in background mode** check box.
3. Click **OK**.

Configured task settings are saved and applied immediately to the running task. If the task is not running, the modified settings are applied at next start.

Registering execution of a Critical Areas Scan

By default, the device protection status is displayed in the results pane of the **Kaspersky Industrial CyberSecurity for Nodes** node and is updated weekly after the Critical Areas Scan task is performed.

The time when the device protection status is updated is linked to the schedule of the On-Demand task for which the **Consider task as critical areas scan** check box is selected. By default, the check box is selected only for the Critical Areas Scan task and cannot be modified for this task.

You can select the On-Demand Scan task linked to the device's protection status only from Kaspersky Security Center.

Configuring the task scan scope

If you modify the scan scope in the Scan at Operating System Startup and Critical Areas Scan tasks, you can restore the default scan scope in these tasks by repairing Kaspersky Industrial CyberSecurity for Nodes itself (**Start** > **Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**). In the setup wizard, select **Repair installed components** and click **Next**. Then select the **Restore recommended application settings** check box.

To configure a scan scope for an existing On-Demand Scan task:

1. Open the **Properties: On-Demand Scan** window.
2. Select the **Scan scope** tab.
3. To include items in the scan scope:
   a. Open the context menu in an empty part of the scan scope list.
   b. Select the **Add scope** option in the context menu.
   c. In the opened **Add objects to the scan scope** window select an object type that you want to add:
      - **Predefined scope** – to add one of the predefined scopes on a protected device. Then in the drop-down list, select the desired scan scope.
      - **Disk, folder or network location** – to include an individual drive, folder or network object in the scan scope. Then select the desired scope by clicking the **Browse** button.
      - **File** – to include an individual file in the scan scope. Then select the desired scope by clicking the **Browse** button.

You cannot add an object to a scan scope if it has already been added as an exclusion from scan scope.

4. To exclude individual nodes from the scan scope, clear the check boxes next to the names of these nodes or take the following steps:

   a. Open the context menu on the scan scope by right-clicking it.

   b. In the context menu, select the **Add exclusion** option.

   c. In the **Add exclusion** window, select an object type that you want to add as an exclusion from the scan scope following the procedure used when adding an object to the scan scope.

5. To modify the scan scope or an added exclusion, select the **Edit scope** option in the context menu for the corresponding scan scope.

6. To hide a previously added scan scope or exclusion in the list of network file resources, select the **Remove scope** option in the context menu for the necessary scan scope.

   The scan scope is excluded from the On-Demand Scan task scope when it is removed from the network file resource list.

7. Click the **OK** button.

The scan scope settings window closes. The newly configured settings are saved.

Selecting predefined security levels for On-Demand Scan tasks

You can apply one of the following three predefined security levels to a node selected in the protected device's file resource list: **Maximum performance**, **Recommended**, and **Maximum protection**.

To select one of the predefined security levels:

1. Open the **Properties: On-Demand Scan** window.

2. Select the **Scan scope** tab.

3. In the list of the protected device's list, select an item included in the scan scope in order to set a predefined security level.

4. Click the **Configure** button.

   The **On-demand scan settings** window opens.

5. On the **Security level**, tab select the security level to be applied.

   The window displays the list of security settings corresponding to the security level selected.

6. Click the **OK** button.

7. Click the **OK** button in the **Properties: On-Demand Scan** window.

   Configured task settings are saved and applied immediately to a running task. If the task is not running, the modified settings are applied at next start.

Configuring security settings manually

By default, On-Demand Scan tasks use common security settings for the entire scan scope.

These settings correspond to the **Recommended** predefined security level.

The default values of security settings can be modified by configuring them as common settings for the entire scan scope or as different settings for different items in the protected device's file resource list or nodes in the tree.

To configure security settings manually:

1. Open the **Properties: On-Demand Scan** window.
2. Select the **Scan scope** tab.
3. Select the items in the scan scope list whose security settings you want to configure.

   A predefined template containing security settings can be applied for a selected node or item in the scan scope.

4. Click the **Configure** button.

   The **On-demand scan settings** window opens.

5. On the following tabs configure the security settings of the selected node or item in accordance with your requirements:

   - General
   - Actions
   - Performance

6. Click **OK** in the **On-demand scan settings** window.
7. Click **OK** in the **Scan scope** window.

The new scan scope settings are saved.

Configuring general task settings

To configure general On-Demand Scan task settings:

1. Open the **Properties: On-Demand Scan** window.
2. Select the **Scan scope** tab.
3. Click the **Configure** button.

The **On-demand scan settings** window opens.

4. Click the **Settings** button.

5. On the **General** tab, in the **Scan objects** group box, specify the object types that you want to include in the scan scope:

   - **Objects to scan**:
     - All objects
     - Objects scanned by format
     - Objects scanned according to list of extensions specified in anti-virus database
     - Objects scanned by specified list of extensions
   - **Subfolders**
   - **Subfiles**
   - Scan disk boot sectors and MBR
   - Scan alternate NTFS streams

6. In the **Performance** group box, select or clear the Scan only new and modified files check box.

   To switch between available options when the check box is cleared, click on the **All** / **Only new** link for each of the compound object types.

7. In the **Scan of compound objects** group box, specify the compound objects that you want to include in the scan scope:

   - All / Only new archives
   - All / Only new SFX archives
   - All / Only new email databases
   - All / Only new packed objects
   - All / Only new plain email
   - All / Only new embedded OLE objects

8. Click **OK**.

The new task configuration will be saved.

Configuring actions

To configure actions on infected and other detected objects during the On-Demand Scan task:

1. Open the **Properties: On-Demand Scan** window.
2. Select the **Scan scope** tab.
3. Click the **Configure** button.

   The **On-demand scan settings** window opens.
4. Click the **Settings** button.
5. Select the **Actions** tab.
6. Select the action to be performed on infected and other detected objects:
   - **Notify only**.
   - **Disinfect**.
   - **Disinfect. Remove if disinfection fails**.
   - **Remove**.
   - **Perform recommended action**.
7. Select the action to be performed on probably infected objects:
   - **Notify only**.
   - **Quarantine**.
   - **Remove**.
   - **Perform recommended action**.
8. Configure actions to be performed on objects depending on the type of object detected:
   a. Clear or select the **Perform actions depending on the type of object detected** check box.
   b. Click the **Settings** button.
   c. In the window that opens, select a primary action and a secondary action (to be performed if the primary action fails) for each type of detected object.
   d. Click **OK**.
9. Select the action to perform on incurable compound objects: select or clear the **Entirely remove compound file that cannot be modified by the application in case of embedded object detection** check box.
10. Click **OK**.

The new task configuration will be saved.

Configuring performance

To configure performance settings for the On-Demand Scan task:

1. Open the Properties: On-Demand Scan window.
2. Select the **Scan scope** tab.
3. Click the **Configure** button.
   The **On-demand scan settings** window opens.
4. Click the **Settings** button.
5. Select the **Performance** tab.
6. In the **Exclusions** section:
   - Clear or select the **Exclude files** check box.
   - Clear or select the **Do not detect** check box.
   - Click the **Edit** button for each setting to add exclusions.
7. In the **Advanced settings** section:
   - **Stop scanning if it takes longer than (sec.)**
   - **Do not scan compound objects larger than (MB)**
   - **Use iSwift technology**
   - **Use iChecker technology**
8. Click **OK**.

The new task configuration will be saved.

Configuring Removable Drives Scan

To configure scanning of removable drives upon connection to the protected device:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
   In the **Properties: <Policy name>** window that opens, select the **Supplementary** section.
5. Click the **Settings** button in the **Removable Drives Scan** subsection.
   The **Removable Drives Scan** window opens.
6. In the **Scan on connection** section do the following:
   - Select the **Scan removable drives on connection via USB** check box, if you want Kaspersky Industrial CyberSecurity for Nodes to automatically scan removable drives when they are connected.

- If required, select the **Scan removable drives if its stored data volume does not exceed (MB)** and specify the maximum value in the field on the right.
- In the **Scan with security level** drop-down list specify the security level with the settings that are required for removable drives scanning.

7. Click **OK**.

The specified settings are saved and applied.

Configuring a Baseline File Integrity Monitor task

To configure the Baseline File Integrity Monitor group task:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node and select the administration group for which you want to configure the application tasks.
2. In the details pane of a selected administration group, open the **Tasks** tab.
3. In the list of previously created group tasks, select a task you want to configure.
4. Open the **Properties: <Task name>** window in one of the following ways:
   - Double-click the name of the task in the list of created tasks.
   - Select the name of the task in the list of created tasks and click the **Configure task** link.
   - Open the context menu of the task name in the list of created tasks and select the **Properties** item.

   In the **Notification** section, configure the task event notification settings. For detailed information on how to configure settings in this section, see *Kaspersky Security Center Help*.
5. In the **Scan scope** section do the following:
   a. To include folder in the Baseline File Integrity Monitor task scope:
      1. Click the **Add** button.

         The **Scan area properties** window opens.
      2. Select or clear the **Scan this area** check box.
      3. Click the **Browse** button to specify the folder that you want to include in the Baseline File Integrity Monitor task scope.
      4. Select the **Also scan subfolders** check box, if you want to include all subfolders in the Baseline File Integrity Monitor task scope.

   b. To include or exclude the folder previously added to the Baseline File Integrity Monitor task scope select or clear the check box to the left of the folder's path in the **Scan scope** table.

   c. To delete the folder previously added to the Baseline File Integrity Monitor task scope select this folder in the **Scan scope** table and click the **Delete** button.

6. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).
7. In the **Account** section, specify the account whose rights will be used to run the task.
8. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section.

   For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

9. In the **Properties: <Task name>** window, click **OK**.

   The newly configured group task settings are saved.

Managing On-Demand Scan tasks via the Application Console

In this section, you will learn how to navigate the Application Console interface and configure task settings on a protected device.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the On-Demand Scan task settings

To open the general settings of the On-Demand Scan task via the Application Console:

1. Expand the **On-Demand Scan** node in the Application Console tree.
2. Select the child node that corresponds to the task that you want to configure.
3. In the child node results pane click the **Properties** link.

   The **Task settings** window opens.

Opening the On-Demand Scan task scope settings

To open the scan scope settings window via the Application Console:

1. Expand the **On-Demand Scan** node in the Application Console tree.
2. Select the child node corresponding to an On-Demand Scan task that you want to configure.
3. In the results pane of the selected node click the **Configure scan scope** link.

   Scan scope settings window opens.

Creating and configuring an On-Demand Scan task

Custom tasks for a single protected device can be created in the **On-Demand Scan** node. Custom tasks cannot be created in the other functional components of Kaspersky Industrial CyberSecurity for Nodes.

To create and configure a new On-Demand Scan task:

1. In the Application Console tree, open the context menu of the **On-Demand Scan** node.
2. Select **Add task**.

   The **Add task** window opens.
3. Configure the following task settings:

   - **Name** – A task name consisting of no more than 100 characters. It may contain any symbols except **" * < > & \ : |**.

     > You cannot save a task or configure a new task on the **Schedule**, **Advanced** and **Run as** tabs if the task name is not specified.

   - **Description** – Any additional information about the task. No more than 2000 characters. This information will be displayed in the task properties window.
   - **Use heuristic analyzer**.
   - **Perform task in background mode**.
   - **Apply Trusted Zone**.
   - **Consider task as critical areas scan**.
   - **Use KSN for scanning**.
4. Configure the task start schedule settings on the **Schedule** and **Advanced** tabs.
5. On the **Run as** tab, configure the settings to start the task using specific account permissions.
6. Click **OK** in the **Add task** window.

   A new custom On-Demand Scan task is created. A node with the name of the new task is displayed in the Application Console tree. The operation is recorded in the system audit log.
7. If required, in the results pane of the selected node, select **Configure scan scope**.

   The **Scan scope settings** window opens.
8. In the protected device's file resource tree or list, select the nodes or items that you want to include in the scan scope.
9. Select one of the predefined security levels or configure the scan settings manually.
10. Click **Save** in the **Scan scope settings** window.

The configured settings are applied at the next task start.

Scan scope in On-Demand Scan tasks

This section contains information on creating and using a scan scope in On-Demand Scan tasks.

Configuring the view for network file resources

To select the view for network file resources during configuration of scan scope settings:

1. Open the **Scan scope settings** window.
2. Open the drop-down list in the upper left section of the window and select one of the following options:
   - Select the **Tree-view** option to display the network file resources as a tree.
   - Select the **List-view** option to display the network file resources as a list.

   By default, the network file resources of the protected device are displayed as a list.
3. Click the **Save** button.

Creating a scan scope

If you are remotely managing Kaspersky Industrial CyberSecurity for Nodes on the protected device using the Application Console installed on an administrator's workstation, you must be a member of administrators group on the protected device to be able to view folders on it.

The names of settings may vary under different Windows operating systems.

If you modify the scan scope in the Scan at Operating System Startup and Critical Areas Scan tasks, you can restore the default scan scope in these tasks by repairing Kaspersky Industrial CyberSecurity for Nodes itself (**Start** > **Programs** > **Kaspersky Industrial CyberSecurity for Nodes** > **Modify or Remove Kaspersky Industrial CyberSecurity for Nodes**). In the setup wizard, select **Repair installed components** and click **Next**. Then select the **Restore recommended application settings** check box.

The procedure of creating an On-Demand Scan task scope depends on the selected view of network file resources. You can configure the view of network file resources as a tree or as a list (default view).

To create a scan scope using the network file resource tree:

1. Open the **Scan scope settings** window.
2. In the left section of the window, open the network file resource tree to display all the nodes and child nodes.
3. Do the following:

- To exclude individual nodes from the scan scope, clear the check boxes next to the names of these nodes.
- To include individual nodes in the scan scope, clear the **My Computer** check box and do the following:
  - If all drives of a particular type are to be included in the scan scope, select the check box next to the name of the required drive type (for example, to add all removable drives on the protected device, select the **Removable drives** check box).
  - If an individual drive of a particular type is to be included in the scan scope, expand the node that contains drives of that type and select the check box next to the name of the required drive. For example, to select the removable drive **F:**, expand the **Removable drives** node and select the check box for the **F:** drive.
  - If you would like to include only a single folder or file on the drive, select the check box next to the name of that folder or file.

4. Click the **Save** button.

The **Scan scope settings** window will be closed. Your newly configured settings will be saved.

To create a scan scope using the network file resource list:

1. Open the **Scan scope settings** window.
2. To include individual nodes in the scan scope, clear the **My Computer** check box and do the following:
   a. Open the context menu of the scan scope by right-clicking it.
   b. In the context menu of the button, select **Add scan scope**.
   c. In the opened **Add scan scope** window, select the type of object that you want to add:
      - **Predefined scope** — to add one of the predefined scopes on a protected device. Then in the drop-down list, select the desired scan scope.
      - **Disk, folder or network location** — to include an individual drive, folder or network object in the scan scope. Then select the desired scope by clicking the **Browse** button.
      - **File** — to include an individual file in the scan scope. Then select the desired scope by clicking the **Browse** button.

   You cannot add an object into a scan scope if it has already been added as an exclusion from the scan scope.

3. To exclude individual nodes from the scan scope, clear the check boxes next to the names of these nodes or take the following steps:
   a. Open the context menu of the scan scope by right-clicking it.
   b. In the context menu, select **Add exclusion** option.
   c. In the **Add exclusion** window, select the type of object that you want to add as an exclusion from the scan scope following the procedure used when adding an object to the scan scope.

4. To modify the scan scope or an exclusion added, select the **Edit scope** option in the context menu for the necessary scan scope.

5. To hide a previously added scan scope or an exclusion in the list of network file resources, select the **Remove from the list** option in the context menu for the corresponding scan scope.

   The scan scope is excluded from the On-Demand Scan task scope when it is removed from the network file resource list.

6. Click the **Save** button.

The **Scan scope settings** window will be closed. Your newly configured settings will be saved.

Including network objects in the scan scope

Network drives, folders or files can be added to the scan scope by specifying their path in UNC (Universal Naming Convention) format.

You can scan network folders under the system account.

To add a network location to the scan scope:

1. Open the **Scan scope settings** window.

2. Open the drop-down list in the upper left part of the window and select **Tree-view**.

3. In the context menu of the **Network** node:

   - Select **Add network folder**, if you want to add a network folder to the scan scope.

   - Select **Add network file**, if you want to add a network file to the scan scope.

4. Enter the path to the network folder or file in UNC format and press the **ENTER** key.

5. Select the check box next to the newly added network object to include it in the scan scope.

6. If necessary, change the security settings for the added network object.

7. Click the **Save** button.

The modified task settings are saved.

Creating a virtual scan scope

Virtual drives, folders, and files can be included in the scan scope in order to create a virtual scan scope.

You can expand the scan scope by adding individual virtual drives, folders, or files only if the scan scope is viewed as a file resources tree.

To add a virtual drive to the scan scope:

1. Open the **Scan scope settings** window.
2. Open the drop-down list in the upper left part of the window and select **Tree-view**.
3. In the protected device's file resource tree, open the context menu of the **Virtual drives** node, click **Add virtual drive** and select the name of the virtual drive from the list of available names.
4. Select the check box next to the added drive in order to include the drive in the scan scope.
5. Click the **Save** button.

The modified task settings are saved.

To add a virtual folder or virtual file to the scan scope:

1. Open the **Scan scope settings** window.
2. Open the drop-down list in the upper left part of the window and select **Tree-view**.
3. In the protected device's file resource tree, open the context menu of the node to add a folder or file, and select one of the following options:
   - **Add virtual folder** if you want to add a virtual folder to the scan scope.
   - **Add virtual file** if you want to add a virtual file to the scan scope.
4. In the entry field specify the name of the folder or file.
5. In the line with the name of the folder or file, select the check box to include this folder or file in the scan scope.
6. Click the **Save** button.

The modified task settings are saved.

Configuring security settings

By default On-Demand Scan tasks use common security settings for the entire scan scope.

These settings correspond to the **Recommended** predefined security level.

The default values of security settings can be modified by configuring them as common settings for the entire scan scope or as different settings for different items in the protected device's file resource list or nodes in the tree.

When working with the network file resource tree, security settings that are configured for the selected parent node are automatically applied to all child nodes. The security settings of the parent node are not applied to child nodes that are configured separately.

To configure security settings manually:

1. Open the **Scan scope settings** window.

2. In the left part of the window, select the node or item whose security settings you want to configure.

   A predefined template containing security settings can be applied to the selected node or item in the scan scope.

   In the left part of the window, you can select the view for network file resources, create a scan scope, or create a virtual scan scope.

3. In the right part of the window, do one of the following:

   - On the **Security level** tab select the security level to be applied.
   - On the following tabs configure the required security settings of the selected node or item in accordance with your requirements:
     - **General**
     - **Actions**
     - **Performance**

4. Click **Save** in the **Scan scope settings** window.

The new scan scope settings are saved.

Selecting predefined security levels for On-Demand Scan tasks

You can apply one of the following three predefined security levels to a node selected in the protected device's file resource tree or list: **Maximum performance**, **Recommended**, and **Maximum protection**.

To select one of the predefined security levels:

1. Open the **Scan scope settings** window.
2. In the protected device's network file resource tree or list, select a node or item to set the predefined security level.
3. Make sure that the selected node or item is included in the scan scope.
4. In the right part of the window, on the **Security level** tab select the security level to be applied.

   The window displays the list of security settings corresponding to the selected security level.

5. Click the **Save** button.

   The task settings are saved and applied immediately to the running task. If the task is not running, the modified settings are applied at the next start.

Configuring general task settings

To configure the general security settings of the On-Demand Scan task:

1. Open the **Scan scope settings** window.

2. Select the **General** tab.

3. In the **Scan objects** group box, specify the object types that you want to include in the scan scope:

   - **Objects to scan**:
     - All objects
     - Objects scanned by format
     - Objects scanned according to list of extensions specified in anti-virus database
     - Objects scanned by specified list of extensions
   - Scan disk boot sectors and MBR
   - Scan alternate NTFS streams

4. In the **Performance** group box, select or clear the Scan only new and modified files check box.

   To switch between available options when the check box is cleared, click the **All** / **Only new** link for each of the compound object types.

5. In the **Scan of compound objects** group box, specify the compound objects that you want to include in the scan scope:

   - All / Only new archives
   - All / Only new SFX archives
   - All / Only new email databases
   - All / Only new packed objects
   - All / Only new plain email
   - All / Only new embedded OLE objects

6. Click **Save**.

The new task configuration will be saved.

Configuring actions

To configure the actions on infected and other detected objects for the On-Demand Scan task:

1. Open the Scan scope settings window.

2. Select the **Actions** tab.

3. Select the action to be performed on infected and other detected objects:

   - Notify only

- **Disinfect**.
- **Disinfect. Remove if disinfection fails**.
- **Remove**.
- **Perform recommended action**.

4. Select the action to be performed on probably infected objects:
   - **Notify only**.
   - **Quarantine**.
   - **Remove**.
   - **Perform recommended action**.
5. Configure actions to be performed on objects depending on the type of object detected:
   a. Clear or select the **Perform actions depending on the type of object detected** check box.
   b. Click the **Settings** button.
   c. In the window that opens, select a primary action and a secondary action (to be performed if the primary action fails) for each type of detected object.
   d. Click **OK**.
6. Select the action to perform on incurable compound objects: select or clear the **Entirely remove compound file that cannot be modified by the application in case of embedded object detection** check box.
7. Click **Save**.

The new task configuration will be saved.

Configuring performance

To configure performance settings for the On-Demand Scan task:

1. Open the **Scan scope settings** window.
2. Select the **Performance** tab.
3. In the **Exclusions** section:
   - Clear or select the **Exclude files** check box.
   - Clear or select the **Do not detect** check box.
   - Click the **Edit** button for each setting to add exclusions.
4. In the **Advanced settings** section:

- **Stop scanning if it takes longer than (sec.)**
- **Do not scan compound objects larger than (MB)**
- **Use iSwift technology**
- **Use iChecker technology**

5. Click **Save**.

The new task configuration will be saved.

Scanning removable drives

To configure scanning of the removable drives upon connection to the protected device in the Application Console:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node and select the **Configure removable drives scan settings** option.

   The **Removable Drives Scan** window opens.

2. In the **Scan on connection** section do the following:

   - Select the **Scan removable drives on connection via USB** check box, if you want Kaspersky Industrial CyberSecurity for Nodes to automatically scan removable drives when they are connected.
   - If required, select the **Scan removable drives if its stored data volume does not exceed (MB)** and specify the maximum value in the field on the right.
   - In the **Scan with security level** drop-down list specify the security level with the settings that are required for removable drives scanning.

3. Click **OK**.

The specified settings are saved and applied.

On-Demand Scan task statistics

While the On-Demand Scan task is being executed, you can view information about the number of objects processed by Kaspersky Industrial CyberSecurity for Nodes since it was started.

This information remains available even if the task is paused. You can view the task statistics in the task log.

To view the statistics of an On-Demand Scan task:

1. Expand the **On-Demand Scan** node in the Application Console tree.
2. Select the On-Demand Scan task whose statistics you want to view.

Task statistics are displayed in the **Statistics** section of the results pane of the selected node.

Information about objects processed by Kaspersky Industrial CyberSecurity for Nodes since it was started is presented in the table below.

On-Demand Scan task statistics

Field	Description
Detected	Number of objects detected by Kaspersky Industrial CyberSecurity for Nodes. For example, if Kaspersky Industrial CyberSecurity for Nodes detects one malicious object in five files, the value in this field increases by one.
Infected and other objects detected	Number of objects that Kaspersky Industrial CyberSecurity for Nodes found and classified as infected or number of found legitimate software files that were not excluded from the scan scope and were classified as legitimate software that can be used by intruders to damage your device or personal data.
Probably infected objects detected	Number of objects detected by Kaspersky Industrial CyberSecurity for Nodes as probably infected.
Objects not disinfected	Number of objects that Kaspersky Industrial CyberSecurity for Nodes did not disinfect for the following reasons: • The detected object is of a type that cannot be disinfected. • An error occurred during disinfection.
Objects not moved to Quarantine	Number of objects that Kaspersky Industrial CyberSecurity for Nodes attempted to quarantine unsuccessfully, for example, due to insufficient disk space.
Objects not removed	Number of objects that Kaspersky Industrial CyberSecurity for Nodes attempted to delete unsuccessfully, because, for example, access to the object was blocked by another application.
Objects not scanned	Number of objects in the protection scope that Kaspersky Industrial CyberSecurity for Nodes failed to scan, because, for example, access to the object was blocked by another application.
Objects not backed up	Number of objects whose copies Kaspersky Industrial CyberSecurity for Nodes attempted to save in Backup unsuccessfully, for example, due to insufficient disk space.
Processing errors	Number of objects whose processing resulted in an error.
Objects disinfected	Number of objects disinfected by Kaspersky Industrial CyberSecurity for Nodes.
Moved to Quarantine	Number of objects quarantined by Kaspersky Industrial CyberSecurity for Nodes.
Moved to Backup	Number of objects whose copies Kaspersky Industrial CyberSecurity for Nodes saved to Backup.
Objects removed	Number of objects removed by Kaspersky Industrial CyberSecurity for Nodes.
Password-protected objects	Number of objects (archives, for example) that Kaspersky Industrial CyberSecurity for Nodes skipped because they were password protected.
Corrupted	Number of objects skipped by Kaspersky Industrial CyberSecurity for Nodes because their

objects	format was corrupted.
Objects processed	Total number of objects processed by Kaspersky Industrial CyberSecurity for Nodes.

You can also view the On-Demand Scan task statistics in the selected task log by clicking the **Open task log** link in the **Management** section of the results pane.

We recommend that you manually process the events recorded on the **Events** tab in the task log upon task completion.

Creating and configuring a Baseline File Integrity Monitor task

To create or configure a new Baseline File Integrity Monitor task:

1. In the Application Console tree, open the context menu of the **System Inspection** node.
2. Select **Create Baseline File Integrity Monitor task**.

   The **Add task** window opens.
3. In the **Hash calculation algorithm** drop-down list, select one of the options:
   - **MD5**
   - **SHA256**
4. In the **Scan areas** table do the following:

   a. To add a file or folder in the Baseline File Integrity Monitor task scope:

      1. Click the **Add** button.

         The **Scan area properties** window opens.
      2. Select or clear the **Scan this area** check box.
      3. Click the **Browse** button to specify the file or folder that you want to include in the Baseline File Integrity Monitor task scope.
      4. Select the **Also scan subfolders** check box, if you want to include all subfolders in the Baseline File Integrity Monitor task scope.
      5. Click **OK**.

   b. To change a file or folder previously added to the Baseline File Integrity Monitor task scope:

      1. Click the **Change** button.

         The **Scan area properties** window opens.
      2. Select or clear the **Scan this area** check box.
      3. Click the **Browse** button to specify the file or folder that you want to include in the Baseline File Integrity Monitor task scope.

4. Select or clear the **Also scan subfolders** check box, if you want to include or exclude all subfolders from the Baseline File Integrity Monitor task scope.

5. Click **OK**.

c. To delete the file or folder previously added to the Baseline File Integrity Monitor task scope select this file or folder in the **Scan areas** table and click the **Remove** button.

5. Configure the task start schedule settings on the **Schedule** and **Advanced** tabs.

6. On the **Run as** tab, configure the settings to start the task using specific account permissions.

7. Click **OK** in the **Add task** window.

   A new custom Baseline File Integrity Monitor task is created. A node with the name of the new task is displayed in the Application Console tree. The operation is recorded in the system audit log.

To open the settings of the Baseline File Integrity Monitor task:

1. Expand the **System Inspection** node in the Application Console tree.

2. Select the child node that corresponds to the task that you want to configure.

3. In the child node results pane click the **Properties** link.

   The **Task settings** window opens.

Trusted Zone

This section provides information about the Trusted Zone in Kaspersky Industrial CyberSecurity for Nodes, as well as instructions on how to add objects to the Trusted Zone when running tasks.

About the Trusted Zone

The Trusted Zone is a list of exclusions from the protection or scan scope that you can generate and apply to On-Demand Scan and Real-Time File Protection tasks.

If you selected the **Add Microsoft recommended files to exclusions list** and **Add Kaspersky recommended files to exclusions list** check boxes when installing Kaspersky Industrial CyberSecurity for Nodes, Kaspersky Industrial CyberSecurity for Nodes adds files recommended by Microsoft and Kaspersky for Real-Time Computer Protection tasks to the Trusted Zone.

You can create a Trusted Zone in Kaspersky Industrial CyberSecurity for Nodes according to the following rules:

- Trusted processes. Objects sensitive to application processes' interception of file operations are placed in the Trusted Zone.
- Backup operations. Objects accessed by systems in order to backup hard drives to external devices are placed in the Trusted Zone.
- Exclusions. Objects specified by their location and / or an object detected inside them are placed in the Trusted Zone.

You can apply the Trusted Zone in the Real-Time File Protection task, Network Threat Protection task, newly created custom On-Demand Scan tasks, and all system On-Demand Scan tasks, except for the Quarantine Scan task.

The Trusted Zone is applied in Real-Time File Protection and On-Demand Scan tasks by default.

The list of rules for generating the Trusted Zone can be exported to an XML configuration file in order to then import it into Kaspersky Industrial CyberSecurity for Nodes running on another protected device.

Trusted processes

Applies to the Real-Time File Protection and Traffic Security tasks.

Some applications on the protected device may be unstable if the files that they access are intercepted by Kaspersky Industrial CyberSecurity for Nodes. Such applications include, for example, system domain controller applications.

To avoid disrupting the operation of such applications, you can disable protection of files accessed by the running processes of these applications (thereby creating a list of trusted processes within the Trusted Zone).

Microsoft Corporation recommends excluding some Microsoft Windows operating system files and Microsoft application files from Real-Time File Protection as programs that cannot be infected. The names of some of these are listed on the Microsoft website (article code: KB822158).

You can enable or disable the use of trusted processes in the Trusted Zone.

If an executable file is modified, for example, through an update, Kaspersky Industrial CyberSecurity for Nodes will exclude it from the list of trusted processes.

The application does not use the file's path on a protected device to trust the process. The path to the file on the protected device is used only to search for the file, calculate a checksum, and provide the user with the information about the source of the executable file.

Backup operations

Applies to Real-Time Computer Protection tasks.

When data stored on hard drives is backed up to external devices, you can disable protection of objects that are accessed during the backup operations. Kaspersky Industrial CyberSecurity for Nodes will scan objects which the backup application opens for reading with the FILE_FLAG_BACKUP_SEMANTICS attribute.

Exclusions

Applies to Real-Time File Protection and On-Demand Scan tasks.

You can select tasks for which you want to use every exclusion added to the Trusted Zone. Also, you can exclude objects from scans in the security level settings of every single Kaspersky Industrial CyberSecurity for Nodes task.

You can add exclusions to the Trusted Zone by their location on the protected device, by name or name mask of the object detected, or by using both criteria.

Based on the exclusion, Kaspersky Industrial CyberSecurity for Nodes can skip objects while performing the specified tasks according to the following settings:

- Specified objects detectable by name or name mask in the specified areas of the protected device.
- All detectable objects in the specified areas of the protected device.
- Specified detectable objects by name or name mask within the entire protection or scan scope.

About industrial software exclusion profiles

Industrial software exclusion profiles is a set of configuration rules in XML format intended to add processes and files of several industrial applications into the Trusted Zone lists of trusted processes and exclusions, and also to configure the Application Launch Control rules and settings.

The following table lists all available industrial software exclusion profiles.

Industrial software exclusion profiles

Software manufacturer	Software name	Trusted Zone configuration rules	Application Launch Control configuration rules
Automiq Soft	Alpha Platform	Yes	No
Baker Hughes	Bently Nevada System	Yes	No

BOSCH	BIS	Yes	No
Emerson	Open Enterprise	Yes	No
Emerson	Ovation	Yes	No
Emerson	Pipeline	Yes	Yes
PC Vue	PC Vue 15	Yes	No
Rexroth	Indra Works	Yes	No
Siemens	SIMATIC PCS 7 V8.2 SP1	Yes	Yes
Siemens	SIMATIC PCS 7 V9.0 SP2	Yes	Yes
SPEMT	VACS Standart	Yes	No
Tornado	Tornado-N	Yes	No
Valmet	DNA	Yes	No
Wonderware	System Platform 2017	Yes	No

To apply an industrial software exclusion profile during the installation of Kaspersky Industrial CyberSecurity for Nodes,

select the required exclusion profile at the corresponding step of the Kaspersky Industrial CyberSecurity for Nodes installation wizard.

Only one exclusion profile can be selected via the installation wizard.

Industrial software exclusion profile is applied.

When applying the exclusion profiles during the installation, the settings from the selected profile are merged with the default settings of the Trusted Zone.

Managing the Trusted Zone via the Administration Plug-in

In this section, learn how to navigate through the Administration Plug-in interface and configure the Trusted Zone for one or all protected devices of the network.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the Trusted Zone policy settings

To open the Trusted Zone via the Kaspersky Security Center policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Supplementary** section.
6. Click the **Settings** button in the **Trusted Zone** subsection.
   The **Trusted Zone** window opens.

Configure the Trusted Zone as required.

If a protected device is being managed by an active Kaspersky Security Center policy and this policy blocks changes to the application settings, these settings cannot be edited via the Application Console.

Opening the Trusted Zone properties window

To configure the Trusted Zone in the Application properties window:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Devices** tab.
4. Open the **Properties: <Protected device name>** window in one of the following ways:
   - Double-click the name of the protected device.
   - Select the **Properties** item in the context menu of the protected device.

   The **Properties: <Protected device name>** window opens.
5. In the **Applications** section, select the **Kaspersky Industrial CyberSecurity for Nodes 3.0**.
6. Click the **Properties** button.
   The **Kaspersky Industrial CyberSecurity for Nodes 3.0 application settings** window opens.
7. Select the **Supplementary** section.
8. Click the **Settings** button in the **Trusted Zone** subsection.
   The **Trusted Zone** window opens.

Configure the Trusted Zone as required.

Configuring Trusted Zone settings via the Administration Plug-in

By default, the Trusted Zone is applied for all newly created policies and tasks.

To configure Trusted Zone settings:

1. Specify the objects to be skipped by Kaspersky Industrial CyberSecurity for Nodes during task execution on the **Exclusions** tab.
2. Specify the processes to be skipped by Kaspersky Industrial CyberSecurity for Nodes during task execution on the **Trusted processes** tab.
3. Apply the not-a-virus mask.

Adding an exclusion

To add an exclusion to the Trusted Zone via the Kaspersky Security Center policy:

1. Open the **Trusted Zone** window.
2. On the **Exclusions** tab, specify the objects to be skipped by Kaspersky Industrial CyberSecurity for Nodes during scanning and protection:
   - To create recommended exclusions, click the Add recommended exclusions button.
   - To import preconfigured exclusions, click the **Import** button and, in the window that opens, select the configuration file in XML format stored on your device.

     Exclusions from the XML file will be added to the exclusion list.
   - To manually specify the conditions under which an object will be considered trusted, click the **Add** button and proceed to the next steps.

     The **Exclusion** window opens.
3. If you clicked the **Add** button, in the **Object will not be scanned if the following conditions are met** section, specify the objects that you want to exclude from the protection / scan scope and objects that you want to exclude among detectable objects:
   - If you want to exclude an object from the protection or scan scope:
     a. Select the **Object to scan** check box.
     b. Click the **Edit** button.

        The **Select an object** window opens.
     c. Specify the object that you want to exclude from the scan scope.

        When specifying the objects, you can use names masks (via ? and * characters) and all types of environment variables. The resolving of environment variables (replacing variables with their values) is performed by Kaspersky Industrial CyberSecurity for Nodes when starting a task, or when applying new settings to a running task (not applicable to On-Demand Scan tasks). Kaspersky Industrial CyberSecurity for Nodes resolves environment variables under the account used to start the task. For more information on environment variables, refer to the Microsoft Knowledge Base.

d. Click **OK**.

e. Select the **Apply to subfolders** check box, if you want to exclude all child files and folders of the specified object from the protection or scan scope.

- If you want to specify the name of a detectable object:

  a. Select the **Objects to detect** check box.

  b. Click the **Edit** button.

  The **List of objects to detect** window opens.

  c. Specify the name or name mask of the detectable object according to the Virus Encyclopedia classification.

  d. Click the **Add** button.

  e. Click **OK**.

4. In the **Exclusion usage scope** section, select the check boxes next to the names of the tasks to which the exclusion should be applied.

5. Click **OK**.

The exclusion is displayed in the list on the **Exclusions** tab of the **Trusted Zone** window.

Adding trusted processes

To add one or more processes to the list of trusted processes:

1. Open the **Trusted Zone** window.

2. Select the **Trusted processes** tab.

3. Select the Do not check file backup operations check box to skip scanning of file read operations.

4. Select the **Do not check file activity of the specified processes** check box to skip file operation scanning for trusted processes.

5. To add prcesses to the list of trusted processes, do one of the following:

   - To import preconfigured trusted processes, click the **Import** button and, in the window that opens, select the configuration file in XML format stored on your device.

     Processes from the XML file will be added to the list of trusted processes.

   - To manually specify the processes, click the **Add** button and proceed to the next steps.

6. If you clicked the **Add** button, in the button's context menu, select one of the options:

   - **Multiple processes**.

     In the **Adding trusted processes** window that opens, configure the following:

     a. **Use full process path on disk to consider it trusted**.

b. Use process file hash to consider it trusted.

c. Click the **Browse** button to add data based on executable processes.

d. Select an executable file in the window that opens.

> You can only add one executable file at a time. Repeat steps c-d to add other executable files.

e. Click the **Processes** button to add data based on running processes.

f. Select processes in the window that opens. To select multiple processes, press and hold the **CTRL** button while selecting.

g. Click **OK**.

> The account under which the Real-Time File Protection task is run must have administrator rights on the device with Kaspersky Industrial CyberSecurity for Nodes installed in order to allow viewing of the list of active processes. You can sort processes in the list of active processes by file name, process identifier (PID), or path to the executable file of the process on the protected device. Note, that you can select running processes by clicking the **Processes** button only using the Application Console on a protected device or in the specified host settings via the Kaspersky Security Center.

- **One process based on file name and path**.

  In the **Adding a process** window that opens, do the following:

  a. Enter a path to an executable file (including the file name).

  > When specifying the objects, you can use names masks (via `?` and `*` characters) and all types of environment variables. The resolving of environment variables (replacing variables with their values) is performed by Kaspersky Industrial CyberSecurity for Nodes when starting a task, or when applying new settings to a running task (not applicable to On-Demand Scan tasks). Kaspersky Industrial CyberSecurity for Nodes resolves environment variables under the account used to start the task. For more information on environment variables, refer to the Microsoft Knowledge Base.

  b. Click **OK**.

- **One process based on object properties**.

  In the **Trusted process adding** window that opens, configure the following:

  a. Click the **Browse** button to select a process.

  b. Use full process path on disk to consider it trusted.

  c. Use process file hash to consider it trusted.

  d. Click **OK**.

> To add the selected process to the list of trusted processes, at least one trust criterion must be selected.

7. In the **Trusted Zone** window, click the **OK** button.

   The selected file or process will be added to the list of trusted processes in the **Trusted Zone** window.

Applying the not-a-virus mask

The not-a-virus mask makes it possible to skip scanning of legitimate software files and web resources that can be considered harmful. The mask affects the following tasks:

- Real-Time File Protection.
- On-Demand scan.

If the mask is not added to the exclusions list, Kaspersky Industrial CyberSecurity for Nodes will apply the actions specified in the task settings for the software which fall under this category.

To apply the not-a-virus mask:

1. Open the **Trusted Zone** window.
2. On the **Exclusions** tab, in the **Objects to detect** column, scroll the list and select the line with *not-a-virus:**, if the check box is cleared.
3. Click **OK**.

   The new configuration is applied.

Managing the Trusted Zone via the Application Console

In this section, learn how to navigate through the Application Console interface and configure the Trusted Zone on a protected device.

Applying the Trusted Zone to tasks in the Application Console

By default, the Trusted Zone is applied in the Real-Time File Protection task, newly created custom On-Demand Scan tasks, and all system On-Demand Scan tasks, except the Quarantine Scan task.

After the Trusted Zone is enabled or disabled, the specified exclusions are immediately applied or cease to be applied in running tasks.

To enable or disable the use of the Trusted Zone in Kaspersky Industrial CyberSecurity for Nodes tasks:

1. In the Application Console tree, open the context menu of the task, for which you want to configure use of the Trusted Zone.
2. Select **Properties**.

   The **Task settings** window opens.
3. In the window that opens, select the **General** tab and do one of the following:

- To apply the Trusted Zone in the task, select the **Apply Trusted Zone** check box.
- To disable the Trusted Zone in the task, clear the **Apply Trusted Zone** check box.

4. If you want to configure Trusted Zone settings, click the link in the name of the **Apply Trusted Zone** check box.

   The **Trusted Zone** window opens.

   In the **Trusted Zone** window configure exclusions and trusted processes and click **OK**.

5. Click **OK** in the **Task settings** window to save changes.

Configuring Trusted Zone settings in the Application Console

To configure Trusted Zone settings:

1. Specify the objects to be skipped by Kaspersky Industrial CyberSecurity for Nodes during task execution on the **Exclusions** tab.
2. Specify the processes to be skipped by Kaspersky Industrial CyberSecurity for Nodes during task execution on the **Trusted processes** tab.
3. Apply the Trusted Zone for the application tasks.
4. Apply the not-a-virus mask.

Adding an exclusion to the Trusted Zone

To manually add an exclusion to the Trusted Zone via the Application Console:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.
2. Select the **Configure Trusted Zone settings** menu option.

   The **Trusted Zone** window opens.
3. Select the **Exclusions** tab.
4. Specify the objects to be skipped by Kaspersky Industrial CyberSecurity for Nodes during scanning and protection:

   - To import preconfigured exclusions, click the **Import** button and, in the window that opens, select the configuration file in XML format stored on your device.

     Exclusions from the XML file will be added to the exclusion list.
   - To manually specify the conditions under which an object will be considered trusted, click the **Add** button and proceed to the next steps.

     The **Exclusion** window opens.
5. If you clicked the **Add** button, in the **Object will not be scanned if the following conditions are met** section, specify the objects that you want to exclude from the protection / scan scope and objects that you want to

exclude among detectable objects:

- If you want to exclude an object from the protection or scan scope:

  a. Select the **Object to scan** check box.

  b. Click the **Edit** button.

  The **Select an object** window opens.

  c. Specify the object that you want to exclude from the scan scope.

  > When specifying the objects, you can use names masks (via ? and * characters) and all types of environment variables. The resolving of environment variables (replacing variables with their values) is performed by Kaspersky Industrial CyberSecurity for Nodes when starting a task, or when applying new settings to a running task (not applicable to On-Demand Scan tasks). Kaspersky Industrial CyberSecurity for Nodes resolves environment variables under the account used to start the task. For more information on environment variables, refer to the Microsoft Knowledge Base.

  d. Click **OK**.

  e. Select the **Apply to subfolders** check box, if you want to exclude all child files and folders of the specified object from the protection or scan scope.

- If you want to specify the name of a detectable object:

  a. Select the **Objects to detect** check box.

  b. Click the **Edit** button.

  The **List of objects to detect** window opens.

  c. Specify the name or name mask of the detectable object according to the Virus Encyclopedia classification.

  d. Click the **Add** button.

  e. Click **OK**.

6. In the **Exclusion usage scope** section, select the check boxes next to the names of the tasks to which the exclusion should be applied.

7. Click **OK**.

The exclusion is displayed in the list on the **Exclusions** tab of the **Trusted Zone** window.

Adding trusted processes

You can add a process to the list of trusted processes using one of the following methods:

- Select the process from the list of processes running on the protected device.
- Select the executable file of a process regardless of whether the process is currently running.

If the executable file of a process has been modified, Kaspersky Industrial CyberSecurity for Nodes excludes this process from the list of trusted processes.

To add one or more processes to the list of trusted processes:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.
2. Select the **Configure Trusted Zone settings** menu option.

   The **Trusted Zone** window opens.
3. Select the **Trusted processes** tab.
4. Select the **Do not check file backup operations** check box to skip scanning of file read operations.
5. Select the **Do not check file activity of the specified processes** check box to skip file operation scanning for trusted processes.
6. To add prcesses to the list of trusted processes, do one of the following:

   - To import preconfigured trusted processes, click the **Import** button and, in the window that opens, select the configuration file in XML format stored on your device.

     Processes from the XML file will be added to the list of trusted processes.
   - To manually specify the processes, click the **Add** button and proceed to the next steps.
7. If you clicked the **Add** button, in the button's context menu, select one of the options:

   - **Multiple processes**.

     In the **Adding trusted processes** window that opens, configure the following:

     a. **Use full process path on disk to consider it trusted**.

     b. **Use process file hash to consider it trusted**.

     c. Click the **Browse** button to add data based on executable processes.

     d. Select an executable file in the window that opens.

     > You can only add one executable file at a time. Repeat steps c-d to add other executable files.

     e. Click the **Processes** button to add data based on running processes.

     f. Select processes in the window that opens. To select multiple processes, press and hold the **CTRL** button while selecting.

     g. Click **OK**.

The account under which the Real-Time File Protection task is run must have administrator rights on the device with Kaspersky Industrial CyberSecurity for Nodes installed in order to allow viewing of the list of active processes. You can sort processes in the list of active processes by file name, process identifier (PID), or path to the executable file of the process on the protected device. Note, that you can select running processes by clicking the **Processes** button only using the Application Console on a protected device or in the specified host settings via the Kaspersky Security Center.

- **One process based on file name and path**.

  In the **Adding a process** window that opens, do the following:

  a. Enter a path to an executable file (including the file name).

  When specifying the objects, you can use names masks (via `?` and `*` characters) and all types of environment variables. The resolving of environment variables (replacing variables with their values) is performed by Kaspersky Industrial CyberSecurity for Nodes when starting a task, or when applying new settings to a running task (not applicable to On-Demand Scan tasks). Kaspersky Industrial CyberSecurity for Nodes resolves environment variables under the account used to start the task. For more information on environment variables, refer to the Microsoft Knowledge Base.

  b. Click **OK**.

- **One process based on object properties**.

  In the **Trusted process adding** window that opens, configure the following:

  a. Click the **Browse** button to select a process.

  b. **Use full process path on disk to consider it trusted**.

  c. **Use process file hash to consider it trusted**.

  d. Click **OK**.

  To add the selected process to the list of trusted processes, at least one trust criterion must be selected.

8. In the **Trusted Zone** window, click the **OK** button.

The selected file or process will be added to the list of trusted processes in the **Trusted Zone** window.

Applying the not-a-virus mask

The not-a-virus mask makes it possible to skip scanning of legitimate software files and web resources that can be considered harmful. The mask affects the following tasks:

- Real-Time File Protection.
- On-Demand scan.

If the mask is not added to the exclusions list, Kaspersky Industrial CyberSecurity for Nodes will apply the actions specified in the task settings for the software or web resources which fall under this category.

To apply the not-a-virus mask:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node.
2. Select the **Configure Trusted Zone settings** menu option.

   The **Trusted Zone** window opens.
3. Select the **Exclusions** tab.
4. Scroll the list to find the *not-a-virus:** value.
5. Select the corresponding check box, if it is cleared.
6. Click **OK**.

The new configuration is applied.

Managing the Trusted Zone via the Web Plug-in

To configure the Trusted Zone via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Supplementary** section.
5. Click **Settings** in the **Trusted Zone** subsection.
6. Configure the Trusted Zone as required.

Network Threat Protection

This section contains information about the Network Threat Protection task and how to configure it.

About the Network Threat Protection task

The Network Threat Protection task scans inbound network traffic for activity that is typical of network attacks. Upon detecting an attempted network attack that targets your computer, Kaspersky Industrial CyberSecurity for Nodes blocks network activity from the attacking computer. Your screen then displays a warning stating that a network attack was attempted, and shows information about the attacking computer.

By default, the Network Threat Protection task runs in the **Block connections when attack is detected** mode. In this mode, Kaspersky Industrial CyberSecurity for Nodes adds IP addresses of hosts showing activity typical of network attacks to the list of blocked hosts.

You can view the list of blocked hosts in the Blocked Hosts storage.

You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings.

The IP addresses of hosts showing activity typical of network attacks are deleted from the list of blocked hosts in the following cases:

- Kaspersky Industrial CyberSecurity for Nodes is uninstalled.
- The IP address was deleted manually from the list of blocked hosts.
- Host blocking term has expired.
- The Network Threat Protection task was stopped and the **Don't stop traffic analysis when the task is not running** check boxed is cleared.
- The **Block connections when attack is detected** mode was turned off.

Default Network Threat Protection task settings

The Network Threat Protection task uses the default settings described in the table below. You can change the values of these settings.

Default Network Threat Protection task settings

Setting	Default value	Description
Processing mode	**Block connections when attack is detected**	The Network Threat Protection task can be started in **Pass-through**, **Only inform about network attacks** or **Block connections when attack is detected** mode.

		The check box enables or disables adding hosts showing activity typical of network attacks to the list of blocked hosts. If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, and adds IP addresses of hosts showing activity typical of network attacks to the list of blocked hosts. The mode is selected by default. You can view the list of blocked hosts in the Blocked Hosts storage. You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings. If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, but doesn't block network activity from the attacking computer. If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, but doesn't log events about detected activity and doesn't block network activity from the attacking computer. For example, you can use this mode in case of a decrease in the protected device's performance.
Exclusions	The exclusion list is not applied.	Specify areas that you want to exclude from the task protection scope.
Schedule settings	By default, the Network Threat Protection task starts automatically when Kaspersky Industrial CyberSecurity for Nodes starts.	You can configure the schedule.

Configuring the Network Threat Protection task via the Application Console

In this section, learn how to manage the Network Threat Protection task via the Application Console interface.

General task settings

To configure the general task settings:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Network Threat Protection** child node.
3. Click the **Properties** link in the details pane of the **Network Threat Protection** node.

   The **Task settings** window opens.
4. Open the **General** tab.
5. In the **Processing mode** section select the processing mode:

   - **Pass-through**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, but doesn't log events about detected activity and doesn't block network activity from the attacking computer.

     For example, you can use this mode in case of a decrease in the protected device's performance.

   - **Only inform about network attacks**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, but doesn't block network activity from the attacking computer.

   - **Block connections when attack is detected**.

     The check box enables or disables adding hosts showing activity typical of network attacks to the list of blocked hosts.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, and adds IP addresses of hosts showing activity typical of network attacks to the list of blocked hosts.

     The mode is selected by default.

     You can view the list of blocked hosts in the Blocked Hosts storage.

     You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings.
6. Select or clear the **Don't stop traffic analysis when the task is not running** check box.

   If this check box is selected, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks and blocks network activity from the attacking computer depending on the selected processing mode.

   If this check box is cleared, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for activity that is typical of network attacks and doesn't block network activity from the attacking computer.

   The check box is cleared by default.
7. Click **OK**.

Adding exclusions

To add exclusions for Network Threat Protection task, take the following steps:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Network Threat Protection** child node.
3. Click the **Properties** link in the details pane of the **Network Threat Protection** node.

   The **Task settings** window opens.
4. On the **Exclusions** tab, select the **Do not control excluded IP-addresses** check box.

   If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for excluded IP addresses.

   If this check box is cleared, Kaspersky Industrial CyberSecurity for Nodes doesn't apply the exclusion list.
5. Specify the IP address and click **Add** button.
6. Click **OK**.

Configuring the Network Threat Protection task via the Administration Plug-in

In this section, learn how to manage the Network Threat Protection task via the Administration Plug-in interface.

General task settings

To configure the general task settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Real-Time Computer Protection** section, click the **Settings** button in the **Network Threat Protection** subsection.

   The **Network Threat Protection** window opens.

5. Open the **General** tab.

6. In the **Processing mode** section select the processing mode:

   - **Pass-through**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, but doesn't log events about detected activity and doesn't block network activity from the attacking computer.

     For example, you can use this mode in case of a decrease in the protected device's performance.

   - **Only inform about network attacks**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, but doesn't block network activity from the attacking computer.

   - **Block connections when attack is detected**.

     The check box enables or disables adding hosts showing activity typical of network attacks to the list of blocked hosts.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, and adds IP addresses of hosts showing activity typical of network attacks to the list of blocked hosts.

     The mode is selected by default.

     You can view the list of blocked hosts in the Blocked Hosts storage.

     You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings.

7. Select or clear the **Don't stop traffic analysis when the task is not running** check box.

   If this check box is selected, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks and blocks network activity from the attacking computer depending on the selected processing mode.

   If this check box is cleared, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for activity that is typical of network attacks and doesn't block network activity from the attacking computer.

   The check box is cleared by default.

8. Click **OK**.

Adding exclusions

To add exclusions for Network Threat Protection task, take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Real-Time Computer Protection** section, click the **Settings** button in the **Network Threat Protection** subsection.

   The **Network Threat Protection** window opens.
5. On the **Exclusions** tab, select the **Do not control excluded IP-addresses** check box.

   If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for excluded IP addresses.

   If this check box is cleared, Kaspersky Industrial CyberSecurity for Nodes doesn't apply the exclusion list.
6. Specify the IP address and click **Add** button.
7. Click **OK**.

Configuring the Network Threat Protection task via the Web Plug-in

In this section, learn how to manage the Network Threat Protection task via the Web Plug-in interface.

General task settings

To configure the general task settings:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Network Threat Protection** subsection.

6. Open the **General** tab.

7. In the **Processing mode** section select the processing mode:

   - **Pass-through**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, but doesn't log events about detected activity and doesn't block network activity from the attacking computer.

     For example, you can use this mode in case of a decrease in the protected device's performance.

   - **Only inform about network attacks**.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, but doesn't block network activity from the attacking computer.

   - **Block connections when attack is detected**.

     The check box enables or disables adding hosts showing activity typical of network attacks to the list of blocked hosts.

     If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks, logs events about detected activity, and adds IP addresses of hosts showing activity typical of network attacks to the list of blocked hosts.

     The mode is selected by default.

     You can view the list of blocked hosts in the Blocked Hosts storage.

     You can restore access to blocked hosts, and specify the number of days, hours and minutes after which hosts regain access to network file resources after being blocked by configuring the Blocked Hosts storage settings.

8. Select or clear the **Don't stop traffic analysis when the task is not running** check box.

   If this check box is selected, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes scans inbound network traffic for activity that is typical of network attacks and blocks network activity from the attacking computer depending on the selected processing mode.

   If this check box is cleared, when Network Threat Protection task is stopped, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for activity that is typical of network attacks and doesn't block network activity from the attacking computer.

   The check box is cleared by default.

9. Click **OK**.

Adding exclusions

To add exclusions for Network Threat Protection task, take the following steps:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Real-time computer protection** section.

5. Click **Settings** in the **Network Threat Protection** subsection.

6. On the **Exclusions** tab, select the **Do not control excluded IP-addresses** check box.

   If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes doesn't scan inbound network traffic for excluded IP addresses.

   If this check box is cleared, Kaspersky Industrial CyberSecurity for Nodes doesn't apply the exclusion list.

7. Specify the IP address and click **Add** button.

8. Click **OK**.

Wi-Fi Control

This section describes the Wi-Fi Control task and provides instructions on how to configure it.

About the Wi-Fi Control Task

When the Wi-Fi Control task runs, Kaspersky Industrial CyberSecurity for Nodes monitors the protected device's attempts to connect to Wi-Fi networks and blocks or allows connections to detected Wi-Fi networks. The Wi-Fi Control task is based on the Default Deny principle, which implies automatically blocking connections to any Wi-Fi network not allowed in the task settings.

The Wi-Fi Control task can operate in two modes:

- **Active**. Kaspersky Industrial CyberSecurity for Nodes controls connections to Wi-Fi networks in accordance with the specified task settings. If the list of trusted Wi-Fi networks is applied in the task, then the application blocks connections to all Wi-Fi networks, except those indicated in the list. If the list of trusted Wi-Fi networks is not applied in the task, then the application blocks connections to all Wi-Fi networks.

  When running the task in the **Active** mode, Kaspersky Industrial CyberSecurity for Nodes blocks all current connections to Wi-Fi networks, unless the used networks have not been added to the list of trusted Wi-Fi networks.

- **Notify Only**. Kaspersky Industrial CyberSecurity for Nodes does not block connections to Wi-Fi networks. Instead, in the task log it only records information about connections to available Wi-Fi networks and the application's possible response to connection attempts. Connection to all Wi-Fi networks is allowed.

  This mode is set by default.

  You can use this mode to subsequently generate a list of trusted Wi-Fi networks on the basis of information recorded in the task log.

The Wi-Fi Control task can be started on computers running operating systems with the Wireless LAN Service feature installed and its WLAN Autoconfig (wlansvc) service started. The Wi-Fi Control task is not available without reconfiguring settings on operating systems that do not include wlansvc as a pre-installed service:

- Microsoft Windows Server® 2003R2 - The wlansvc service is missing and cannot be installed.
- Microsoft Windows Server 2008 - The wlansvc service is missing and must be installed and started before the Wi-Fi Control task is started.
- Microsoft Windows Server 2008 R2 - The wlansvc service is missing and must be installed and started before the Wi-Fi Control task is started.
- Microsoft Windows Server 2012 R2 - The wlansvc service is missing and must be installed and started before the Wi-Fi Control task is started.

  > The protected device must be restarted to install the wlansvc service on a protected device running Microsoft Windows Server 2012 R2.

- Microsoft Windows Server 2016 - The wlansvc service is missing and must be installed before the Wi-Fi Control task is started.

Kaspersky Industrial CyberSecurity for Nodes automatically checks for the presence of the wlansvc service in the operating system during installation and removes the Wi-Fi Control component from the recommended installation list if the wlansvc service is not detected. In this case, you can still select the Wi-Fi Control component in the custom installation list: you will not be able to start the Wi-Fi Control task until the Wireless LAN Service feature is installed and its WLAN Autoconfig (wlansvc) service started.

Default Wi-Fi Control task settings

The Wi-Fi Control task has a number of default settings that you can change according to security requirements (see the table below).

Default Wi-Fi Control Task Settings

Setting	Default Value	Description
Task mode	**Notify Only**	By default, the task only uses entries in the task log to notify the user about the blocking and allowing of connections to Wi-Fi networks. Connections are not actually blocked. You can choose the **Active** mode to protect a computer after creating a list of trusted Wi-Fi networks.
Allow connections to the following Wi-Fi networks	The list of trusted Wi-Fi networks is taken into consideration. The list of trusted Wi-Fi networks is empty.	You can ignore the list of exclusions for trusted Wi-Fi networks in order to block connections to all Wi-Fi networks.
Task start schedule	**At application launch**	The Wi-Fi Control task starts automatically when the application starts. You can configure a task launch schedule.

List of trusted Wi-Fi networks

You can specify the list of trusted Wi-Fi networks in order to ignore these networks when blocking connections. To create an exclusion for a trusted Wi-Fi network, you can:

- Add the trusted Wi-Fi network manually.
- Select trusted Wi-Fi networks from a list of available networks.
- Use **Notify Only** mode in the Wi-Fi Control task.

You can add and delete exclusions. You cannot edit exclusion that have been added.

Kaspersky Industrial CyberSecurity for Nodes uses the following criteria to allow connection to the trusted Wi-Fi networks:

- **Service Set Identifier (SSID)**. SSID (Service Set Identifier) - this is the name of the Wi-Fi network, which you can find in the operating system's list of information about available Wi-Fi networks. An SSID is not a unique identifier for a Wi-Fi network.

- **Wi-Fi encryption**. You can find out whether a Wi-Fi network is password protected by looking in the operating system's list of available Wi-Fi networks.

The values of these criteria are displayed in the corresponding columns of the list of trusted Wi-Fi networks in the Wi-Fi Control task settings.

When the Wi-Fi Control task is running, the application blocks connections to the Wi-Fi networks with the hidden SSID, if such Wi-Fi networks are not in the trusted networks list. You can only manually add an exclusion for a trusted Wi-Fi network with a hidden SSID.

Configuring the Wi-Fi Control task via the Administration Plug-in

Configuring Wi-Fi Control Task Settings

To configure the Wi-Fi Control task settings, take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

   The **Properties: Wi-Fi Control** window opens.
4. On the **General** tab:
   - In the **Task mode** section, select the mode for the Wi-Fi Control task:
     - **Active**.
     - **Notify only**.
   - Clear or select the **Allow connections to the following Wi-Fi networks** check box.
   - If needed, edit the list of exclusions for trusted Wi-Fi networks.
5. On the **Schedule** and **Advanced** tabs, configure the scheduled task launch settings.
6. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes applies new task settings immediately. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the task log.

Deleting an Exclusion for a Wi-Fi Network

To delete a Wi-Fi network from the list of trusted Wi-Fi networks, do the following:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

   The **Properties: Wi-Fi Control** window opens on the **General** tab.
4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.
5. In the list of trusted Wi-Fi networks, select the Wi-Fi networks you want to delete.
6. Click **Remove Wi-Fi network**.
7. Click **OK**.

The selected Wi-Fi networks are deleted from the list of trusted Wi-Fi networks. Kaspersky Industrial CyberSecurity for Nodes blocks connections to these Wi-Fi networks.

Manually adding a trusted Wi-Fi network

When manually adding a trusted Wi-Fi network you must manually specify the criteria that Kaspersky Industrial CyberSecurity for Nodes will use to allow connections to the trusted Wi-Fi network.

To add a Wi-Fi network to the list of trusted Wi-Fi networks, take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

- To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
- To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

  If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

The **Properties: Wi-Fi Control** window opens on the **General** tab.

4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.
5. Click the **Add trusted Wi-Fi network** button.
6. In the button's context menu, select the **Add manually** option.

   The **Add trusted Wi-Fi network** window opens.
7. Specify the Wi-Fi network settings that Kaspersky Industrial CyberSecurity for Nodes will use to allow connections to the trusted Wi-Fi network:
   - In the **Wi-Fi network identifier (SSID)** field, specify the name of the Wi-Fi network.

     You cannot leave the SSID field empty.
   - Clear or select the **Allow only secured Wi-Fi networks** check box.
8. In the **Add trusted Wi-Fi network** window, click the **OK** button.

The specified Wi-Fi network is added to the list of trusted Wi-Fi networks in the Wi-Fi Control task settings. When the task is run, Kaspersky Industrial CyberSecurity for Nodes allows connections to the Wi-Fi networks that match the specified exception.

Adding a trusted Wi-Fi network using the list of trusted Wi-Fi networks

When adding an exclusion for a trusted Wi-Fi network Kaspersky Industrial CyberSecurity for Nodes receives information from the operating system about all available Wi-Fi networks.

You cannot add a Wi-Fi network to the list of trusted Wi-Fi networks using the list of available Wi-Fi networks: if the SSID of the Wi-Fi network is hidden. It will not be displayed in the list of available Wi-Fi networks.

If you want to configure the Wi-Fi Control task settings for a group of computers using a Kaspersky Security Center policy, be sure that sending information about the available Wi-Fi networks to Administration Server is enabled in the Kaspersky Industrial CyberSecurity for Nodes policy. To do this, perform the following actions:

1. In the Kaspersky Security Center Administration Console, in the group of computers select **Policies** > **<Policy name>** > **Logs and notifications** > **Interaction with Administration Server**.
2. In the **Administration Server Network lists** window, select the **Available Wi-Fi networks** check box.

Kaspersky Industrial CyberSecurity for Nodes, which is installed on local computers, will send information about available Wi-Fi networks to Kaspersky Security Center Administration Server.

To add a trusted Wi-Fi network using the list of available Wi-Fi networks, do the following:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

   The **Properties: Wi-Fi Control** window opens on the **General** tab.
4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.
5. Click the **Add trusted Wi-Fi network** button.
6. In the button's context menu, select **Import from Kaspersky Administration Server**.

   The **Available Wi-Fi networks** window opens.
7. If needed, click the **Refresh list** button to receive an up-to-date list of available Wi-Fi networks.
8. In the list of available Wi-Fi networks select one or more Wi-Fi networks to add to the list of trusted Wi-Fi networks.
9. Click **OK**.

The specified Wi-Fi networks are added to the list of trusted Wi-Fi networks in the Wi-Fi Control task settings. When the task is run, Kaspersky Industrial CyberSecurity for Nodes allows connections to the specified Wi-Fi networks.

Configuring the Wi-Fi Control task via the Application Console

Configuring Wi-Fi Control task

To configure the Wi-Fi Control task settings:

1. In the Application Console tree, expand the **Computer Control** node.

2. Select the **Wi-Fi Control** child node.

3. Click the **Properties** link in the details pane of the **Wi-Fi Control** node.

   The **Task settings** window opens.

4. On the **General** tab:

   - In the **Task mode** section, select the mode for the Wi-Fi Control task:
     - **Active**.
     - **Notify Only**.
   - Clear or select the **Allow connections to the following Wi-Fi networks** check box.
   - If needed, edit the list of exclusions for trusted Wi-Fi networks.

5. On the **Schedule** and **Advanced** tabs, configure the scheduled task launch settings.

6. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes applies new task settings immediately. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the task log.

Manually adding a trusted Wi-Fi network

When manually adding a trusted Wi-Fi network you must manually specify the criteria that Kaspersky Industrial CyberSecurity for Nodes will use to allow connections to the trusted Wi-Fi network.

To add a Wi-Fi network to the list of trusted Wi-Fi networks:

1. In the Application Console tree, expand the **Computer Control** node.

2. Select the **Wi-Fi Control** child node.

3. Click the **Properties** link in the details pane of the **Wi-Fi Control** node.

   The **Task settings** window opens on the **General** tab.

4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.

5. Click the **Add trusted Wi-Fi network** button.

6. In the button's context menu, select the **Add Wi-Fi network manually** option.

   The **Wi-Fi network properties** window opens.

7. Specify the Wi-Fi network settings that Kaspersky Industrial CyberSecurity for Nodes will use to allow connections to the trusted Wi-Fi network:

   - In the **Wi-Fi network identifier (SSID)** field, specify the name of the Wi-Fi network.

     You cannot leave the SSID field empty.

- Clear or select the **Allow only secured Wi-Fi networks** check box.

8. In the **Wi-Fi network properties** window, click the **OK** button.

The specified Wi-Fi network is added to the list of trusted Wi-Fi networks in the Wi-Fi Control task settings. When the task is run, Kaspersky Industrial CyberSecurity for Nodes allows connections to the Wi-Fi networks that match the specified exception.

Adding a trusted Wi-Fi network using the list of trusted Wi-Fi networks

When adding an exclusion for a trusted Wi-Fi network Kaspersky Industrial CyberSecurity for Nodes receives information from the operating system about all available Wi-Fi networks.

> You cannot add a Wi-Fi network to the list of trusted Wi-Fi networks using the list of available Wi-Fi networks: if the SSID of the Wi-Fi network is hidden. It will not be displayed in the list of available Wi-Fi networks.

To add a trusted Wi-Fi network using the list of available Wi-Fi networks, do the following:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Wi-Fi Control** child node.
3. Click the **Properties** link in the details pane of the **Wi-Fi Control** node.

   The **Task settings** window opens on the **General** tab.
4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.
5. Click the **Add trusted Wi-Fi network** button.
6. In the button's context menu, click on the **Select from the available Wi-Fi networks** option.

   The **Available Wi-Fi networks** window opens.
7. If needed, click the **Refresh list** button to receive an up-to-date list of available Wi-Fi networks.
8. In the list of available Wi-Fi networks, select one or more Wi-Fi networks to add to the list of trusted Wi-Fi networks.
9. Click the **Add selected** button.
10. Click **OK**.

The specified Wi-Fi networks are added to the list of trusted Wi-Fi networks in the Wi-Fi Control task settings. When the task is run, Kaspersky Industrial CyberSecurity for Nodes allows connections to the specified Wi-Fi networks.

Deleting an Exclusion for a Wi-Fi Network

To delete a Wi-Fi network from the list of trusted Wi-Fi networks, do the following:

1. In the Application Console tree, expand the **Computer Control** node.

2. Select the **Wi-Fi Control** child node.

3. Click the **Properties** link in the details pane of the **Wi-Fi Control** node.

   The **Task settings** window opens on the **General** tab.

4. If needed, select the **Allow connections to the following Wi-Fi networks** check box to allow editing of the list of trusted Wi-Fi networks.

5. In the list of trusted Wi-Fi networks, select the Wi-Fi networks you want to delete.

6. Click **Remove Wi-Fi network**.

7. Click **OK**.

The selected Wi-Fi networks are removed from the list of trusted Wi-Fi networks. Kaspersky Industrial CyberSecurity for Nodes blocks connections to these Wi-Fi networks.

Anti-Cryptor

This section contains information about the Anti-Cryptor task and how to configure it.

About the Anti-Cryptor task

The Anti-Cryptor task makes it possible to detect malicious encrypting of network file resources on a protected device from remote devices on the corporate network.

While the Anti-Cryptor task runs, Kaspersky Industrial CyberSecurity for Nodes scans remote devices' calls to access files located in the shared folders of the protected device. If the application considers a remote device's actions on network file resources to be malicious encrypting, then Kaspersky Industrial CyberSecurity for Nodes adds the locally unique device's identifier (LUID) to the list of blocked hosts.

The Anti-Cryptor task can be performed in synchronous or asynchronous mode. By default, the Anti-Cryptor task runs in asynchronous mode, and file operations are processed on several parallel threads. For more detailed information about synchronous and asynchronous modes for processing file operations and about how to change the mode used to process file operations, refer to the Kaspersky Knowledge Base.

Kaspersky Industrial CyberSecurity for Nodes does not consider activity to be malicious encrypting if the detected encryption activity takes place in folders excluded from the scope of the Anti-Cryptor task.

By default, the application blocks a host's access to network file resources for 30 minutes.

The Anti-Cryptor task does not block access to network file resources until the host's activity is identified as malicious. This can take some time, during which the encryption program may conduct malicious activity.

If the Anti-Cryptor task runs in Statistics only mode, Kaspersky Industrial CyberSecurity for Nodes only logs remote devices' attempts at malicious encrypting in the task log.

Anti-Cryptor task statistics

If the Anti-Cryptor task is running, you can view real-time information about the number of objects processed by Kaspersky Industrial CyberSecurity for Nodes since the task was started, i.e., task execution statistics.

To view Anti-Cryptor task statistics:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.

   Task statistics are displayed in the **Statistics** section of the results pane of the selected node.

You can view information about objects processed by Kaspersky Industrial CyberSecurity for Nodes since the task was started (see the table below).

The Anti-Cryptor task statistics

Field	Description
Malicious encrypting	Number of access attempts where Kaspersky Industrial CyberSecurity for

attempts detected	Nodes detected encryption activity.
Processing errors	Number of application requests to the storage area that resulted in a task error.
Objects processed	Total number of access attempts processed by Kaspersky Industrial CyberSecurity for Nodes.

Default Anti-Cryptor task settings

The Anti-Cryptor task uses the default settings described in the table below. You can change the values of these settings.

Default Anti-Cryptor task settings

Setting	Default value	Description
Work mode	**Statistics only**	The Anti-Cryptor task can be started in **Active** or **Statistics only** mode.
Protection area	Kaspersky Industrial CyberSecurity for Nodes applies the Anti-Cryptor task to all of the protected device's shared folders by default.	You can change the protection scope by specifying shared folders to which the task will apply.
Exclusions	The exclusion list is applied and includes items added by Kaspersky experts(stt, sig, exe, sldprt).	Specify areas that you want to exclude from the task protection scope.
Heuristic analyzer	Heuristic Analyzer is enabled, and Kaspersky Industrial CyberSecurity for Nodes applies **Medium** scanning depth.	You can enable or disable Heuristic Analyzer, and regulate the level of scanning depth.
Schedule settings	By default, the first start is not scheduled. The Anti-Cryptor task does not start automatically when Kaspersky Industrial CyberSecurity for Nodes starts.	You can enable or disable Heuristic Analyzer and set the scanning depth.

Configuring the Anti-Cryptor task via the Administration Plug-in

To configure Anti-Cryptor task settings, take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the Properties: <Policy name> window.
   - To configure the application for a single protected device, select the **Devices** tab and open the Application settings window.

If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Network activity control** section, click the **Settings** button in the **Anti-Cryptor** subsection.

   The **Anti-Cryptor** window opens.

5. In the window that opens, configure the following settings:

   - Task mode and heuristic analyzer usage on the **General** tab.
   - Protection scope on the **Protection scope** tab.
   - Exclusions on the **Exclusions** tab.
   - Scheduled task start settings on the **Task management** tab.

6. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. The date and time when the settings were modified and the values of task settings before and after modification are saved in the system audit log.

General task settings

To configure the general task settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

   If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Network activity control** section, click the **Settings** button in the **Anti-Cryptor** subsection.

   The **Anti-Cryptor** window opens.

5. In the **Work mode** section on the **General** tab, select **Active** mode.
6. Clear or select the **Use heuristic analyzer** check box.
7. If necessary, adjust the level of analysis using the slider.

8. Click **OK** to apply the new configuration.

Creating the protection scope

The following types of protection scopes can be applied in the Anti-Cryptor task:

- **Predefined**. You can use the default protection scope, which includes all the device's shared folders in the scan. Applied if the **All shared network folders on the protected device** setting is selected.
- **User**. You can manually configure the protection scope by selecting the folders that need to be included in the encryption protection scope. Applied if the **Only specified shared folders** setting is selected.

> You can only use a local path to configure the protection scope for the Anti-Cryptor task.

To configure a protection scope for the Anti-Cryptor task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     > If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Network activity control** section, click the **Settings** button in the **Anti-Cryptor** subsection.

   The **Anti-Cryptor** window opens.
5. On the **Protection scope** tab, select the folders that Kaspersky Industrial CyberSecurity for Nodes will scan when executing the Anti-Cryptor task:
   - **All shared network folders on the protected device**.
   - **Only specified shared folders**.
6. To specify the device's shared folders, that you want to include in the encryption protection scope:
   a. Select **Only specified shared folders** and click the **Add** button.

      The **Select folder to add** window opens.

   b. Click the **Browse** button to select a folder, or enter the folder manually.

   c. Click **OK**.

7. Click **OK** in the **Anti-Cryptor** window.

The specified settings are saved.

Adding exclusions

To add exclusions from the encryption protection scope, take the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Network activity control** section, click the **Settings** button in the **Anti-Cryptor** subsection.

   The **Anti-Cryptor** window opens.
5. On the **Exclusions** tab, select the **Apply exclusion list** check box.
6. Click the **Add** button.

   The **Select folder to add** window opens.
7. Click the **Browse** button to select a folder, or enter the folder manually.
8. Click **OK**.

The excluded area will be added to the list.

Configuring the Anti-Cryptor task via the Application Console

To configure Anti-Cryptor task settings take the following steps:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.
3. Click the **Properties** link in the details pane of the **Anti-Cryptor** node.

   The **Task settings** window opens.
4. In the window that opens, configure the following settings:

- Work mode and heuristic analyzer usage on the **General** tab.
- Protection area on the **Protection area** tab.
- Exclusions on the **Exclusions** tab.
- Scheduled task start settings on the **Schedule** and **Advanced** tabs.

5. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. The date and time when the settings were modified, and the values of task settings before and after modification are saved in the system audit log.

General task settings

To configure the general task settings:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.
3. Click the **Properties** link in the details pane of the **Anti-Cryptor** node.

   The **Task settings** window opens.
4. In the **Work mode** section on the **General** tab, select **Active** mode.
5. Clear or select the **Use heuristic analyzer** check box.
6. If necessary, adjust the level of analysis using the slider.
7. Click **OK** to apply the new configuration.

Creating the protection scope

The following types of protection scopes are applied in the Anti-Cryptor task:

- **Predefined**. You can use the default protection scope, which includes all the device's shared network folders in the scan. Applied if the **All shared network folders on the protected device** setting is selected.
- **User**. You can manually configure the protection scope by selecting the folders that need to be included in the encryption protection scope. Applied if the **Only specified shared folders** setting is selected.

You can only use a local path to configure the protection scope for the Anti-Cryptor task.

When using either a predefined or user protection scope, you can exclude selected folders from the protection scope, for example, if data in these folders is encrypted by programs installed on remote devices.

To configure a protection scope for the Anti-Cryptor task:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.
3. Click the **Properties** link in the details pane of the **Anti-Cryptor** node.

   The **Task settings** window opens.
4. On the **Protection area** tab, select the folders that Kaspersky Industrial CyberSecurity for Nodes will scan when executing the Anti-Cryptor task:
   - All shared network folders on the protected device.
   - Only specified shared folders.
5. To specify the protected device's shared folders that you want to include in the encryption protection scope, use one of the following methods:
   - Manually:
     a. Enter the name of the shared folder on a protected device.
     b. Click the **Add** button.

        The folder is added to the list.
   - Browse:
     a. Click the **Browse** button.

        The standard Microsoft Windows window opens.
     b. Select the folder that you want to add to the protection scope of the task.
     c. Click **OK**.
6. Click **OK**.

The specified settings are saved.

Adding exclusions

To configure a protection scope for the Anti-Cryptor task:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.
3. Click the **Properties** link in the details pane of the **Anti-Cryptor** node.

   The **Task settings** window opens.
4. On the **Exclusions** tab, select the Apply exclusion list check box.
5. Specify a folder name or a mask.

6. Click the **Add** button.
7. If required, repeat steps 5 and 6 to add more exclusions.
8. Click **OK** in the **Task settings** window.

The protection scope exclusions will be added and applied.

Configuring the Anti-Cryptor task via the Web Plug-in

In this section, learn how to manage the Anti-Cryptor task via the Web Plug-in interface.

General task settings

To configure the general task settings:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Anti-Cryptor** subsection.
6. On the **General** tab, select **Active** mode.
7. In the **Heuristic analyzer** section, do one of the following:
   - Clear or select the **Use Heuristic Analyzer** check box.
   - If necessary, adjust the level of heuristic analysis.
8. Click **OK** to apply the new configuration.

Creating the protection scope

The following types of protection scopes are applied in the Anti-Cryptor task:

- **Predefined**. You can use the default protection scope, which includes all the device's shared network folders in the scan. Applied if the **All shared network folders on the server** setting is selected.
- **User**. You can manually configure the protection scope by selecting the folders that need to be included in the encryption protection scope. Applied if the **Only specified shared folders** setting is selected.

You can only use a local path to configure the protection scope for the Anti-Cryptor task.

When using either a predefined or user protection scope, you can exclude selected folders from the protection scope, for example, if data in these folders is encrypted by programs installed on remote devices.

To configure a protection scope for the Anti-Cryptor task:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Anti-Cryptor** subsection.
6. On the **Protection scope** tab, select the folders that Kaspersky Industrial CyberSecurity for Nodes will scan when executing the Anti-Cryptor task:
   - All shared network folders on the server.
   - Only specified shared folders.
7. To specify the device's shared folders, that you want to include in the encryption protection scope:
   a. Select **Only specified shared folders** and click the **Add** button.
   b. In the pane on the right specify the path to a folder.
   c. Click **OK**.
8. Click **OK** to apply the new configuration.

The specified settings are saved.

Adding exclusions

To configure Anti-Cryptor task settings take the following steps:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Anti-Cryptor** subsection.
6. On the **Exclusion list** tab, select the **Apply exclusion list** check box.
7. Click the **Add** button.
8. In the pane on the right specify the path to a folder or a mask.

9. Click **OK**.

10. Click **OK** to apply the new configuration.

    The protection scope exclusions will be added and applied.

Applications Launch Control

This section contains information about the Applications Launch Control task and how to configure it.

About the Applications Launch Control task

When running the Applications Launch Control task, Kaspersky Industrial CyberSecurity for Nodes monitors user's attempts to start applications and allows or denies start of these applications. The Applications Launch Control task relies on the Default Deny principle, which means that any applications that are not allowed in the task settings will be blocked automatically.

You can allow applications to start using one of the following methods:

- Set allowing rules for trusted applications.
- Check trusted applications reputation in KSN on launch.

The task gives top priority to denying the start of applications. For example, if an application is prevented from starting by one of the blocking rules, the application start will be denied regardless of the trusted conclusion for KSN. At that, if the application is not trusted by the KSN services but is included in the scope of an allowing rule, the application start will be denied.

All attempts to start applications are recorded in the task log.

The Applications Launch Control task can operate in one of two modes:

- **Active**. Kaspersky Industrial CyberSecurity for Nodes uses a set of rules to control the start of applications that fall within the scope of the Applications Launch Control rules. The scope of the Applications Launch Control rules is specified in the settings of this task. If an application falls within the scope of the Applications Launch Control rules, and the task settings do not satisfy any specified rule, the application launch will be denied.

  Launches of applications that do not fall within the scope of any rule specified in the Applications Launch Control task settings are denied regardless of the Applications Launch Control task settings.

  The **Applications Launch Control** task cannot be started in Active mode if no rules have been created or if there are more than 65,535 rules for one protected device.

- **Statistics only**. Kaspersky Industrial CyberSecurity for Nodes does not use Applications Launch Control rules to allow or deny the start of applications. Instead, it only records information about application starts, rules satisfied by running applications, and actions that would have been performed if the task was running in **Active** mode. All applications are allowed to start. This mode is set by default.

  You can use this mode to create Applications Launch Control rules based on information recorded in the task log.

You can configure the Applications Launch Control task according to one of the following scenarios:

- Advanced rule configuration and usage for Application Launch Control.
- Basic rules configuration and KSN usage for Application Launch Control.

If operating system files fall within the scope of the Applications Launch Control task, we recommend that when creating Applications Launch Control rules you make sure that such applications are allowed by the newly created rules. Otherwise, the operating system may fail to start.

Kaspersky Industrial CyberSecurity for Nodes also intercepts processes launched under the Windows Subsystem for Linux (except for scripts run from the UNIX™ shell, or command line interpreters). For such processes, the Applications Launch Control task applies the action defined by the current configuration. The Rule Generator for Applications Launch Control task detects application launches and generates corresponding rules for applications running under the Windows Subsystem for Linux.

About Applications Launch Control rules

How Applications Launch Control rules work

The operation of Applications Launch Control rules is based on the following components:

- Type of rule.

  Applications Launch Control rules can allow or deny the start of application. Accordingly, they are called *allowing* or *denying* rules. To create a list of allowing rules for Applications Launch Control, you can use the Rule Generator for generating allowing rules or use the Applications Launch Control task in **Statistics only** mode. You can also add allowing rules manually.

- User and / or user group.

  Applications Launch Control rules can control the start of specified applications by a user and / or user group.

- Rule usage scope.

  Applications Launch Control rules can be applied to *executable files, scripts,* and *MSI packages*.

- Rule-triggering criterion.

  Applications Launch Control rules control the launch of files that satisfy one of the criteria specified in the rule settings: signed by the specified *digital certificate*, matching the specified *SHA256 hash*, or located at the specified *path*.

  If **Digital certificate** is set as the rule-triggering criterion, the created rule controls the start of all trusted applications in the operating system. You can set stricter conditions for this criterion by selecting the following check boxes:

  - **Use subject**
  - **Use thumb**

  Thumbprints allow for the most restrictive triggering of application start rules based on a digital certificate, because a thumbprint uniquely identifies a digital certificate and cannot be forged, unlike the subject of a digital certificate.

You can specify exclusions for Applications Launch Control rules. Exclusions to Applications Launch Control rules are based on the same criteria used to trigger rules: digital certificate, SHA256 hash, and file path. Exclusions to Applications Launch Control rules may be required for certain allowing rules: for example, if you want to allow users to start applications from the C:\Windows path, while blocking launch of the Regedit.exe file.

If operating system files fall within the scope of the Applications Launch Control task, we recommend that when creating Applications Launch Control rules you make sure that such applications are allowed by the newly created rules. Otherwise, the operating system may fail to start.

Managing Applications Launch Control rules

You can perform the following actions with Applications Launch Control rules:

- Add rules manually.
- Generate and add rules automatically.
- Remove rules.
- Export rules to file.
- Check selected files for rules that allow execution of these files.
- Filter the rules in the list according to specified criterion.

About Software Distribution Control

Generating Applications Launch Control rules can be complicated if you also need to control software distribution on a protected device, for example, on protected devices where installed software is periodically automatically updated. In this case, the list of allowing rules must be updated after each software update for newly created files to be considered in the Applications Launch Control task settings. To simplify launch control in software distribution scenarios, you can use the Software Distribution Control subsystem.

A *software distribution package* (hereinafter referred to as "package") represents a software application to be installed on a protected device. Each package contains at least one application and may also contain individual files, updates, or even an individual command, in addition to applications, particularly when you are installing a software application or update.

The Software Distribution Control subsystem is implemented as an additional list of exclusions. When you add a software distribution package to this list, the application allows these trusted packages to be decompressed and allows software installed or modified by a trusted package to be started automatically. The extracted files can inherit the trusted attribute of the primary distribution package. A *primary distribution package* is a package that has been added to the list of Software Distribution Control exclusions by a user and has become a trusted package.

Kaspersky Industrial CyberSecurity for Nodes controls only full software distribution cycles. The application cannot correctly process the launch of files modified by a trusted package if, when the package is started for the first time, software distribution control is turned off or the Application Launch Control component is not installed.

Software distribution control is not available if the **Apply rules to executable files** check box is cleared in the Applications Launch Control task settings.

Software distribution cache

Kaspersky Industrial CyberSecurity for Nodes uses a dynamically generated software distribution cache ("distribution cache") to establishes the relationship between trusted packages and files created during software distribution. When a package is first started, Kaspersky Industrial CyberSecurity for Nodes detects all files created by the package during the software distribution process and stores file checksums and paths in the distribution cache. Then all files in the distribution cache are allowed to start by default.

You cannot review, clear or manually modify the distribution cache via the user interface. The cache is populated and controlled by Kaspersky Industrial CyberSecurity for Nodes.

You can export the distribution cache to a configuration file (XML format) and clear the cache using command line options.

To export the distribution cache to a configuration file, execute the following command:

```
kavshell appcontrol /config /savetofile:<full path> /sdc
```

To clear the distribution cache, execute the following command:

```
kavshell appcontrol /config /clearsdc
```

Kaspersky Industrial CyberSecurity for Nodes updates the distribution cache every 24 hours. If the checksum of a previously allowed file is changed, the application deletes the record for this file from the distribution cache. If the Applications Launch Control task is started in Active mode, subsequent attempts to start this file will be blocked. If the full path to the previously allowed file is changed, subsequent attempts to start this file will not be blocked, because the checksum is stored within the distribution cache.

Processing the extracted files

All files extracted from a trusted package inherit the trusted attribute upon first launch of the package. If you clear the check box after first launch, all files extracted from the package will retain the inherited attribute. To reset the inherited attribute on all extracted files, you need to clear the distribution cache and clear the **Allow the further distribution of programs created from this distribution package** check box before starting the trusted distribution package again.

Extracted files and packages created by a trusted primary distribution package inherit the trusted attribute when their checksums are added to the distribution cache when the software distribution package in the exclusion list is opened for the first time. Hence, the distribution package itself and all files extracted from this package will also be trusted. By default, the number of levels of inheritance of the trusted attribute is unlimited.

Extracted files will retain the trusted attribute after the operating system restarts.

The processing of files is configured in the Software Distribution Control settings by selecting or clearing the **Allow the further distribution of programs created from this distribution package** check box.

For example, suppose you add a test.msi package containing several other packages and applications to the exclusions list and select the check box. In this case, all packages and applications contained in the test.msi package are allowed to run or be extracted if they contain other files. This scenario works for extracted files on all nested levels.

If you add a test.msi package to the exclusions list and clear the **Allow the further distribution of programs created from this distribution package** check box, the application will assign the trusted attribute only to the packages and executable files extracted directly from the primary trusted package (on the first level of nesting). The checksums of such files are stored in the distribution cache. All files on the second level of nesting and beyond will be blocked by the Default Deny principle.

Working with the Applications Launch Control rule list

The list of trusted packages of software distribution control subsystem is a list of exclusions, which amplifies, but does not replace the general list of applications launch control rules.

Denying applications launch control rules have the highest priority: trusted package decompression and start of new or modified files will be blocked, if these packages and files are affected by the applications launch control denying rules.

Software distribution control exclusions are applied both for trusted packages and files created or modified by these packages, if no denying rules in the applications launch control list are applied for those packages and files.

Using KSN conclusions

KSN conclusions that a file is untrusted have a higher priority than the software distribution control exclusions: decompression of trusted packages and start of files created or modified by these packages will be blocked if KSN reports that these files are untrusted.

At that, after unpacking from a trusted package, all child files will be allowed to run regardless of KSN usage within the Applications Launch Control scope. At that, states of **Deny applications untrusted by KSN** and **Allow applications trusted by KSN** check boxes do not affect the operation of the **Allow the further distribution of programs created from this distribution package** check box.

About KSN usage for the Applications Launch Control task

To start the KSN Usage task, you must accept the KSN Statement.

If KSN data about an application's reputation is used by the Applications Launch Control task, the KSN application reputation is considered a criterion for allowing or denying launch of that application. If KSN reports to Kaspersky Industrial CyberSecurity for Nodes that an application is untrusted when the user attempts to launch the application, the application launch is denied. If KSN reports to Kaspersky Industrial CyberSecurity for Nodes that the application is trusted when the user attempts to launch the application, the application launch is allowed. KSN can be used along with Applications Launch Control rules or as an independent criterion for denying launch of applications.

Using KSN conclusions as independent criterion for denying application launch

This scenario lets you securely control application launches on a protected device without requiring advanced configuration of the rule list.

You can apply KSN conclusions to Kaspersky Industrial CyberSecurity for Nodes together with the only specified rule. The application will only allow the start of applications that are trusted in KSN or are allowed by a specified rule.

For such a scenario, we recommend that you set a rule allowing start of the application based on a digital certificate.

All other applications are denied in accordance with the Default Deny policy. Using KSN when no rules are applied protects a device from applications that KSN considers to be a threat.

Using KSN conclusions simultaneously with Applications Launch Control rules

When using KSN conclusions simultaneously with Applications Launch Control rules, the following conditions apply:

- Kaspersky Industrial CyberSecurity for Nodes always denies launch of an application if it is included in the scope of at least one denying rule. If the application is considered trusted by KSN, the corresponding conclusion has a lower priority and is not considered; the application launch will still be denied. This lets you expand the list of blocked applications.

- Kaspersky Industrial CyberSecurity for Nodes always denies the launch of an application if the launch of applications not trusted in KSN is prohibited and the application is not trusted in KSN. If an allowing rule is set for the application, it has a lower priority and is not considered; the application launch will still be denied. This protects the device from applications that KSN considers to be a threat but were not considered during initial configuration of the rules.

About Applications Launch Control rules generation

You can create lists of Applications Launch Control rules using Kaspersky Security Center tasks and policies simultaneously for all protected devices and groups of protected devices on the corporate network. The scenarios listed below are recommended if the corporate network does not have a reference machine and you are unable to create a list of allowing rules based on applications installed on the template machine.

You can run the Rule Generator for Applications Launch Control task locally via the Application Console to create a list of rules based on the applications running on a single protected device.

The Applications Launch Control component is installed with two preset allowing rules:

- Allowing rule for scripts and Windows Installer packages with a certificate trusted by the operating system.

- Allowing rule for executable files with a certificate trusted by the operating system.

You can create lists of Applications Launch Control rules on the side of Kaspersky Security Center in one of the following ways:

- Using a Rule Generator for Applications Launch Control group task.

  Under this scenario, a group task generates its own list of Applications Launch Control rules for each protected device on the network and saves those lists to an XML file in the specified shared folder. The XML file generated by the Rule Generator for Applications Launch Control task contains the allowing rules specified in task settings before the task starts.No rules will be created for applications that are not allowed to start in the specified task settings. The start of such applications is denied by default. You can then manually import the created list of rules into the Applications Launch Control task for the Kaspersky Security Center policy.

  You can configure the generated rules to be automatically imported into the list of rules for the Applications Launch Control task.

This scenario is recommended when you need to quickly create lists of Applications Launch Control rules. We recommend that you configure the scheduled launch of the Rule Generator for Applications Launch Control task only if the applied allowing rules include folders and files you know to be safe.

Before using the Applications Launch Control task in the network, make sure that all protected devices have access to a shared folder. If the organization's policy does not provide for the use of a shared folder in the network, we recommend that you start the Rule Generator for Applications Launch Control task on a protected device in the test protected devices group or on a template machine.

- Based on a report of task events generated in Kaspersky Security Center by the Applications Launch Control task running in **Statistics only** mode.

  Under this scenario, Kaspersky Industrial CyberSecurity for Nodes does not deny the launch of applications. Instead, with Applications Launch Control running in the **Statistics only** mode, it reports all allowed and denied application launches across all network protected devices in the **Events** tab of the Administration Server node's workspace in the Kaspersky Security Center. Kaspersky Security Center uses the reports to generate a single list of events in which application launches were denied.

  You need to configure the task execution period so that all possible scenarios involving the protected devices and protected device groups, and at least one protected device restart are performed during the specified time period. After the end of the task execution period, you can import application launch data from the saved Kaspersky Security Center event report (TXT format) and generate Applications Launch Control allowing rules for such applications based on this data.

  This scenario is recommended if a corporate network includes a large number of protected devices of different type (with a different software installed).

- Based on denied application launch events received through Kaspersky Security Center, without creating and importing a configuration file.

  To use this feature, the Applications Launch Control task on the protected device must be running under an active Kaspersky Security Center policy. In this case, all events on the protected device are sent to the Administration Server.

We recommend that you update the list of rules when the set of applications installed on network protected devices changes (for example, when updates are installed or operating systems are reinstalled). We recommend that you generate an updated list of rules by running the Rule Generator for Applications Launch Control task or the Applications Launch Control task in **Statistics only** mode on protected devices in the test administration group. The test administration group includes the protected devices required to test the launch of new applications before they are installed on network protected devices.

XML files containing lists of allowing rules are created based on an analysis of tasks started on the protected device. To account for all applications used on the network when generating lists of rules you are advised to start the Rule Generator for Applications Launch Control task and the Applications Launch Control task in **Statistics only** mode on a template machine.

Before generating allowing rules based on the applications launched on a reference machine, make sure that the template machine is secure and there is no malware on it.

Before adding allowing rules, select one of the available rule application modes. The list of Kaspersky Security Center policy rules displays only rules specified by the policy, regardless of the rule application mode. The local rule list includes all applied rules — both local rules and rules added through a policy.

Default Applications Launch Control task settings

By default, the Applications Launch Control task has the settings described in the table below. You can change the values of these settings.

Default Applications Launch Control task settings

Setting	Default value	Description
Task mode	**Statistics only**. The task records denied launch events and allowed launch events based on the set rules. Application launch is not actually denied.	You can select **Active** mode after the final list of rules is generated.
Repeat action taken for the first file launch on all the subsequent launches for this file	Not applied	You can repeat actions taken for the first file launch on all the subsequent launches for this file.
Deny the command interpreters launch with no command to execute	Not applied.	You can deny launch of command interpreters with no command to execute.
Rules managing	**Add policy rules to the local rules**	You can select a mode in which rules specified in a policy are applied together with the rules on the protected device.
Rule usage scope	The task controls the launch of executable files, scripts, and MSI packages.The task also monitors loading of DLL modules.	You can specify the file types for which launch is controlled by rules.
KSN Usage	KSN application reputation data is not used.	You can use KSN application reputation data when running the Applications Launch Control task.
Automatically allow software distribution via applications and packages listed	Not applied.	You can allow software distribution using the installers and applications specified in the settings. By default, software distribution is only allowed using the Windows Installer service.
Always allow software distribution via Windows Installer	Applied (can be changed only when the **Automatically allow software distribution via applications and packages listed** setting is enabled).	You can allow any software installation or update if the operations are performed via Windows Installer.
Always allow software distribution via SCCM using the Background Intelligent Transfer Service	Not applied (can be changed only when the **Automatically allow software distribution via applications and packages listed** setting is enabled).	You can turn on or off automatic software distribution using the System Center Configuration Manager.
Task start	First run is not scheduled.	The Applications Launch Control task does not start automatically at start of Kaspersky Industrial CyberSecurity for Nodes. You can

		start the task manually or configure a scheduled start.

Rule Generator for Applications Launch Control task default settings

Setting	Default Value	Description
Prefix for allowing rules names	Identical to the name of the protected device on which Kaspersky Industrial CyberSecurity for Nodes is installed.	You can change the prefix for names of allowing rules.
Allowing rules usage scope	The scope of allowing rules includes the following file categories by default: • Files with the EXE extension located in the folders C:\Windows, C:\Program Files (x86) and C:\Program Files • MSI packages stored in the C:\Windows folder • Scripts stored in the C:\Windows folder The task also creates rules for all running applications, regardless of their location and format.	You can change the protection scope by adding or removing folder paths and specifying the types of files that will be allowed to launch by the automatically generated rules. You can also ignore running applications when creating allowing rules.
Criteria for generation of allowing rules	The digital certificate subject and thumbprint are used; rules are generated for all users and groups of users.	You can use the SHA256 hash when generating allowing rules. You can select a user and group of users for which allowing rules need to be automatically generated.
Actions upon task completion	Allowing rules are added to the list of Applications Launch Control rules; new rules are merged with existing rules; duplicate rules are removed.	You can add rules to the existing rules without merging them and without deleting duplicate rules, or replace existing rules with the new allowing rules, or configure export of the allowing rules to a file.
Task launch settings with permissions	The task is started under a system account.	You can allow the Rule Generator for Applications Launch Control task to start under a system account or using the permissions of a specified user.
Task start schedule	First run is not scheduled.	The Rule Generator for Applications Launch Control task does not start automatically when Kaspersky Industrial CyberSecurity for Nodes starts. You can start the task manually or configure a scheduled start.

Managing Applications Launch Control via the Administration Plug-in

In this section, learn how to navigate the Administration Plug-In interface and configure task settings for one or all protected devices on the network.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening policy settings for the Applications Launch Control task

To open the Applications Launch Control task settings via the Kaspersky Security Center policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Local activity control** section.
6. Click the **Settings** button in the **Applications Launch Control** subsection.
   The **Applications Launch Control** window opens.

Configure the policy as required.

Opening the Applications Launch Control rules list

To open the Applications Launch Control rules list via the Kaspersky Security Center:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Local activity control** section.
6. Click the **Settings** button in the **Applications Launch Control** subsection.
   The **Applications Launch Control** window opens.
7. On the **General** tab, click the **Rules list** button.
   The **Applications Launch Control rules** window opens.

Configure the rules list as required.

Opening the Rule Generator for Applications Launch Control task wizard and properties

To start creating a Rule Generator for Applications Launch Control task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Tasks** tab.
4. Click **Create a task** button.
   The **New Task Wizard** window opens.
5. Select the **Rule Generator for Applications Launch Control** task.
6. Click **Next**.
   The **Settings** window opens.

To configure the existing Rule Generator for Applications Launch Control task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Tasks** tab.
4. Double-click the task name in the list of Kaspersky Security Center tasks.
   The **Properties: Rule Generator for Applications Launch Control** window opens.

See the Configuring the Rule Generator for Applications Launch Control task section for details on configuring the task.

Configuring Applications Launch Control task settings

To configure general Applications Launch Control task settings:

1. Open the **Applications Launch Control** window.
2. On the **General** tab, select the following settings in the **Task mode** section:
   - In the **Task mode** drop-down list, specify the task mode.
   - Clear or select the **Repeat action taken for the first file launch on all the subsequent launches for this file** check box.
   - Clear or select the **Deny the command interpreters launch with no command to execute** check box.
3. In the **Rules managing** section, configure settings for applying rules:

a. Click the **Rules list** button to add allowing rules for the Applications Launch Control task.

> Kaspersky Industrial CyberSecurity for Nodes does not recognize paths that contain slashes ("/"). Use backslash ("\") to enter the path correctly.

b. Select the mode for applying rules:

- **Replace local rules with policy rules**.

  The application applies the rule list specified in the policy for centralized application launch control on a group of protected devices. Local rule lists cannot be created, edited, or applied.

- **Add policy rules to the local rules**.

  The application applies the rule list specified in a policy together with local rule lists. You can edit the local rule lists using the Rule Generator for Applications Launch Control task.

4. In the **Rule usage scope** section, specify the following settings:

- Apply rules to executable files.
- Monitor loading of DLL modules.

> Controlling loading of DLL modules may affect the performance of the operating system.

- Apply rules to scripts and MSI packages.

5. In the **KSN Usage** group box, configure the following application launch settings:

- Deny applications untrusted by KSN.
- Allow applications trusted by KSN.
- Users and / or user groups allowed to launch applications trusted in KSN.

6. On the **Software Distribution Control** tab, configure the settings for software distribution control.

7. On the **Task management** tab, configure the scheduled task start settings.

8. Click **OK** in the **Applications Launch Control** window.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Configuring Software Distribution Control

To add a trusted distribution package:

1. Open the **Applications Launch Control** window.

2. On the **Software Distribution Control** tab, select the Automatically allow software distribution via applications and packages listed check box.

You can select the **Automatically allow software distribution via applications and packages listed**, if the **Apply rules to executable files** check box in the **General** tab is selected in the **Applications Launch Control** task settings.

3. Clear the **Always allow software distribution via Windows Installer** check box if required.

Clearing the **Always allow software distribution via Windows Installer** check box is only recommended if it is absolutely necessary. Turning off this function may cause issues with updating operating system files and also prevent the launch of files extracted from a distribution package.

4. If required, select the **Always allow software distribution via SCCM using the Background Intelligent Transfer Service** check box.

The application controls the software distribution cycle on the protected device — from package delivery to installation or update. The application does not control processes if any stage of distribution was performed before installation of the application on the protected device.

5. To create the allow list or to edit the existing list of trusted distribution packages, click **Change packages list** and select one of the following methods in the window that appears:

- **Add one distribution package**.

  a. Click the **Browse** button.

  b. Select the executable file or distribution package.

  The **Trusting criteria** section is automatically populated with data about the selected file.

  c. Clear or select the **Allow the further distribution of programs created from this distribution package** check box.

  d. Select one of two available options for criteria to use to determine whether a file or distribution package is trusted:

  - **Use digital certificate**
  - **Use SHA256 hash**

- **Add several packages by hash**.

  You can select an unlimited number of executable files and distribution packages, and add them to the list all at the same time. Kaspersky Industrial CyberSecurity for Nodes examines the hash and allows the operating system to launch the specified files.

- **Change selected package**.

  Use this option to select a different executable file or distribution package, or to change the trust criteria.

- **Import distribution packages list from file**.

  In the **Open** window, specify the configuration file containing a list of trusted distribution packages.

6. If you want to remove a previously added application or distribution package for the trusted list, click the **Delete distribution packages** button. Extracted files will be allowed to run.

   To prevent extracted files from starting, uninstall the application on the protected device or create a denying rule in the Applications Launch Control task settings.

7. Click **OK**.

Your newly configured settings are saved.

Configuring the Rule Generator for Applications Launch Control task

To configure the Rule Generator for Applications Launch Control task:

1. Open the **Properties: Rule Generator for Applications Launch Control** window.
2. In the **Notification** section, configure the task event notification settings.

   For detailed information regarding configuring settings in this section, see the *Kaspersky Security Center Help*.

3. In the **Settings** section, you can configure the following settings:
   - Add prefix for rule names.
   - Select how to create allowing rules:
     - **Create allowing rules based on running applications**
     - **Create allowing rules for applications from the folders**
4. In the **Options** section, you can specify actions to perform while creating allowing rules for applications launch control:
   - **Use digital certificate**
   - **Use digital certificate subject and thumbprint**
   - **If the certificate is missing, use**
     - **SHA256 hash**. The checksum of the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will allow start of programs launched using files with the specified checksum.
     - **path to file**. The path to the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will now allow start of programs launched using files located in the folders specified in the **Create allowing rules for applications from the folders** table in the **Settings** section.
   - **Use SHA256 hash**
   - **Generate rules for user or group of users**.

You can configure settings for configuration files with allowing rules lists that Kaspersky Industrial CyberSecurity for Nodes creates upon the task completion.

5. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).

6. In the **Account** section, specify the account whose rights will be used to run the task.

7. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section.

   For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

8. In the **Properties: <Task name>** window, click **OK**.

   The newly configured group task settings are saved.

Configuring Applications Launch Control rules via the Kaspersky Security Center

Learn how to generate a list of rules based on various criteria or manually create allowing or denying rules using the Application Launch Control task.

Adding an Applications Launch Control rule

To add an Applications Launch Control rule:

1. Open the **Applications Launch Control rules** window.

2. Click the **Add** button.

3. In the context menu of the button, select **Add one rule**.

   The **Rule settings** window opens.

4. Specify the following settings:

   a. In the **Name** field, enter the name of the rule.

   b. In the **Type** drop-down list, select the rule type:

   - **Allowing** if you want the rule to allow launch of applications in accordance with the criteria specified in the rule settings.
   - **Denying** if you want the rule to block launch of applications in accordance with the criteria specified in the rule settings.

   c. In the **Scope** drop-down list, select the type of files whose execution will be controlled by the rule:

   - **Executable files** if you want the rule to control launch of executable files.

- **Scripts and MSI packages** if you want the rule to control launch of scripts and MSI packages.

d. In the **User or user group** field, specify the users who will be allowed or not allowed to start programs based on the type of rule. To do this, perform the following actions:

1. Click the **Browse** button.
2. The standard Microsoft Windows **Select user or groups** window opens.
3. Specify the list of users and/or user groups.
4. Click **OK**.

e. If you want to take the values of the rule-triggering criteria listed in the **Rule triggering criterion** section from a specific file:

1. Click the **Set rule triggering criterion from file properties** button.

   The standard Microsoft Windows **Open** window opens.
2. Select the file.
3. Click the **Open** button.

   The criteria values in the file are displayed in the fields in the **Rule triggering criterion** group box. The criterion for which data are available in the file properties is selected by default.

f. In the **Rule triggering criterion** group box, select one of the following options:

- **Digital certificate** if you want the rule to control the start of applications launched using files signed with a digital certificate:
  - Select the **Use subject** check box if you want the rule to control the launch of files signed with a digital certificate only with the specified header.
  - Select the **Use thumb** check box if you want the rule to only control the launch of files signed with a digital certificate with the specified thumbprint.
- **SHA256 hash** if you want the rule to control the start of programs launched using files whose checksum matches the one specified.
- **Path to file** if you want the rule to control the start of programs launched using files located at the specified path.

  Kaspersky Industrial CyberSecurity for Nodes does not recognize paths that contain slashes ("/"). Use backslash ("\") to enter the path correctly.

  When specifying the objects, you can use file masks (via ? and * characters) and the following types of environment variables: %WINDIR%, %SYSTEM32%, %OSDRIVE%, %PROGRAMFILES%.

g. If you want to add rule exclusions:

1. In the **Exclusions from rule** section, click the **Add** button.

   The **Exclusion from rule** window opens.

2. In the **Name** field, enter the name of the exclusion.

3. Specify the settings for exclusion of application files from the Applications Launch Control rule. You can fill out the settings fields from the file properties by clicking the **Set exclusion based on file properties** button.

   - Digital certificate
   - **Use subject**
   - **Use thumb**
   - **SHA256 hash**
   - **Path to file**

4. Click **OK**.

5. If necessary, repeat steps (i)-(iv) to add additional exclusions.

5. Click **OK** in the **Rule settings** window.

The created rule is displayed in the list in the **Applications Launch Control rules** window.

Enabling the Default Allow mode

Default Allow mode allows all applications to start if they are not blocked by rules or by a conclusion from KSN that they are not trusted. Default Allow mode can be enabled by adding specific allowing rules. You can enable Default Allow for only scripts or for all executable files.

To add a Default Allow rule:

1. Open the **Applications Launch Control rules** window.

2. Click the **Add** button and, in the button's context menu, select **Add one rule**.
   The **Rule settings** window opens.

3. In the **Name** field, enter the name of the rule.

4. In the **Type** drop-down list, select the **Allowing** rule type.

5. In the **Scope** drop-down list, select the type of files whose execution will be controlled by the rule:

   - **Executable files** if you want the rule to control the launch of executable files.
   - **Scripts and MSI packages** if you want the rule to control the launch of scripts and MSI packages.

6. In the **Rule triggering criterion** group box, select the **Path to file** option.

7. Enter the following mask: `?:\`

8. Click **OK** in the **Rule settings** window.

Kaspersky Industrial CyberSecurity for Nodes applies the Default Allow mode.

Creating allowing rules from Kaspersky Security Center events

To generate allowing rules for applications from Kaspersky Security Center events in Applications Launch Control:

1. Open the **Applications Launch Control rules** window.
2. Click the **Add** button and, in the button's context menu, select **Create allowing rules for applications from Kaspersky Security Center events**.
3. Select the principle for adding the rules to the list of previously created Application Launch Control rules:
   - **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
   - **Replace existing rules** if you want to replace the existing rules with the imported rules.
   - **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

   The **Applications launch control rules generation** window opens.
4. Select the types of events that you want the rule generation task to use:
   - **Statistics only mode: application launch denied**.
   - **Application launch denied**.
5. Select the time period from the **Request events that were generated within the period** drop-down list.
6. Select or clear the **Prioritize the use of hash when generating rules** check box.

   If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes uses the checksum of the file to generate the rule when both the checksum and the certificate of the file are available.

   If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes uses the digital certificate of the file to generate the rule when both the checksum and the certificate of the file are available.
7. Click the **Generate rules** button.
8. Click the **Save** button in the **Applications Launch Control rules** window.

   The rule list in the Applications Launch Control task will be populated with new rules generated based on system data from the protected device with the Kaspersky Security Center Administration Console installed.

   If the list of Application Launch Control rules is already specified in the policy, Kaspersky Industrial CyberSecurity for Nodes adds the selected rules from the blocking events to the already specified rules. Rules with the same hash are not added, because all rules in the list must be unique.

Importing rules from a Kaspersky Security Center report on blocked applications

You can import data on blocked application launches from a report generated in Kaspersky Security Center after the Applications Launch Control task is run in **Statistics only** mode and use this data to generate a list of Applications Launch Control allowing rules in the policy being configured.

When generating a report on events occurring during the Applications Launch Control task, you can keep track of the applications whose launch is blocked.

When importing data from a report on blocked applications into policy settings, make sure that the list you are using contains only applications whose launch you want to allow.

To specify Applications Launch Control allowing rules for a group of protected devices based on a blocked applications report from Kaspersky Security Center:

1. Open the **Applications Launch Control** window.
2. In the **Task mode** section, select **Statistics only** mode.
3. In the policy properties in the **Event notification** section, make sure that:
   - For **Critical Events**, the task log retention period for **Application launch denied** events exceeds the planned period for running the task in **Statistics only** mode (the default value is 30 days).
   - For events with an importance level of **Warning**, the task log retention period for **Statistics only mode: application launch denied** events exceeds the planned period for running the task in **Statistics only** mode (the default value is 30 days).

     When the retention period for events elapses, information about the logged events is deleted and is not reflected in the report file. Before running the Applications Launch Control task in **Statistics only** mode, make sure that the task run time does not exceed the configured period for the specified events.
4. When the task has finished, export the logged events to a TXT file:
   a. In the workspace of the **Administration Server** node in Kaspersky Security Center, select the **Events** tab.
   b. Click the **Create a selection** button to create a selection of events based on the Blocked criterion to view the applications whose start will be blocked by the Applications Launch Control task.
   c. In the results pane of the selection, click **Export events to file** to save the blocked application starts report to a TXT file.

   Before importing and applying the generated report in a policy, make sure that the report only contains data on the applications whose start you want to allow.
5. Import data on blocked application starts into the Applications Launch Control task. To do so, in the policy properties in the Applications Launch Control task settings:

a. On the **General** tab, click the **Rules list** button.

The **Applications Launch Control rules** window opens.

b. Click the **Add** button and, in the button's context menu, select **Import data of blocked applications from Kaspersky Security Center report**.

c. Select the principle for adding rules from the list created based on a Kaspersky Security Center report to the list of previously configured Applications Launch Control rules:

- **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
- **Replace existing rules** if you want to replace the existing rules with the imported rules.
- **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

d. In the standard Microsoft Windows window that opens, select the TXT file to which events from the blocked application launch report have been exported.

e. Click **Save** in the **Applications Launch Control rules** window.

Rules created based on the Kaspersky Security Center report on blocked applications are added to the list of Applications Launch Control rules.

Importing Applications Launch Control rules from an XML file

You can import reports generated by the Rule Generator for Applications Launch Control group task and apply them as a list of allowing rules in the policy you are configuring.

When the Rule Generator for Applications Launch Control group task finishes, the application exports the created allowing rules into XML files saved in the specified shared folder. Each file with a rule list is created by analyzing files executed and applications launched on each separate protected device on the corporate network. The lists contain allowing rules for files and applications whose type matches the type specified in the Rule Generator for Applications Launch Control group task.

To specify Applications Launch Control allowing rules for a group of protected devices based on an automatically generated list of allowing rules:

1. On the **Tasks** tab in the detail pane of the group of protected devices you are configuring, create a Rule Generator for Applications Launch Control group task or select an existing task.

2. In the properties of the created Rule Generator for Applications Launch Control group task or in the task wizard, specify the following settings:

- In the **Notification** section, configure the settings for saving the task execution report.

  For detailed instructions on configuring settings in this section, see the *Kaspersky Security Center Help*.

- In the **Settings** section, specify the types of applications whose start will be allowed by the rules that are created. You can edit the set of folders containing allowed applications: exclude default folders from the task scope or add new folders manually.

- In the **Options** section, specify the operations to be performed by the task while it is running and after it is finished. Specify the rule-generating criterion and the name of the file to which the generated rules will be exported.
- In the **Schedule** section, configure the task start schedule settings.
- In the **Account** section, specify the user account under which the task will be executed.
- In the **Exclusions from task scope** section, specify the groups of protected devices to be excluded from the task scope.

  Kaspersky Industrial CyberSecurity for Nodes does not create allowing rules for applications launched on excluded protected devices.

3. On the **Tasks** tab on the detail pane of the group of protected devices being configured, in the list of group tasks select the Rule Generator for Applications Launch Control task that you have created, and click the **Start** button to start the task.

   When the task is finished, the automatically generated lists of allowing rules are saved in XML files in a shared folder.

   Before using the Applications Launch Control task in the network, make sure that all protected devices have access to a shared folder. If the organization's policy does not provide for the use of a shared folder in the network, we recommend that you start the Rule Generator for Applications Launch Control task on a protected device in the test protected devices group or on a reference machine.

4. To add the generated lists of allowing rules to the Applications Launch Control task:

   a. Open the **Applications Launch Control rules** window.

   b. Click the **Add** button and in the list that opens select **Import rules from XML file**.

   c. Select the principle for adding the automatically generated allowing rules to the list of previously created Applications Launch Control rules:

      - **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
      - **Replace existing rules** if you want to replace the existing rules with the imported rules.
      - **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

   d. In the standard Microsoft Windows window that opens, select XML files created after completion of the Rule Generator for Applications Launch Control group task.

   e. Click **Save** in the **Applications Launch Control rules** window.

5. If you want to apply the created rules to control the launch of application, in the policy in the properties of the Applications Launch Control task, select the **Active** mode for the task.

Allowing rules automatically generated based on task runs on each separate protected device are applied to all network protected devices covered by the policy being configured. On these protected devices, the application will allow the launch of only those applications for which allowing rules have been created.

Checking application launches

Before applying the configured Applications Launch Control rules, you can test any application to determine which Applications Launch Control rules are triggered by that application.

By default, Kaspersky Industrial CyberSecurity for Nodes denies the launch of applications whose launch is not allowed by a single rule. To avoid the denial of the launch of important applications, you need to create allowing rules for them.

If the launch of an application is controlled by several rules of different types, denying rules are given priority: the launch of an application will be denied if it falls under even one denying rule.

To test Applications Launch Control rules:

1. Open the **Applications Launch Control rules** window.
2. In the window that opens, click the **Show rules for the file** button.

   The standard Microsoft Windows window opens.
3. Select the file whose start control you want to test.

The path to the specified file is displayed in the search field. The list contains all rules that will be triggered when the selected file is started.

Creating a Rule Generator for Applications Launch Control task

To create and configure the Rule Generator for Applications Launch Control task settings:

1. Open the **Settings** window in the New Task Wizard.
2. Configure the following:
   - Specify Prefix for rule names.
   - Configure the allowing-rules usage scope.
3. Click **Next**.
4. Specify the actions that must be performed by Kaspersky Industrial CyberSecurity for Nodes:
   - When generating allowing rules.
   - Upon task completion.
5. In the **Schedule** window, set the scheduled task start settings.
6. Click **Next**.
7. In the **Selecting an account to run the task** window, specify the account you want to use.
8. Click **Next**.

9. Specify a task name.

10. Click **Next**.

    The task name should be no longer than 100 characters and cannot contain the following symbols: " * < > & \ : |

    The **Finish creating the task** window opens.

11. You can optionally run the task after the Wizard finishes by selecting the **Run task after Wizard finishes** check box.

12. Click **Finish** to finish creating the task.

To configure an existing rule in Kaspersky Security Center,

open the **Properties: Rule Generator for Applications Launch Control** window and adjust the settings described above.

Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Restricting the task usage scope

To restrict the scope of the Rule Generator for Applications Launch Control task:

1. Open the **Properties: Rule Generator for Applications Launch Control** window.

2. Select how to create allowing rules:

   - **Create allowing rules based on running applications**
   - **Create allowing rules for applications from the folders**

3. Click **OK**.

The specified settings are saved.

Actions to perform during automatic rule generation

To configure the actions that Kaspersky Industrial CyberSecurity for Nodes while the Rule Generator for Applications Launch Control task is running:

1. Open the **Properties: Rule Generator for Applications Launch Control** window.

2. Open the **Options** tab.

3. In the **While generating allowing rules** section, configure the following settings:

- Use digital certificate
- Use digital certificate subject and thumbprint
- If the certificate is missing, use
  - **SHA256 hash**. The checksum of the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will allow start of programs launched using files with the specified checksum.
  - **path to file**. The path to the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will now allow start of programs launched using files located in the folders specified in the **Create allowing rules for applications from the folders** table in the **Settings** section.
- Use SHA256 hash
- Generate rules for user or group of users.

4. Click **OK**.

The specified settings are saved.

Actions to perform upon completion of automatic rule generation

To configure the actions to be taken by Kaspersky Industrial CyberSecurity for Nodes after the Rule Generator for Applications Launch Control task is finished:

1. Open the **Properties: Rule Generator for Applications Launch Control** window.
2. Open the **Options** tab.
3. In the **After task completes** section, configure the following settings:
   - Add allowing rules to the list of Applications Launch Control rules.
   - Principle of adding.
   - **Export allowing rules to file**.
   - Add protected device details to file name.
4. Click **OK**.

The specified settings are saved.

Managing Applications Launch Control via the Application Console

In this section, you will learn how to navigate the Application Console interface and configure task settings on a protected device.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the Applications Launch Control task settings

To open the Applications Launch Control general task settings via the Application Console:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Applications Launch Control** child node.
3. In the details pane of the **Applications Launch Control** child node, click the **Properties** link.
   The **Task settings** window opens.

Opening the Applications Launch Control rules window

To open the Applications Launch Control rule list via the Application Console:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Applications Launch Control** child node.
3. In the results pane of the **Applications Launch Control** node, click the **Applications Launch Control rules** link.
   The **Applications Launch Control rules** window opens.
4. Configure the rules list as required.

Opening the Rule Generator for Applications Launch Control task settings

To configure the Rule Generator for Applications Launch Control task:

1. In the Application Console tree, expand the **Automated rule generators** node.
2. Select the **Rule Generator for Applications Launch Control** child node.
3. In the results pane of the **Rule Generator for Applications Launch Control** child node, click the **Properties** link.
   The **Task settings** window opens.
4. Configure the task as required.

Configuring Applications Launch Control task settings

To configure general Applications Launch Control task settings:

1. Open the **Task settings** window.
2. Configure the following task settings:
   - On the **General** tab:
     - Applications Launch Control task mode.
     - Rule usage scope in the task.
     - KSN Usage.
   - Software Distribution Control settings on the **Software Distribution Control** tab.
   - Task start schedule settings on the **Schedule** and **Advanced** tabs.
3. Click **OK** in the **Task settings** window.

   The modified settings are saved.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Selecting the mode of the Applications Launch Control task

To configure the mode of the Applications Launch Control task:

1. Open the **Task settings** window.
2. On the **General** tab, in the **Task mode** drop-down list, specify the task mode.
3. Clear or select the **Repeat action taken for the first file launch on all the subsequent launches for this file** check box.

   Kaspersky Industrial CyberSecurity for Nodes creates a new list of cached events every time the Applications Launch Control task settings are modified. This means that Applications Launch Control is performed according to the current security settings.
4. Clear or select the **Deny the command interpreters launch with no command to execute**.
5. Click **OK** in the **Task settings** window.

The specified settings are saved.

All attempts to start applications are recorded in the task log.

Configuring the scope of the Applications Launch Control task

To define the scope of the Applications Launch Control task:

1. Open the **Task settings** window.
2. On the **General** tab, in the **Rule usage scope** section, specify the following settings:
   - **Apply rules to executable files**
   - **Monitor loading of DLL modules**

     Controlling loading of DLL modules may affect the performance of the operating system.

   - **Apply rules to scripts and MSI packages**
3. Click **OK** in the **Task settings** window.

The specified settings are saved.

Configuring KSN usage

To configure the use of KSN services for the Applications Launch Control task:

1. Open the **Task settings** window.
2. On the **General** tab, in the **KSN Usage** section, specify the settings for use of KSN services:
   - If necessary, select the **Deny applications untrusted by KSN** check box.
   - If necessary, select the **Allow applications trusted by KSN** check box.
   - If the **Allow applications trusted by KSN** check box is selected, indicate the users and/or groups of users allowed to start applications trusted in KSN. To do this, perform the following actions:

     a. Click the **Edit** button.

     The standard Microsoft Windows **Select users or groups** window opens.

     By default, access to programs trusted in KSN is allowed to all users.

     b. Specify the list of users and/or user groups.

     c. Click **OK**.
3. Click **OK** in the **Task settings** window.

The specified settings are saved.

Software Distribution Control

To add a trusted distribution package:

1. Open the **Task settings** window.
2. On the **Software Distribution Control** tab, select the **Automatically allow software distribution via applications and packages listed** check box.

   You can select the **Automatically allow software distribution via applications and packages listed**, if the **Apply rules to executable files** check box in the **General** tab is selected in the **Applications Launch Control** task settings.

3. Clear the **Always allow software distribution via Windows Installer** check box if required.

   Clearing the **Always allow software distribution via Windows Installer** check box is only recommended if it is absolutely necessary. Turning off this function may cause issues with updating operating system files and also prevent the launch of files extracted from a distribution package.

4. If required, select the **Always allow software distribution via SCCM using the Background Intelligent Transfer Service** check box.

   The application controls the software distribution cycle on the protected device — from package delivery to installation or update. The application does not control processes if any stage of distribution was performed before installation of the application on the protected device.

5. To edit the list of trusted distribution packages, click **Change packages list** and select one of the following methods in the window that opens:

   - **Add one distribution package**.

     a. Click the **Browse** button.

     b. Select the executable file or distribution package.

     The **Trusting criteria** section is automatically populated with data about the selected file.

     c. Clear or select the **Allow the further distribution of programs created from this distribution package** check box.

     d. Select one of two available options for criteria to use to determine whether a file or distribution package is trusted:

     - **Use digital certificate**
     - **Use SHA256 hash**

   - **Add several packages by hash**.

You can select an unlimited number of executable files and distribution packages, and add them to the list all at the same time. Kaspersky Industrial CyberSecurity for Nodes examines the hash and allows the operating system to launch the specified files.

- **Change selected package**.

  Use this option to select a different executable file or distribution package, or to change the trust criteria.

- **Import distribution packages list from file**.

  In the **Open** window, specify the configuration file containing a list of trusted distribution packages.

6. If you want to remove a previously added application or distribution package for the trusted list, click the **Delete distribution packages** button. Extracted files will be allowed to run.

   To prevent extracted files from starting, uninstall the application on the protected device or create a denying rule in the Applications Launch Control task settings.

7. Click **OK**.

Your newly configured settings are saved.

Configuring Applications Launch Control rules

Learn how to generate, import and export a list of rules, or manually create allowing or denying rules using the Application Launch Control task.

Adding an Applications Launch Control rule

To add an Applications Launch Control rule:

1. Open the **Applications Launch Control rules** window.
2. Click the **Add** button.
3. In the context menu of the button, select **Add one rule**.

   The **Rule settings** window opens.

4. Specify the following settings:

   a. In the **Name** field, enter the name of the rule.

   b. In the **Type** drop-down list, select the rule type:

   - **Allowing** if you want the rule to allow launch of applications in accordance with the criteria specified in the rule settings.
   - **Denying** if you want the rule to block launch of applications in accordance with the criteria specified in the rule settings.

c. In the **Scope** drop-down list, select the type of files whose execution will be controlled by the rule:

- **Executable files** if you want the rule to control launch of executable files.
- **Scripts and MSI packages** if you want the rule to control launch of scripts and MSI packages.

d. In the **User or user group** field, specify the users who will be allowed or not allowed to start programs based on the type of rule. To do this, perform the following actions:

1. Click the **Browse** button.
2. The standard Microsoft Windows **Select user or groups** window opens.
3. Specify the list of users and/or user groups.
4. Click **OK**.

e. If you want to take the values of the rule-triggering criteria listed in the **Rule triggering criterion** section from a specific file:

1. Click the **Set rule triggering criterion from file properties** button.

   The standard Microsoft Windows **Open** window opens.
2. Select the file.
3. Click the **Open** button.

   The criteria values in the file are displayed in the fields in the **Rule triggering criterion** group box. The criterion for which data are available in the file properties is selected by default.

f. In the **Rule triggering criterion** group box, select one of the following options:

- **Digital certificate** if you want the rule to control the start of applications launched using files signed with a digital certificate:
  - Select the **Use subject** check box if you want the rule to control the launch of files signed with a digital certificate only with the specified header.
  - Select the **Use thumb** check box if you want the rule to only control the launch of files signed with a digital certificate with the specified thumbprint.
- **SHA256 hash** if you want the rule to control the start of programs launched using files whose checksum matches the one specified.
- **Path to file** if you want the rule to control the start of programs launched using files located at the specified path.

  Kaspersky Industrial CyberSecurity for Nodes does not recognize paths that contain slashes ("/"). Use backslash ("\") to enter the path correctly.

  When specifying the objects, you can use file masks (via ? and * characters) and the following types of environment variables: %WINDIR%, %SYSTEM32%, %OSDRIVE%, %PROGRAMFILES%.

g. If you want to add rule exclusions:

1. In the **Exclusions from rule** section, click the **Add** button.

   The **Exclusion from rule** window opens.

2. In the **Name** field, enter the name of the exclusion.

3. Specify the settings for exclusion of application files from the Applications Launch Control rule. You can fill out the settings fields from the file properties by clicking the **Set exclusion based on file properties** button.

   - **Digital certificate**
   - **Use subject**
   - **Use thumb**
   - **SHA256 hash**
   - **Path to file**

4. Click **OK**.

5. If necessary, repeat steps (i)-(iv) to add additional exclusions.

5. Click **OK** in the **Rule settings** window.

The created rule is displayed in the list in the **Applications Launch Control rules** window.

Enabling the Default Allow mode

Default Allow mode allows all applications to start if they are not blocked by rules or by a conclusion from KSN that they are not trusted. Default Allow mode can be enabled by adding specific allowing rules. You can enable Default Allow for only scripts or for all executable files.

To add a Default Allow rule:

1. Open the **Applications Launch Control rules** window.

2. Click the **Add** button.

3. In the context menu of the button, select **Add one rule**.

   The **Rule settings** window opens.

4. In the **Name** field, enter the name of the rule.

5. In the **Type** drop-down list, select the **Allowing** rule type.

6. In the **Scope** drop-down list, select the type of files whose execution will be controlled by the rule:

   - **Executable files** if you want the rule to control the launch of executable files.
   - **Scripts and MSI packages** if you want the rule to control the launch of scripts and MSI packages.

7. In the **Rule triggering criterion** group box, select the **Path to file** option.

8. Enter the following mask: `?:\`

9. Click **OK** in the **Rule settings** window.

Kaspersky Industrial CyberSecurity for Nodes applies the Default Allow mode.

Creating allowing rules from Applications Launch Control task events

To create a configuration file that contains allowing rules generated from Applications Launch Control task events:

1. Start the Applications Launch Control task in **Statistics only** mode to record information about all applications launches on a protected device in the task log.

2. After the task finishes running in **Statistics only** mode, open the task log by clicking the **Open task log** button in the **Management** section of the **Applications Launch Control** node's detail pane.

3. In the **Logs** window, click **Generate rules based on events**.

Kaspersky Industrial CyberSecurity for Nodes will generate an XML configuration file containing a rule list based on events of the Applications Launch Control task in **Statistics only** mode. You can apply this rule list in the Applications Launch Control task.

Before applying the rule list generated from the logged task events, we recommend that you review and manually process the list to be certain that the launch of critical files (for example, system files) is allowed by the specified rules.

All task events are recorded in the task log regardless of the task mode. You can generate a configuration file with a rule list based on the log created while the task is running in **Active** mode. This scenario is not recommended except for urgent cases, because a final rule list must be generated before the task is run in **Active** mode in order to make it efficient.

Exporting Applications Launch Control rules

To export Applications Launch Control rules to a configuration file:

1. Open the **Applications Launch Control rules** window.

2. Click the **Export to a file** button.

   The standard Microsoft Windows window opens.

3. In the window that opens, specify the file to which you want to export the rules. If no such file exists, it will be created. If a file with the specified name already exists, its contents will be overwritten when the rules are exported.

4. Click the **Save** button.

The rule settings will be exported to the specified file.

Importing Applications Launch Control rules from an XML file

To import Applications Launch Control rules:

1. Open the **Applications Launch Control rules** window.
2. Click the **Add** button.
3. In the context menu of the button, select **Import rules from XML file**.
4. Specify the method for adding the imported rules. To do so, select one of the options from the context menu of the **Import rules from XML file** button:
   - **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
   - **Replace existing rules** if you want to replace the existing rules with the imported rules.
   - **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

   The standard Microsoft Windows **Open** window opens.
5. In the **Open** window, select the XML file that contains the Applications Launch Control rules.
6. Click the **Open** button.

The imported rules will be displayed in the list in the **Applications Launch Control rules** window.

Removing Applications Launch Control rules

To remove Applications Launch Control rules:

1. Open the **Applications Launch Control rules** window.
2. In the list, select one or more rules that you want to delete.
3. Click the **Remove Selected** button.
4. Click the **Save** button.

The selected Applications Launch Control rules are deleted.

Configuring a Rule Generator for Applications Launch Control task

To configure the Rule Generator for Applications Launch Control task settings:

1. Open the **Task settings** window of the **Rule Generator for Applications Launch Control** task.
2. Configure the following settings:
   - On the **General** tab:
     - Specify **Prefix for rule names**.

- Configure the allowing-rules usage scope.

- On the **Actions** tab, specify the actions that must be performed by Kaspersky Industrial CyberSecurity for Nodes.

- On the **Schedule** and **Advanced** tabs, configure Schedule task start settings.

- On the **Run as** tab, configure Task start settings with account permission.

3. Click **OK** in the **Task settings** window.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification.

Restricting the task usage scope

To restrict the scope of the Rule Generator for Applications Launch Control task:

1. Open the **Task settings** window of the **Rule Generator for Applications Launch Control** task.

2. Select how to create allowing rules:

   - **Create allowing rules based on running applications**.

   - **Create allowing rules for applications from the folders**.

3. Click **OK** in the **Task settings** window.

The specified settings are saved.

Actions to perform during automatic rule generation

To configure the actions of Kaspersky Industrial CyberSecurity for Nodes during the running and upon the completion of the Rule Generator for Applications Launch Control task:

1. Open the **Task settings** window of the **Rule Generator for Applications Launch Control** task.

2. Open the **Options** tab.

3. In the **While generating allowing rules** section, configure the following settings:

   - **Use digital certificate**

   - **Use digital certificate subject and thumbprint**

   - **If the certificate is missing, use**

     - **SHA256 hash**. The checksum of the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will allow start of programs launched using files with the specified checksum.

- **path to file**. The path to the file used to generate the rule is set as a criterion for triggering the allowing rule for Applications Launch Control. The application will now allow start of programs launched using files located in the folders specified in the **Create allowing rules for applications from the folders** table in the **Settings** section.

- Use SHA256 hash.
- Generate rules for user or group of users.

4. In the **After task completes** section, configure the following settings:

   - Add allowing rules to the list of Applications Launch Control rules.
   - Principle of adding.
   - **Export allowing rules to file**.
   - Add protected device details to file name.

5. Click **OK** in the **Task settings** window.

   The specified settings are saved.

Actions to perform upon completion of automatic rule generation

To configure the actions to be taken by Kaspersky Industrial CyberSecurity for Nodes after the Rule Generator for Applications Launch Control task is finished:

1. Open the Task settings window of the **Rule Generator for Applications Launch Control** task.
2. Open the **Options** tab.
3. In the **After task completes** section, configure the following settings:

   - Add allowing rules to the list of Applications Launch Control rules.
   - Principle of adding.
   - **Export allowing rules to file**.
   - Add protected device details to file name.

4. Click **OK** in the **Task settings** window.

   The specified settings are saved.

Managing Applications Launch Control via the Web Plug-in

To configure Applications Launch Control tasks via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Local activity control** section.

5. Click **Settings** in the **Applications Launch Control** subsection.

6. Configure the settings described in the table below.

Applications Launch Control task settings

Setting	Description
Task mode	In this drop-down list, you can select the Applications Launch Control task's mode: • **Active**. Kaspersky Industrial CyberSecurity for Nodes uses the specified rules to control the launch of any application. • **Statistics only**. Kaspersky Industrial CyberSecurity for Nodes does not use the specified rules to control application launches. Instead, it simply records information about launch events in the task log. All applications are allowed to start. You can use this mode to generate a list of Applications Launch Control rules based on the information about denied application launches recorded in the task log. By default, the Applications Launch Control task runs in **Statistics only** mode.
Repeat action taken for the first file launch on all the subsequent launches for this file	The check box enables or disables launch control for the second and subsequent attempts to start applications based on the event information stored in the cache. If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes allows or denies subsequent launches of an application based on the task's conclusion regarding the first launch of the application. For example, if the first application launch was allowed by the rules, information about this decision will be stored in the cache, and the second and all subsequent launches will also be allowed without rechecking. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes analyzes an application every time a launch is attempted. The check box is cleared by default.
Deny the command interpreters launch with no command to execute	If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes denies the launch of command line interpreters even if launching interpreters is allowed. A command interpreter can only be launched with no command if both of the following conditions are met: • Launch of the command line interpreter is allowed. • The command to be executed is allowed. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes only considers allowing rules when launching a command line interpreter. The launch is denied if no allowing rule applies or the executable process is not trusted by KSN. If an allowing rule applies or the process is trusted by KSN, a command line interpreter can be launched with or without a command to execute. Kaspersky Industrial CyberSecurity for Nodes recognizes the following command line interpreters: • cmd.exe • powershell.exe • python.exe

	• perl.exe The check box is cleared by default.
Apply rules to executable files	The check box either enables or disables launch control of executable files. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes allows or blocks start of executable files using the specified rules whose settings specify **Executable files** as the scope. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not control start of executable files using the specified rules. Startup of executable files is allowed. The check box is selected by default.
Monitor loading of DLL modules	The check box either enables or disables control of loading of DLL modules. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes allows or blocks loading of DLL modules using the specified rules whose settings specify **Executable files** as the scope. If this check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not control loading of DLL modules using the specified rules. Loading of DLL modules is allowed. The check box is active if the **Apply rules to executable files** check box is selected. The check box is selected by default.
Apply rules to scripts and MSI packages	The check box either enables or disables launch of scripts and MSI packages. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes allows or blocks start of scripts and MSI packages using the specified rules whose settings specify Scripts and MSI packages as the scope. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not control start of scripts and MSI packages using specified rules. Start of scripts and MSI packages is allowed. The check box is selected by default.
Deny applications untrusted by KSN	The check box either enables or disables Applications Launch Control according to application reputation data in KSN. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes blocks any application from running if it is not trusted in KSN. Applications Launch Control allowing rules that apply to applications not trusted in KSN will not be triggered. Selecting the check box provides additional protection from malware. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not consider the reputation of applications not trusted in KSN and allows or blocks start in accordance with the rules that apply to such applications. The check box is cleared by default.
Allow applications trusted by KSN	The check box either enables or disables Applications Launch Control according to application reputation data in KSN. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes allows applications to run if they are trusted in KSN. Denying application launch control rules that apply to KSN-trusted applications have higher priority: if an application is trusted by KSN services, the application launch will be denied. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not consider the reputation of KSN-trusted applications and allows or denies launch in accordance with rules that apply to such applications. The check box is cleared by default.

Users and / or user groups allowed to run applications trusted by KSN	If the **Allow applications trusted by KSN** check box is selected, here you can specify users and user groups allowed to start applications that are trusted by KSN. By default, the following users are specified: **Everyone** and **NT AUTHORITY\SYSTEM**.
Rules	Configure allowing or denying rules for the Application Launch Control task.
Software Distribution Control	You can add trusted distribution packages.
Task management	You can configure settings to start the task on a schedule.

Device Control

This section contains information about the Device Control task and how to configure it.

About Device Control task

Kaspersky Industrial CyberSecurity for Nodes controls registration and usage of the external devices and CD/DVD drives in order to protected device against computer security threats, that may occur in process of file exchange with flash drives or other type of external device connected via USB.

Kaspersky Industrial CyberSecurity for Nodes controls the following USB external devices connections:

- USB-connected flash drives
- CD/DVD ROM drives
- USB-connected floppy disk drives
- USB-connected network adapters
- USB-connected MTP-mobile devices

Kaspersky Industrial CyberSecurity for Nodes informs you about all devices connected via USB with the corresponding event in the task and event logs. The event details include device type and connection path. When the Device Control task is started, Kaspersky Industrial CyberSecurity for Nodes checks and lists all devices connected via USB. You can configure the notifications in the Kaspersky Security Center notification settings section.

The Device Control task monitors all the attempts of external devices connections to a protected device via USB and blocks connection, if there are no allowing rules for such devices. After the connection is blocked, the device is not available.

The application prescribes one of the following statuses to each connected external device:

- *Trusted*. Device for which you want to allow files exchange. Upon rules list generation, the *Device instance path* value is included into usage scope for at least one rule.
- *Untrusted*. Device for which you want to restrict files exchange. Device instance path is not included into any allowing rule usage scope.

You can create allowing rules for external devices to allow data exchange using the Rule Generator for Device Control task. You can also expand the usage scope for already specified rules. You cannot create allowing rules manually.

Kaspersky Industrial CyberSecurity for Nodes identifies external devices that are registered in the system, by using the Device Instance Path value. Device Instance Path is a default feature uniquely specified for each external device. The Device Instance Path value is specified for each external device in its Windows properties and is automatically determined by Kaspersky Industrial CyberSecurity for Nodes during rule generation.

The Device Control task can operate in two modes:

- **Active**. Kaspersky Industrial CyberSecurity for Nodes applies rules to control the connection of flash drives and other external devices, and allows or blocks the use of all devices according to the Default Deny principle and specified allowing rules. The use of trusted external devices is allowed. The use of untrusted external devices is blocked by default.

  If an external device you consider to be untrusted is connected to a protected device before the Device Control task is run in the **Active** mode, the device is not blocked by the application. We recommend that you disconnect the untrusted device manually or restart the protected device. Otherwise, the Default Deny principle will not be applied to the device.

- **Statistics only**. Kaspersky Industrial CyberSecurity for Nodes does not control the connection of flash drives and other external devices, but only logs information about the connection and registration of external devices on a protected device, and about the Device Control allowing rules triggered by the connected devices. The use of all external devices is allowed. This mode is set by default.

  You can apply this mode for rules generation on the basis of the information about blocking devices logged during the task running.

About Device Control rules

Kaspersky Industrial CyberSecurity for Nodes does not apply allowing rules for MTP-connected mobile devices.

The rules are generated uniquely for each device that is currently connected or has ever been connected to a protected device if the information about this device is stored in the system registry.

To generate allowing rules for device control:

- Apply the Rule Generator for Device Control task.
- Run the Device Control task in the Statistics only mode.
- Apply system information about previously connected devices.
- Expand the usage scope for already specified rules.

The maximum number of the Device Control rules supported by Kaspersky Industrial CyberSecurity for Nodes is 3072.

Device Control rules are described below.

Rule type

Rule type is always *allowing*. By default, the Device Control task blocks all flash drives and other external devices connections if these devices are not included into any allowing rule usage scope.

Triggering criterion and rule usage scope

Device Control rules identify flash drives and other external devices basing on *Device instance path*. Device instance path is a unique criterion that is assigned to a device by the system when the device is connected and is registered as an External Device or CD/DVD drive (for example, IDE or SCSI).

Kaspersky Industrial CyberSecurity for Nodes controls connection of the CD/DVD drives regardless of the bus used for connection. When mounting such device via USB, operating system registers two path values to the device instance: for the external device and for CD/DVD drive (for example, IDE or SCSI). To connect such devices correctly, allowing rules for each path value to the instance must be set.

Kaspersky Industrial CyberSecurity for Nodes automatically defines the device instance path and parses the value obtained into the following elements:

- Device manufacturer (VID)
- Device controller type (PID)
- Device serial number

You cannot set the device instance path manually. Allowing rule triggering criteria define the rule usage scope. By default, newly created rule usage scope includes one initial device, basing on whose properties Kaspersky Industrial CyberSecurity for Nodes had generated the rule. You can configure the values in the created rule settings by using a mask to expand the rule usage scope.

Initial device values

Device properties that Kaspersky Industrial CyberSecurity for Nodes used for allowing rule generation and that are displayed in Windows Device Manager for each device connected.

Initial device values contain the following information:

- **Device instance path**. Basing on this property Kaspersky Industrial CyberSecurity for Nodes defines rule triggering criteria and fills the following fields: **Manufacturer (VID)**, **Controller type (PID)**, **Serial number** in the **Rule usage scope** section of the **Rule properties** window.
- **Friendly name**. Device clear name that is set in the device properties by its manufacturer.

Kaspersky Industrial CyberSecurity for Nodes automatically defines initial device values when the rule is generating. Later on you can use these values to recognize the device that was used as a base for the rule generating. Initial device values are not available for editing.

Description

You can add additional information for each created device control rule in the **Description** field, for example, you can note name of the connected flash driver or define its owner. The description is displayed in a corresponding graph in the **Device Control rules** window.

Description and initial device values are not allowed for rule triggering and are prescribed only to simplify device identification by user.

About Device Control rules generation

You can import device control allowing rules from the XML files that were automatically generated during the Device Control or the Rule Generator for Device Control tasks running.

By default, Kaspersky Industrial CyberSecurity for Nodes restricts connections of any flash drives and other external devices, if they are not included into the usage scope of specified device control rules.

Targets and scenarios for device control rules generation

Rule generation scenario	Target
The Rule Generator for Device Control task	• Add allowing rules for previously connected trusted devices before the first start of the Device Control task. • Generate rules list for devices trusted in the protected devices network.
Rules generation based on system data	Add allowing rules for one or several external devices, whose data have been stored in the system.
Rules generation based on data about the currently connected devices	Renew an already specified rules list when it is necessary to trust a little amount of new external devices.
The Device Control task in the **Statistics only** mode	Generate allowing rules for a large number of trusted devices.

The Rule Generator for Device Control task usage

XML file, generated upon the Rule Generator for Device Control task completion, contains allowing rules for those flash drives and other external devices whose data have been stored in a system registry.

Use this scenario during the rule generation process to take into account all ever connected external devices that are registered by the systems on all network protected device or to consider only data about devices currently connected to all network protected device. The task also allows for all external devices that a connected at the moment of task running. Upon the group task completion Kaspersky Industrial CyberSecurity for Nodes generates allowing rules lists for all external devices registered in the network and saves these lists in an XML file in a specified folder. Then you can manually import generated rules in the Device Control task settings. Unlike a task on a protected device, the policy does not allow configuring the automatic addition of the created rules to the list of Device Control rules when the Rule Generator for Device Control group task is completed.

This scenario is recommended to generate allowing rules list before the first start of the Device Control task, so that allowing rules generated cover all trusted external devices that are used on a protected device.

Usage of system data about all connected devices

During the task running, Kaspersky Industrial CyberSecurity for Nodes receives system data about all external devices that have ever been connected or that are currently connected to a protected device, and displays detected devices in the list of the **Generate rules based on the system information** window.

For each detected device Kaspersky Industrial CyberSecurity for Nodes parses the values of manufacturer (VID), controller type (PID), friendly name, serial number and device instance path. You can generate allowing rules for any external device, whose data have been stored in the system, and straightly add newly created rules to the list of the device control rules.

According to this scenario Kaspersky Industrial CyberSecurity for Nodes generates allowing rules for external devices that have ever been connected or are currently connected to a protected device with Kaspersky Security Center installed.

This scenario is recommended to renew an already specified rules list when it is necessary to trust a little amount of new external devices.

Usage of data about the currently connected devices

In this scenario, Kaspersky Industrial CyberSecurity for Nodes generates allowing rules only for currently connected external devices. You can select one or more external devices for which you want to generate allowing rules.

Usage of the Device Control task in the Statistics only mode

XML file received upon the Device Control task completion in the **Statistics only** mode is generated basing on the task log.

During the task running Kaspersky Industrial CyberSecurity for Nodes logs information about all connections of flash drives and other external devices to a protected device. You can generate allowing rules based on task events and export them to an XML file. Before starting the task in the **Statistics only** mode, it is recommended to configure the task running period so that during the term specified all the possible external devices connections to a protected device would be performed.

This scenario is recommended to renew an already generated rules list if it is required to allow a large number of new external devices.

If the rule list generation according to this scenario is performed on a template machine, you can apply a generated allowing rules list while configuring the Device Control task via the Kaspersky Security Center. This way you will be able to allow to use the external devices that are connected to a template machine on all the protected devices.

About Rule Generator for Device Control task

The Rule Generator for Device Control task can automatically create a list of allowing rules for connected flash drives and other external devices basing on the system data about all external devices that have ever been connected to a protected device.

Upon the task completion Kaspersky Industrial CyberSecurity for Nodes creates an XML configuration file that contains allowing rules list for all detected external devices or straightly adds generated rules in the Device Control task depending on the Rule Generator for Device Control settings. The application will subsequently allow devices for which allowing rules were automatically generated.

Generated and added in the task rules are displayed in the **Device Control rules** window.

Device Control default task settings

By default, the Device Control task has the settings described in the table below. You can change the values of these settings.

Default Device Control task settings

Setting	Default value	Description
Task mode	**Statistics only**	The task logs information about external devices that were blocked or allowed according to the specified rules. External devices are not actually blocked. You can select the **Active** mode for device protection to actually block the use of external devices.
Allow using all external devices when the Device Control task is not running	Not applied	Kaspersky Industrial CyberSecurity for Nodes blocks use of external devices, regardless of the Device Control task state. This provides maximum protection level against computer security threats arising when exchanging files with external devices. You can adjust the setting so that Kaspersky Industrial CyberSecurity for Nodes allows use of all external devices when the Device Control task is not running.
Task start schedule	First run is not scheduled.	The Device Control task does not start automatically at the start of Kaspersky Industrial CyberSecurity for Nodes. You can configure the task start schedule.

Rule Generator for Device Control task default settings

Setting	Default value	Description
Task mode	**Consider system data about all external devices that have ever been connected**	The task operation mode. You can select the **Consider currently connected external devices only** task mode.
Actions upon task completion	Allowing rules are added to the list of Device Control rules; new rules are merged with existing ones; duplicated rules are removed.	You can add rules to existing ones without merging them and without deleting duplicated rules, or replace existing rules with new allowing rules, or configure export of allowing rules to a file.
Task start schedule	First run is not scheduled.	The Rule Generator for Device Control task does not start automatically at startup of Kaspersky Industrial CyberSecurity for Nodes. You can start the task manually or configure a scheduled start.

Managing Device Control via the Administration Plug-in

In this section, learn how to navigate through the Administration Plug-in interface and manage connections of any external devices to all protected devices on the network by generating rule lists via the Kaspersky Security Center for the groups of protected devices.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening policy settings for the Device Control task

To open the Device Control task settings via the Kaspersky Security Center policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Local activity control** section.
6. Click the **Settings** button in the **Device Control** subsection.
   The **Device Control** window opens.
7. Configure the policy as required.

Opening the Device Control rules list

To open the Device Control rules list via the Kaspersky Security Center:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.
5. In the **Properties: <Policy name>** window that opens, select the **Local activity control** section.
6. Click the **Settings** button in the **Device Control** subsection.
   The **Device Control** window opens.
7. On the **General** tab, click the **Rules list** button.
   The **Device Control rules** window opens.
8. Configure the policy as required.

Opening the Rule Generator for Device Control task wizard and properties

To initialize creation of a Rule Generator for Device Control task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

2. Select the administration group for which you want to configure the task.
3. Select the **Tasks** tab.
4. Click **Create a task** button.
   The **New Task Wizard** window opens.
5. Select the **Rule Generator for Device Control** task.
6. Click **Next**.
   The **Settings** window opens.

To configure the existing Rule Generator for Device Control task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Tasks** tab.
4. Double-click the task name in the list of Kaspersky Security Center tasks.
   The **Properties: Rule Generator for Device Control** window opens.

See the Configuring the Rule Generator for Device Control task section for details on configuring the task.

Configuring Device Control task

To configure the Device Control task settings:

1. Open the **Device Control** window.
2. On the **General** tab, configure the following task settings:
   - In the **Task mode** section, select one of the task modes:
     - **Active**.

       If an external device you consider to be untrusted is connected to a protected device before the Device Control task is run in the Active mode, the device is not blocked by the application. We recommend that you disconnect the untrusted device manually or restart the protected device. Otherwise, the Default Deny principle will not be applied to the device.

     - **Statistics only**.
   - Select or clear the **Allow using all external devices when the Device Control task is not running** check box.
3. Click the **Rules list** button to edit the list of Device control rules.
4. If necessary, configure the scheduled task start settings on the **Task management** tab.
5. Click **OK** in the **Device Control** window.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Configuring the Rule Generator for Device Control task

To configure the Rule Generator for Device Control task:

1. Open the **Properties: Rule Generator for Device Control** window.
2. In the **Notification** section, configure the task event notification settings.

   For detailed information regarding configuring settings in this section, see the *Kaspersky Security Center Help*.

3. In the **Settings** section, you can configure the following settings:
   - Select the operation mode: consider system data about all external devices that have ever been connected or consider currently connected external devices only.
   - Configure settings for configuration files with allowing rules lists that Kaspersky Industrial CyberSecurity for Nodes creates upon the task completion.
4. Configure the task schedule in the **Schedule** section (you can configure a schedule for all task types except Rollback of Database Update).
5. In the **Account** section, specify the account whose rights will be used to run the task.
6. If required, specify the objects to exclude from the task scope in the **Exclusions from task scope** section.

   For detailed information on configuring settings in these sections, see *Kaspersky Security Center Help*.

7. In the **Properties: <Task name>** window, click **OK**.

   The newly configured group task settings are saved.

Configuring Device Control rules via the Kaspersky Security Center

Learn how to generate a list of rules based on various criteria or manually create allowing or denying rules using the Device Control task.

Creating allowing rules based on system data in a Kaspersky Security Center policy

*To specify allowing rules using the **Generate rules based on system data** option in the Device Control task:*

1. If necessary, connect a new external device that you want to make trusted to a protected device with the Kaspersky Security Center Administration Console installed.
2. Open the **Device Control rules** window.
3. Click the **Add** button and in the context menu that opens select the **Generate rules based on system data** option.
4. In the device list of **Generate rules based on the system information** window, select a device.
5. Click **Add rules for devices selected**.
6. Click the **Save** button in the **Device Control rules** window.

Rules list in the Device Control task will be filled up with new rules generated basing on a system data of the protected device with the Kaspersky Security Center Administration Console installed.

Generating rules for connected devices

*To specify allowing rules using the **Generate rules based on connected devices** option in the Device Control task:*

1. Open the **Device Control rules** window.
2. Click the **Add** button and in the context menu, select **Generate rules based on connected devices**.

   The **Generate rules based on the system information** window opens.
3. In the list of detected devices connected to the protected device, select the devices you want to generate allowing rules for.
4. Click the **Add rules for devices selected** button.
5. Click the **Save** button in the **Device Control rules** window.

Rules list in the Device Control task will be filled up with new rules generated basing on a system data of the protected device with the Kaspersky Security Center Administration Console installed.

Importing rules from the Kaspersky Security Center report on blocked devices

You can import data on blocked device connections from the report generated in Kaspersky Security Center after completion of the Device Control task in **Statistics only** mode and use this data to generate a list of Device Control allowing rules in the policy being configured.

When generating the report on events occurring during the Device Control task, you can keep track of the devices whose connection is restricted.

To specify allowing rules for devices connection for a group of protected devices based on the Kaspersky Security Center report on blocked devices:

1. In the policy properties, in the **Event notification** section, make sure that:
   - For the **Critical Events** importance level the period of time for storing the task log for the *Untrusted external device detected and restricted* event exceeds the planned period of operation in the **Statistics**

only mode (the default value is 30 days).

- For the **Warning** importance level the period of time for storing the task log for the *Statistics only: untrusted external device detected* event exceeds the planned period of task operation in the **Statistics only** mode (the default value is 30 days).

  When the period for storing the events elapses, information about logged events is deleted and is not reflected in the report file. Before running the Device Control task in **Statistics only** mode, make sure that the task run time does not exceed the configured storage time for the specified events.

2. Start the Device Control task in the **Statistics only** mode.

   a. In the workspace of the **Administration Server** node in Kaspersky Security Center, select the **Events** tab.

   b. Click the **Create a selection** button and create a selection of events based on the *Untrusted external device detected and restricted* criterion to view the devices whose connections will be restricted by the Device Control task.

   c. In the results pane of the selection, click the **Export events to file** link to save the report on restricted connections to a TXT file.

   Before importing and applying the generated report in a policy, make sure that the report contains data only on those devices whose connection you want to allow.

3. Import data about restricted devices connections into the Device Control task:

   a. Open the **Device Control rules** window.

   b. Click the **Add** button and in the context menu of the button select **Import data of blocked devices from Kaspersky Security Center report**.

   c. Select the principle for adding rules from the list created on the basis of the Kaspersky Security Center report to the list of previously configured Device Control rules:

      - **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
      - **Replace existing rules** if you want to replace the existing rules with the imported rules.
      - **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

   d. In the standard window of Microsoft Windows that opens, select the TXT file to which events from the report about restricted devices have been exported.

   e. Click the **Save** button in the **Device Control rules** window.

4. Click **OK** the **Device Control** window.

Rules created on the basis of the Kaspersky Security Center report on restricted devices are added to the list of Device Control rules.

Creating rules using the Rule Generator for Device Control task

To specify allowing device control rules for a group of protected devices using the Rule Generator for Device Control task:

1. Open the **Settings** window in the New Task Wizard.
2. Configure the following:
   - In the **Mode** section:
     - **Consider system data about all external devices that have ever been connected**.
     - **Consider currently connected external devices only**.
   - In the **After task completes** section:
     - **Add allowing rules to the list of Device Control rules**.
     - **Principle of adding**.
     - **Export allowing rules to file**.
     - **Add protected device details to file name**.
3. Click **Next**.
4. In the **Schedule** window, set the scheduled task start settings.
5. Click **Next**.
6. In the **Selecting an account to run the task** window, specify the account you want to use.
7. Click **Next**.
8. Specify a task name.
9. Click **Next**.

   The task name should be no longer than 100 characters and cannot contain the following symbols: " * < > & \ : |

   The **Finish creating the task** window opens.
10. You can optionally run the task after the Wizard finishes by selecting the **Run task after Wizard finishes** check box.
11. Click **Finish** to finish creating the task.
12. On the **Tasks** tab on the workspace of the group of protected devices being configured, in the list of group tasks select the Rule Generator for Device Control you have created.

13. Click the **Start** button to start the task.

    When the task is completed, automatically generated lists of allowing rules are saved in a shared folder in XML files.

    Before using the Device Control policy in the network, make certain that all protected devices have access to a shared network folder. If the organization's policy does not provide for the use of a shared network folder in the network, it is recommended to start the Rule Generator for Device Control task for protected device control rules on the test protected device group or on a template machine.

Adding generated rules to the Device Control rules list

To add the generated lists of allowing rules to the Device Control task:

1. Open the **Device Control rules** window.
2. Click the **Add** button.
3. In the **Add** button context menu select the **Import rules from XML file** option.
4. Select the principle for adding the automatically generated allowing rules to the list of previously created Device Control rules:
   - **Add to existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are duplicated.
   - **Replace existing rules** if you want to replace the existing rules with the imported rules.
   - **Merge with existing rules** if you want to add the imported rules to the list of existing rules. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.
5. In the standard window of Microsoft Windows that opens, select XML files created after completion of the Rule Generator for Device Control group task.
6. Click **Open**.

   All generated rules from the XML file are added to the list according to the selected principle.
7. Click the **Save** button in the **Device Control rules** window.
8. If you want to apply generated device control rules, select the **Active** task mode in the **Device Control** policy settings.

Allowing rules automatically generated based on system data on each separate protected device are applied to all network protected devices covered by the policy being configured. On these protected devices, the application will allow connection of only those devices for which allowing rules have been created.

Managing Device Control via the Application Console

In this section, you will learn how to navigate the Application Console interface and configure task settings on a protected device.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the Device Control task settings

To open the Device Control task settings via the Application Console:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Device Control** child node.
3. In the details pane of the **Device Control** child node, click the **Properties** link.
   The **Task settings** window opens.
4. Configure the task as required.

Opening the Device Control rules window

To open the Device Control rules list via the Application Console:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Device Control** child node.
3. In the results pane of the **Device Control** node, click the **Device Control rules** link.
   The **Device Control rules** window opens.
4. Configure the rules list as required.

Opening the Rule Generator for Device Control task settings

To configure the Rule Generator for Device Control task:

1. In the Application Console tree, expand the **Automated rule generators** node.
2. Select the **Rule Generator for Device Control** child node.
3. In the results pane of the **Rule Generator for Device Control** child node, click the **Properties** link.
   The **Task settings** window opens.
4. Configure the task as required.

Configuring Device Control task settings

To configure the Device Control task settings:

1. Open the **Task settings** window.
2. On the **General** tab, configure the following task settings:
   - In the **Task mode** section, select one of the task modes:
     - Active.

       If an external device you consider to be untrusted is connected to a protected device before the Device Control task is run in the Active mode, the device is not blocked by the application. We recommend that you disconnect the untrusted device manually or restart the protected device. Otherwise, the Default Deny principle will not be applied to the device.

     - **Statistics only**.
   - Select or clear the **Allow using all external devices when the Device Control task is not running** check box.
3. If necessary, on the **Schedule** and **Advanced** tabs, configure the scheduled task start settings.
4. To edit the list of device control rules, click the **Device Control rules** link in the lower part of the results pane of the **Device Control** node.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Configuring Device Control rules

Learn how to generate, import and export a list of rules, or manually create allowing or denying rules using the Device Control task.

Importing Device Control rules from XML file

To import the Device Control rules:

1. Open the **Device Control rules** window.
2. Click the **Add** button.
3. In the context menu of the button, select **Import rules from XML file**.
4. Specify the method for adding the imported rules. To do so, select one of the options from the context menu of the **Import rules from XML file** button:

- **Add to existing rules** if you want to add the imported rules to the list of existing ones. Rules with identical settings are duplicated.
- **Replace existing rules** if you want to replace the existing rules with the imported ones.
- **Merge with existing rules** if you want to add the imported rules to the list of existing ones. Rules with identical settings are not added; the rule is added if at least one rule parameter is unique.

The standard Microsoft Windows **Open** window opens.

5. In the **Open** window, select the XML file that contains the settings of the Device Control rules.
6. Click the **Open** button.

The imported rules will be displayed in the list of the **Device Control rules** window.

Filling rules list basing on Device Control task events

To create a configuration file that contains device control rules list basing on the Device Control task events:

1. Start the Device Control task in the **Statistics only** mode, to log all events of flash drives and other external devices connections to a protected device.
2. Upon the completion of the task in the **Statistics only** mode, open the task log by clicking the **Open task log** button in the **Management** section of the **Device Control** node results pane.
3. In the **Logs** window click the **Generate rules based on events**.

Kaspersky Industrial CyberSecurity for Nodes will create an XML configuration file that contains a rules list generated basing on events of the Device Control task in the **Statistics only** mode. You can apply this list in the Device Control task.

Before applying a rules list generated basing on the task events, it is recommended to review and then manually process the rules list to make certain that there are no untrusted devices allowed by the specified rules.

During the conversion of an XML file with the task events to a rules list, the application generates allowing rules for all registered events, including the devices restrictions.

All the task events are registered in the task log regardless of the task mode. You can create a configuration file with a rules list basing on the events of the task in the **Active** mode. This scenario is not recommended except urgent cases, as far as the task efficiency requires to generate a final rule list version before the task is run in the active mode.

Adding an allowing rule for one or several external devices

The function of manual adding rules by ones is not supported in the Device Control task. However, in cases when you need to add rules for one or several new external devices you can use the **Generate rules based on system data** option. If this scenario is applied, the application uses Windows data about all ever connected external devices and also allows for currently connected devices for filling an allowing rules list.

To add an allowing rule for one or several external devices that are currently connected:

1. Open the **Device Control rules** window.
2. Click the **Add** button.
3. In the context menu that opens select the **Generate rules based on system data** option.
4. In the window that opens, review the detected devices list and select a single device or several devices that you want to trust on a protected device.
5. Click the **Add rules for devices selected** button.

New rules will be generated and added to the device control rules list.

Removing Device Control rules

To remove the Device Control rules:

1. Open the **Device Control rules** window.
2. In the list, select one or several rules that you want to delete.
3. Click the **Remove Selected** button.
4. Click the **Save** button.

The selected Device Control rules will be removed.

Exporting Device Control rules

To export Device Control rules to a configuration file:

1. Open the **Device Control rules** window.
2. Click the **Export to a file** button.

   The standard Microsoft Windows window opens.
3. In the window that opens, specify the file to which you want to export the rules. If no such file exists, it will be created. If a file with the specified name already exists, its contents will be rewritten after the rules are exported.
4. Click the **Save** button.

The rules and its settings will be exported in the specified file.

Activating and deactivating of Device Control rules

You can activate and deactivate created device control rules without removing them.

To activate or deactivate a created device control rule:

1. Open the **Device Control rules** window.
2. In the list of specified rules open the **Rule properties** window by double clicking on the rule whose properties you want to configure.
3. In the window that opens, select or clear the **Apply rule** check box.
4. Click **OK**.

Rule apply status will be saved and displayed for a specified rule.

Expanding Device Control rules usage scope

Each automatically generated device control rule covers only one external device. You can manually expand a rule usage scope by setting the device instance path mask in properties of any specified rule.

Device instance path application reduces the total number of rules specified and simplifies rules processing. But expanding of a rule usage scope can lead to decreasing of external devices control efficiency.

To apply a device instance path mask in a device control rule properties:

1. Open the **Device Control rules** window.
2. In the window that opens, select a rule to use its properties for mask application.
3. Open the **Rule properties** window by double clicking on a selected device control rule.
4. In the window that opens, perform the following operations:
   - Select the **Use mask** check box next to the **Controller type (PID)** field if you want a rule selected to allow connections for all external devices that fit the specified information about device manufacturer and controller type.
   - Select the **Use mask** check box next to the **Serial number** field if you want a rule selected to allow connections for all external devices that fit the specified information about device manufacturer and device serial number.
   - Select the **Use mask** check boxes next to the **Controller type (PID)** field and the **Serial number** field if you want a rule selected to allow connections for all external devices that fit the specified information about device manufacturer and both controller type and device serial number.

   If the **Use mask** check box is selected in at least one of the fields, the data from the fields with the selected check box is replaced with the * sign and is not considered when the rule is applied.
5. If necessary, specify additional information about rule in the **Description** field. For example, specify the devices affected by the rule.
6. Click **OK**.

The newly configured rule properties will be saved. The rule usage scope will be expanded according to a device instance path mask specified.

Configuring Rule Generator for Device Control task

To configure the Rule Generator for Device Control task:

1. In the Application Console tree, expand the **Automated rule generators** node.
2. Select the **Rule Generator for Device Control** child node.
3. Click the **Properties** link in the results pane of the **Rule Generator for Device Control** node.

   The **Task settings** window opens.
4. On the **General** tab, select the task operation mode in the **Task mode** section:
   - **Consider system data about all external devices that have ever been connected**.
   - **Consider currently connected external devices only**.
5. In the **After task completes** section, specify the actions that must be performed by Kaspersky Industrial CyberSecurity for Nodes upon task completion:
   - Add allowing rules to the list of Device Control rules.
   - Principle of adding.
   - Export allowing rules to file.
   - Add protected device details to file name.
6. On the **Schedule** and **Advanced** tabs, configure the scheduled task start settings.
7. Click **OK** in the **Task settings** window.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time when the settings were modified, and the values of task settings before and after modification, are saved in the system audit log.

Managing Device Control via the Application Console Web Plug-in

In this section, you will learn how to navigate the Web Plug-in interface and configure task settings on a protected device.

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Local activity control** section.
5. Click **Settings** in the **Device control** subsection.

6. Configure the settings described in the table below.

Device Control task settings

Setting	Description
Active	Kaspersky Industrial CyberSecurity for Nodes applies rules to control the connection of removable drives and other external devices, and allows or blocks the use of all devices according to the Default Deny principle and specified allowing rules. The use of trusted external devices is allowed. The use of untrusted external devices is blocked by default.
Statistics only	Kaspersky Industrial CyberSecurity for Nodes does not control the connection of removable drives and other external devices, but only logs information about the connection and registration of external devices on a protected device, and about the Device Control allowing rules triggered by the connected devices. The use of all external devices is allowed. This mode is set by default.
Allow using all external devices when the Device Control task is not running	The check box allows or blocks the use of external devices when the Device Control task is not running. If the check box is selected and Device Control task is not running, Kaspersky Industrial CyberSecurity for Nodes allows using any external devices on a protected device. If the check box is cleared, the application blocks the use of untrusted external devices on a protected device in the following cases: the Device Control task is not running or the Kaspersky Security Service is turned off. This option is recommended to maximize the level of protection against computer security threats arising when exchanging files with external devices. The check box is cleared by default.
Device control rules	You can edit the list of Device control rules.
Task management	You can configure settings to start the task on a schedule.

Firewall Management

This section contains information about the Firewall Management task and how to configure it.

About the Firewall Management task

Kaspersky Industrial CyberSecurity for Nodes provides a reliable and convenient solution for protecting network connections using the Firewall Management task.

The Firewall Management task does not perform independent network traffic filtering, but it lets you manage Windows Firewall through the Kaspersky Industrial CyberSecurity for Nodes graphical interface. During the Firewall Management task Kaspersky Industrial CyberSecurity for Nodes takes over management of the settings and policies of the operation system's firewall and blocks any external attempts to configure the firewall.

During installation of the application, the Firewall Management component reads and copies the Windows Firewall status and all specified rules. After that, the set of rules and the rule parameters may only be changed, and the firewall may only be turned on or off in Kaspersky Industrial CyberSecurity for Nodes.

If Windows Firewall is turned off during installation of Kaspersky Industrial CyberSecurity for Nodes, the Firewall Management task will not be executed after the installation is complete. If Windows Firewall is turned on during installation of the application, the Firewall Management task is executed after the installation is complete, blocking all network connections that are not allowed by the specified rules.

The Firewall Management component is not installed by default, as it is not included in the set of components in the Recommended Installation.

The Firewall Management task enforces blocking of all incoming and outgoing connections not allowed by the task's specified rules.

The task polls the Windows Firewall regularly and monitors its status. By default, the polling interval is set to 1 minute and cannot be changed. If Kaspersky Industrial CyberSecurity for Nodes detects a mismatch between the Windows Firewall settings and the Firewall Management task settings, the application forcibly applies the task settings to the operating system firewall.

Polling Windows Firewall each minute, Kaspersky Industrial CyberSecurity for Nodes monitors the following:

- Operating status of the Windows Firewall.
- Status of rules added by other applications or tools (for example, the addition of a new application rule for a port/application using wf.msc) after installation of Kaspersky Industrial CyberSecurity for Nodes.

When applying new rules to Windows Firewall, Kaspersky Industrial CyberSecurity for Nodes creates a Kaspersky Security Group rule set in the Windows Firewall snap-in. This rule set contains all the rules created by Kaspersky Industrial CyberSecurity for Nodes using the Firewall Management task. The rules in the Kaspersky Security Group are not monitored by the application during polling and are not automatically synchronized with the list of rules specified in the Firewall Management task settings.

To update the Kaspersky Security Group rules manually,

restart the Kaspersky Industrial CyberSecurity for Nodes Firewall Management task.

You can also edit the Kaspersky Security Group rules manually using the Windows Firewall snap-in.

If Windows Firewall is managed by a Kaspersky Security Center group policy, the Firewall Management task cannot be started.

About Firewall rules

The Firewall Management task controls filtration of incoming and outgoing network traffic using allowing rules forcibly applied to the Windows Firewall during task execution.

The first time the task is started Kaspersky Industrial CyberSecurity for Nodes reads and copies all the incoming network traffic rules specified in the Windows Firewall settings to the Firewall Management task settings. Then the application operates according to the following rules:

- If a new rule is created in the Windows Firewall settings (manually or automatically during a new application installation), Kaspersky Industrial CyberSecurity for Nodes deletes the rule.
- If an existing rule is deleted from the Windows Firewall settings, Kaspersky Industrial CyberSecurity for Nodes restores the rule when the task is restarted.
- If the parameters of an existing rule are changed in the Windows Firewall settings, Kaspersky Industrial CyberSecurity for Nodes rolls back the changes.
- If a new rule is created in the Firewall Management settings, Kaspersky Industrial CyberSecurity for Nodes forcibly applies the rule to Windows Firewall.
- If an existing rule is deleted from the Firewall Management settings, Kaspersky Industrial CyberSecurity for Nodes forcibly deletes the rule from the Windows Firewall settings.

Kaspersky Industrial CyberSecurity for Nodes does not work with blocking rules or rules controlling outgoing network traffic. Upon start of the Firewall Management task, Kaspersky Industrial CyberSecurity for Nodes deletes all such rules from the Windows Firewall settings.

You can set, delete and edit filtration rules for incoming network traffic.

You cannot specify a new rule to control outgoing network traffic in the Firewall Management task settings. All Firewall rules specified in Kaspersky Industrial CyberSecurity for Nodes control only incoming network traffic.

You can manage different types of Firewall rules: for applications and for ports.

Application rules

This type of rule allows targeted network connections for specified applications. The triggering criterion for these rules is based on a path to an executable file.

You can manage application rules:

- Add new rules.

- Remove existing rules.
- Enable or disable specified rules.
- Edit the parameters of the specified rules: specify the rule name, path to the executable file, and the rule usage scope.

Port rules

This type of rule allows network connections for specified ports and protocols (TCP / UDP). The triggering criteria for these rules are based on the port number and protocol type.

You can manage port rules:

- Add new rules.
- Remove existing rules.
- Enable or disable specified rules.
- Edit the parameters of the specified rules: set the rule name, port number, protocol type, and scope for application of the rule.

Port rules involve a broader scope than application rules. By allowing connections based on port rules, you lower the security level of the protected device.

Default Firewall Management task settings

The Firewall Management task uses the default settings described in the table below. You can change the values of these settings.

Default Firewall Management task settings

Setting	Default value	Description
Firewall rules for application	Two default rules for application enabled	You can disable the default rules or add new rules.
Firewall rules for ports	Six default rules for ports enabled	You can disable the default rules or add new rules.
Task start schedule	First run is not scheduled.	The Firewall Management task does not start automatically at the start of Kaspersky Industrial CyberSecurity for Nodes. You can configure the task start schedule.

Managing Firewall rules via the Administration Plug-in

In this section, learn how to manage Firewall rules via the Administration Plug-in interface.

Enabling and disabling Firewall rules

To enable or disable an existing rule for filtering incoming network traffic, perform the following actions:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Network activity control** section, click the **Settings** button in the **Firewall Management** subsection.
5. Click the **Rules list** button in the window that opens.
   The **Firewall rules** window opens.
6. Depending on the type of the rule whose status you want to modify, select the **Applications** or **Ports** tab.
7. In the rule list, select the rule whose status you want to modify and perform one of the following actions:
   - If you want to enable a disabled rule, select the check box to the left of the rule name.
     The selected rule is enabled.
   - If you want to disable an enabled rule, clear the check box to the left of the rule name.
     The selected rule is disabled.
8. Click **OK** in the **Firewall rules** window.
9. Click **OK** in the **Firewall Management** window.
10. Click **OK** in the **Properties: <Policy name>** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Adding Firewall rules manually

You can only add and edit rules for applications and ports. You cannot add new or edit existing group rules.

To add a new or edit an existing rule for filtering incoming network traffic:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Network activity control** section, click the **Settings** button in the **Firewall Management** subsection.
5. Click the **Rules list** button in the window that opens.

   The **Firewall rules** window opens.
6. Depending on the type of rule you want to add, select the **Applications** or **Ports** tab and perform one of the following actions:
   - To edit an existing rule, select the rule you want to edit in the rule list and click **Edit**.
   - To add a new rule, click **Add**.

     Depending on the type of rule being configured, the **Application rule** window or **Port rule** window opens.
7. In the window that opens, perform the following operations:
   - If you are working with an application rule, do the following:
     a. In the **Rule name** field enter the name of the edited rule.
     b. Specify the **Application path** to the executable file of the application for which you are allowing a connection by modifying this rule.

        You can set the path manually or by using the **Browse** button.
     c. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

     You can only use IPv4 addresses.
   - If you are working with a port rule, do the following:
     a. In the **Rule name** field enter the name of the edited rule.
     b. Specify the **Port number** for which the application will allow connections.
     c. Select the type of protocol (TCP / UDP) for which the application will allow connections.

d. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

> You can only use IPv4 addresses.

8. Click **OK** in the **Application rule** or **Port rule** window.
9. Click **OK** in the **Firewall Management** window.
10. Click **OK** in the **Properties: <Policy name>** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Deleting Firewall rules

> You can only delete application and port rules. You cannot delete existing group rules.

To delete an existing rule for filtering incoming network traffic, perform the following actions:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the Properties: <Policy name> window.
   - To configure the application for a single protected device, select the **Devices** tab and open the Application settings window.

   > If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Network activity control** section click the **Settings** button in the **Firewall Management** subsection.
5. Click the **Rules list** button in the window that opens.
   The **Firewall rules** window opens.
6. Depending on the type of rule whose status you want to modify, select the **Applications** or **Ports** tab.
7. In the rule list, select the rule you want to delete.
8. Click the **Delete** button.
   The selected rule is deleted.
9. Click **OK** in the **Firewall rules** window.
10. Click **OK** in the **Firewall Management** window.

11. Click **OK** in the **Properties: <Policy name>** window.

The specified Firewall Management task settings are saved. The new rule parameters will be sent to Windows Firewall.

Managing Firewall rules via the Application Console

In this section, learn how to manage Firewall rules via the Application Console interface.

Enabling and disabling Firewall rules

To enable or disable an existing rule for filtering incoming network traffic, perform the following actions:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Firewall Management** child node.
3. Click the **Firewall rules** link in the details pane of the **Firewall Management** node.
   The **Firewall rules** window opens.
4. Depending on the type of the rule whose status you want to modify, select the **Applications** or **Ports** tab.
5. In the rule list, select the rule whose status you want to modify and perform one of the following actions:
   - If you want to enable a disabled rule, select the check box to the left of the rule name.
     The selected rule is enabled.
   - If you want to disable an enabled rule, clear the check box to the left of the rule name.
     The selected rule is disabled.
6. Click **Save** in the **Firewall rules** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Adding Firewall rules manually

To add a new or edit an existing rule for filtering incoming network traffic:

1. In the Application Console tree, expand the **Computer Control** node.
2. Select the **Firewall Management** child node.
3. Click the **Firewall rules** link in the details pane of the **Firewall Management** node.
   The **Firewall rules** window opens.
4. Depending on the type of rule you want to add, select the **Applications** or **Ports** tab and perform one of the following actions:
   - To edit an existing rule, select the rule you want to edit in the rule list and click **Edit**.

- To add a new rule, click **Add**.

  Depending on the type of rule being configured, the **Application rule** window or **Port rule** window opens.

5. In the window that opens, perform the following operations:

   - If you are working with an application rule, do the following:

     a. In the **Rule name** field enter the name of the edited rule.

     b. Specify the **Application path** to the executable file of the application for which you are allowing a connection by modifying this rule.

     You can set the path manually or by using the **Browse** button.

     c. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

     > You can only use IPv4 addresses.

   - If you are working with a port rule, do the following:

     a. In the **Rule name** field enter the name of the edited rule.

     b. Specify the **Port number** for which the application will allow connections.

     c. Select the type of protocol (TCP / UDP) for which the application will allow connections.

     d. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

     > You can only use IPv4 addresses.

6. Click **OK** in the **Application rule** or **Port rule** window.

7. Click **Save** in the **Firewall rules** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Deleting Firewall rules

> You can only delete application and port rules. You cannot delete existing group rules.

To delete an existing rule for filtering incoming network traffic, perform the following actions:

1. In the Application Console tree, expand the **Computer Control** node.

2. Select the **Firewall Management** child node.

3. Click the **Firewall rules** link in the details pane of the **Firewall Management** node.

   The **Firewall rules** window opens.

4. Depending on the type of rule whose status you want to modify, select the **Applications** or **Ports** tab.
5. In the rule list, select the rule you want to delete.
6. Click the **Delete** button.
   The selected rule is deleted.
7. Click **Save** in the **Firewall rules** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Managing Firewall rules via the Web Plug-in

To configure the Firewall rules via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Firewall Management** subsection.
6. Configure the settings described in the table below.

Firewall Management task settings

Setting	Description
Application rules	You can manage application rules. This type of rule allows targeted network connections for specified applications. The triggering criterion for these rules is based on a path to an executable file.
Port rules	You can manage port rules. This type of rule allows network connections for specified ports and protocols (TCP / UDP). The triggering criteria for these rules are based on the port number and protocol type.
Task management	You can configure settings to start the task on a schedule.

Enabling and disabling Firewall rules

To enable or disable an existing rule for filtering incoming network traffic, perform the following actions:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Network activity control** section.
5. Click **Settings** in the **Firewall Management** subsection.
6. Depending on the type of the rule whose status you want to modify, select the **Application rules** or **Port rules** tab.
7. In the rule list, select the rule whose status you want to modify and perform one of the following actions:
   - If you want to enable a disabled rule, switch on the toggle button to the left of the rule name.
   - If you want to disable an enabled rule, switch off the toggle button to the left of the rule name.
8. Click **OK**.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Adding Firewall rules manually

To add a new or edit an existing rule for filtering incoming network traffic:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Firewall Management** subsection.
6. Depending on the type of the rule whose status you want to modify, select the **Application rules** or **Port rules** tab and perform one of the following actions:
   - To edit an existing rule, select the rule you want to edit and click **Edit**.
   - To add a new rule, click **Add**.
7. On the right part of the screen, perform the following operations:
   - If you are working with an application rule, do the following:
     a. In the **Rule name** field enter the name of the edited rule.
     b. Specify the **Application path** to the executable file of the application for which you are allowing a connection by modifying this rule.
     c. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

     > You can only use IPv4 addresses.

   - If you are working with a port rule, do the following:

a. In the **Rule name** field enter the name of the edited rule.

b. Specify the port number for which the application will allow connections.

c. Select the type of protocol (TCP / UDP) for which the application will allow connections.

d. In the **Rule application scope** field, specify the network addresses for which the modified rule will be applied.

> You can only use IPv4 addresses.

8. Click **OK**.
9. Click **OK** in the **Firewall Management** window.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

Deleting Firewall rules

> You can only delete application and port rules. You cannot delete existing group rules.

To delete an existing rule for filtering incoming network traffic, perform the following actions:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Network activity control** section.
5. Click **Settings** in the **Firewall Management** subsection.
6. Depending on the type of the rule you want to delete, select the **Application rules** or **Port rules** tab.
7. In the rule list, select the rule you want to delete.
8. Click the **Delete** button.
   The selected rule is deleted.
9. Click **OK**.

The specified task settings are saved. The new rule parameters will be sent to Windows Firewall.

KSN Usage

This section contains information about the KSN Usage task and how to configure it.

About the KSN Usage task

Kaspersky Security Network (also referred to as "KSN") is an infrastructure of online services providing access to Kaspersky's operative knowledge base on the reputation of files, web resources and programs. Kaspersky Security Network allows Kaspersky Industrial CyberSecurity for Nodes to react very promptly to new threats, improves the performance of several protection components, and reduces the likelihood of false positives.

To start the KSN Usage task, you must accept the Kaspersky Security Network Statement.

Information received by Kaspersky Industrial CyberSecurity for Nodes from Kaspersky Security Network pertains only to the reputation of programs.

Participation in KSN allows Kaspersky to receive real-time information about types and sources of new threats, develop ways to neutralize them, and reduce the number of false positives in application components.

More detailed information about the transferring, processing, storage, and destruction of information about application usage is available in the **Data handling** window of the KSN Usage task, and in the Privacy Policy on the Kaspersky's website.

Participation in Kaspersky Security Network is voluntary. The decision regarding participation in Kaspersky Security Network is made after installation of Kaspersky Industrial CyberSecurity for Nodes. You can change your decision about participation in Kaspersky Security Network at any time.

Kaspersky Security Network can be used in the following Kaspersky Industrial CyberSecurity for Nodes tasks:

- Real-Time File Protection.
- On-Demand Scan.
- Applications Launch Control.

Kaspersky Private Security Network

See details about how to configure Kaspersky Private Security Network (hereinafter referred to "Private KSN") in the *Kaspersky Security Center Help*.

If you use Private KSN on the device, in the **Data handling** window of the KSN Usage task you can read the KSN Statement and enable the task by selecting the **I accept the terms of participation in Kaspersky Security Network** check box. By accepting the terms you agree to send all types of data mentioned in KSN Statement (security requests, statistical data) to KSN services.

After accepting the Private KSN terms, the check boxes that adjust the Global KSN usage are not available.

If you disable Private KSN when the KSN Usage task is running, the *License violation* error occurs and the task stops. To continue protecting the device you need to accept the KSN Statement in the **Data handling** window and restart the task.

Withdrawal of the KSN Statement acceptance

You can withdraw the acceptance and stop any data exchange with the Kaspersky Security Network at any moment. The following actions are considered as the full or partial withdrawal of KSN Statement:

- Clearing the **Send data about scanned files** check box: the application stops sending checksums of scanned files to KSN service for analysis.
- Clearing the **Send Kaspersky Security Network statistics** check box: the application stops processing data with additional KSN statistics.
- Clearing the **I accept the terms of participation in Kaspersky Security Network** check box: the application stops all KSN-related data processing, the KSN Usage task stops.
- Uninstalling the KSN Usage component: all KSN-related data processing stops.
- Uninstalling the Kaspersky Industrial CyberSecurity for Nodes: all KSN-related data processing stops.
- Uninstalling a license key for the Kaspersky Industrial CyberSecurity for Nodes or the license is suspended: all KSN-related data processing stops.

Default KSN Usage task settings

You can change the default settings of the KSN Usage task (see the table below).

Default KSN Usage task settings

Setting	Default Value	Description
Action to perform on KSN untrusted objects	Remove	You can specify actions that Kaspersky Industrial CyberSecurity for Nodes will take on objects identified by KSN as untrusted.
Data transfer	The file checksum (MD5 hash) is calculated for files that do not exceed 2 MB in size.	You can specify the maximum size of files for which a checksum is calculated using the MD5 algorithm for delivery to KSN. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes calculates the MD5 hash for files of any size.
Task start schedule	First run is not scheduled.	You can start the task manually or configure a scheduled start.
Use Kaspersky Security Center as KSN Proxy	Selected	By default the data is sent to KSN via Kaspersky Security Center. You can change this setting only via the Administration Plug-in.
I accept the	Cleared	If selected, participation in KSN after the installation is accepted.

terms of participation in Kaspersky Security Network		You can change your decision at any moment.
Send Kaspersky Security Network statistics	Selected (applied only if the KSN Statement is accepted)	If the KSN Statement is accepted, the KSN Statistics will be sent automatically, unless you clear the check box.
Send data about scanned files	Selected (applied only if the KSN Statement is accepted)	If the KSN Statement is accepted, the data about files that were scanned and analyzed since the task has been started, is sent. You can clear the check box at any time.

Managing KSN Usage via the Administration Plug-In

In this section, learn how configure the KSN Usage task and Data Handling via the Administration Plug-In.

Configuring the KSN Usage task

You can change the default data handling settings (see the table below).

Data handling default settings

Setting	Default Value	Description
I accept the terms of participation in Kaspersky Security Network	Cleared	If selected, participation in KSN after the installation is accepted. You can change your decision at any moment.
Send Kaspersky Security Network statistics	Selected (applied only if the KSN Statement is accepted)	If the KSN Statement is accepted, the KSN Statistics will be sent automatically, unless you clear the check box.
Send data about scanned files	Selected (applied only if the KSN Statement is accepted)	If the KSN Statement is accepted, the data about files that were scanned and analyzed since the task has been started, is sent. You can clear the check box at any time.

To configure the KSN Usage task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the Properties: <Policy name> window.

- To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

  If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Real-Time Computer Protection** section, click the **Settings** button in the **KSN Usage** subsection.

   The **KSN Usage** window opens.

5. On the **General** tab, configure the following task settings:

   - In the **Action to perform on KSN untrusted objects** section, specify the action that Kaspersky Industrial CyberSecurity for Nodes is to perform if it detects an object identified by KSN as untrusted:
     - **Remove**
     - **Log information**
   - In the **Data transfer** section:
     - Clear or select the **Do not calculate checksum before sending to KSN if file size exceeds (MB)** check box.
     - If required, in the field to the right, specify the maximum size of files for which Kaspersky Industrial CyberSecurity for Nodes calculates the checksum.
   - In the **KSN Proxy** section, clear or select the **Use Kaspersky Security Center as KSN Proxy** check box.

     To enable KSN Proxy the KSN Statement must be accepted and Kaspersky Security Center properly configured. See *Kaspersky Security Center Help* for more details.

6. If needed, configure the task start schedule on the **Task management** tab. For example, you can start the task by schedule and specify the **At application launch** frequency, if you want the task to run automatically when the protected device is restarted.

   The application will automatically start the KSN Usage task by schedule.

7. Configure the data handling before starting the task.

8. Click **OK**.

The modified settings are applied. The date and time of modifying the settings, as well as information about the task settings before and after modification, are saved in the task log.

Configuring Data Processing

To configure what data will be processed by the KSN services and accept the KSN Statement:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

2. Select the administration group for which you want to configure application settings.

3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Real-Time Computer Protection** section click the **Data processing** button in the **KSN Usage** subsection.

   The **KSN data handling** window opens.

5. Read the Kaspersky Security Network Statement (or Kaspersky Private Security Network Statement, if you use Private KSN).

6. If you accept the conditions mentioned in the KSN Statement, select the **I accept the terms of participation in Kaspersky Security Network** check box.

7. To increase the protection level, the following check boxes are selected by default:

   - **Send data about scanned files**
   - **Send Kaspersky Security Network statistics**

   If you have accepted the KSN Statement, check boxes **Send data about scanned files** and **Send Kaspersky Security Network statistics** will be unavailable.

   You can clear these check boxes and stop sending additional data at any moment.

   The check boxes are editable only if the KSN Statement is accepted.

8. Click **OK**.

Managing KSN Usage via the Application Console

In this section, learn how configure the KSN Usage task and Data handling via the Application Console.

Configuring KSN Usage task

To configure the KSN Usage task:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.

2. Select the **KSN Usage** child node.

3. Click the **Properties** link in the results pane.

   The **Task settings** window opens on the **General** tab.

4. Configure the task:

   - In the **Action to perform on KSN untrusted objects** section, specify the action that Kaspersky Industrial CyberSecurity for Nodes is to perform if it detects an object identified by KSN as untrusted:

     - **Remove**
     - **Log information**

   - In the **Data transfer** section:

     - Clear or select the **Do not calculate checksum before sending to KSN if file size exceeds (MB)** check box.
     - If required, in the field to the right, specify the maximum size of files for which Kaspersky Industrial CyberSecurity for Nodes calculates the checksum.

5. If needed, configure the task start schedule on the **Schedule** and **Advanced** tabs. For example, you can enable task start by schedule and specify the start frequency of the **At application launch** if you want the task to run automatically when the protected device is restarted.

   The application will automatically start the KSN Usage task by schedule.

6. Configure the Data handling before starting the task.

7. Click **OK**.

The modified settings are applied. The date and time of modifying the settings, as well as information about the task settings before and after modification, are saved in the system audit log.

Configuring Data handling

To configure what data will be processed by the KSN services and accept the KSN Statement:

1. In the Application Console tree, expand the **Real-Time Computer Protection** node.

2. Select the **KSN Usage** child node.

3. Click the **Data processing** link in the details pane.

   The **Data handling** window opens.

4. On the **Statistics and services** tab, read the Statement and select the **I accept the terms of participation in Kaspersky Security Network** check box.

5. To increase the protection level, the **Send data about scanned files** check boxes are automatically selected.

   You can clear these check boxes and stop sending additional data at any moment.

6. The **Send Kaspersky Security Network statistics** check box is selected by default. You can clear the check box at any time, if you don't want Kaspersky Industrial CyberSecurity for Nodes to send additional statistics to Kaspersky.

7. Click **OK**.

The data processing configuration will be saved.

Managing KSN Usage via the Web Plug-in

To configure the KSN Usage task and Data Handling via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Real-time computer protection** section.

5. Click **Settings** in the **KSN Usage** subsection.

6. Configure the settings described in the table below.

KSN Usage task and Data Handling via the Administration Plug-In settings

Setting	Description
Remove	Kaspersky Industrial CyberSecurity for Nodes deletes the object with KSN-untrusted status and places a copy of it in Backup. This option is selected by default.
Log information	Kaspersky Industrial CyberSecurity for Nodes records information about the object with KSN-untrusted status in the task log. Kaspersky Industrial CyberSecurity for Nodes does not delete the untrusted object.
Do not calculate checksum before sending to KSN if file size exceeds	This check box enables or disables calculation of the checksum for files of the specified size for delivery of this information to the KSN service. The duration of the checksum calculation depends on the file size. If this check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not calculate the checksum for files that exceed the specified size (in MB). If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes calculates the checksum for files of any size. The check box is selected by default.
Use Kaspersky Security Center as KSN Proxy	The check box allows to manage the data transfer between the protected devices and KSN. If the check box is cleared the data from the Administration Server and protected devices is sent to KSN directly (not via the Kaspersky Security Center). The active policy defines which type of data can be sent to KSN directly. If the check box is selected, all data is sent to KSN via the Kaspersky Security Center. The check box is selected by default.
I confirm	By selecting this check box you confirm that you have read and accepted the terms of

that I have fully read, understood, and accept the terms of participation in Kaspersky Security Network	the Kaspersky Security Network Statement.
Send data about scanned files	If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes sends the checksum of scanned files to the Kaspersky. Conclusion about each file security is based on the reputation received from KSN. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not send checksum of files to KSN. Note, than the file reputation requests might be sent in a limited mode. The limitations are used for protection of the Kaspersky reputation servers from the DDoS attacks. In this scenario, the parameters of file reputation requests, that are being sent, are defined by the rules and methods established by the Kaspersky experts and cannot be configured by user on a protected device. Updates of these rules and methods are received along with the application database updates. If the limitations are applied, the *enabled by Kaspersky for protecting KSN servers against DDoS* status is displayed in the KSN Usage task statistics. The check box is selected by default.
Send data about requested URLs	If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes sends the data about requested web resources, including web addresses, to the Kaspersky. Conclusion about the requested web resource security is based on the reputation received from KSN. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not check URLs reputation in KSN. The check box is selected by default. The check box influences the Traffic Security task configuration.
Agree to process data as a part of the Kaspersky Security Network statistics	If the check box is selected the Kaspersky Industrial CyberSecurity for Nodes sends additional statistics, which may contain personal data. The list of all data, that is sent as KSN statistics, is specified in the KSN Statement. The data received by Kaspersky is used to improve the quality of applications and level of threat detection rates. If the check box is cleared, Kaspersky Industrial CyberSecurity for Nodes does not send additional statistics. The check box is selected by default.
Accept the terms of the Kaspersky Managed Protection Statement	If the check box is selected, you agree to send statistics on the protected device activity to the Kaspersky specialists. Received data is used for around-the-clock analysis and reporting, required to prevent security breach incidents. The check box is cleared by default.
Task management	You can configure settings to start the task on a schedule.

Configuring additional data transfer

Kaspersky Industrial CyberSecurity for Nodes can be configured to send the following data to Kaspersky:

- Checksums of scanned files (**Send data about scanned files** check box).
- Additional statistics, including personal data (**Send Kaspersky Security Network statistics** check box).

See the "Local data handling" section of this guide for detailed information about data that is sent to Kaspersky.

The corresponding check boxes can be selected or cleared only if the **I accept the terms of participation in Kaspersky Security Network** check box is selected.

By default Kaspersky Industrial CyberSecurity for Nodes sends checksums of files and additional statistics after you accept the KSN Statement.

Possible check box states and corresponding conditions

Check box state	Conditions for the Send data about scanned files check box state	Conditions for the Send Kaspersky Security Network statistics check box state	Conditions for the I accept the terms of participation in Kaspersky Security Network check box state
☑	• reputation requests are sent • check box is editable	• additional statistics is sent • check box is editable	• the terms of the Kaspersky Security Network Statement are accepted • check box is editable
☑	• reputation requests are sent • check box is not editable	• additional statistics is sent • check box is not editable	• the terms of the Kaspersky Security Network Statement are accepted • check box is not editable
☐	• reputation requests are not sent • check box is editable	• additional statistics is not sent • check box is editable	• the terms of the Kaspersky Security Network Statement are not accepted • check box is editable
☐	• reputation requests are not sent • check box is not editable	• additional statistics is not sent • check box is not editable	• the terms of the Kaspersky Security Network Statement are not accepted • check box is not editable

KSN Usage task statistics

While the KSN Usage task is being executed, detailed information can be viewed in real time about the number of objects processed by Kaspersky Industrial CyberSecurity for Nodes since it was started up till now. Information about all events that occur during the task performing is recorded in the task log.

To view KSN Usage task statistics:

1. In the Kaspersky Industrial CyberSecurity for Nodes Console tree, expand the **Real-Time Computer Protection** node.

2. Select the **KSN Usage** child node.

Task statistics are displayed in the **Statistics** section of the details pane of the selected node.

You can view information about objects processed by Kaspersky Industrial CyberSecurity for Nodes since the task was started (see the table below).

KSN Usage task statistics

Field	Description
File requests sent	Number of file reputation queries sent by Kaspersky Industrial CyberSecurity for Nodes to KSN.
Files untrusted in KSN	Number of objects considered untrusted by KSN.
Request sending errors	Number of KSN requests whose processing resulted in a task error.
Statistics formed	Number of generated statistic packages sent to KSN.
Objects removed	Number of objects that Kaspersky Industrial CyberSecurity for Nodes deleted when running the KSN Usage task.
Moved to Backup	The number of object copies that Kaspersky Industrial CyberSecurity for Nodes saved to Backup.
Objects not removed	The number of objects that Kaspersky Industrial CyberSecurity for Nodes attempted but was unable to delete, because, for example, access to the object was blocked by another application. Information about such objects is recorded in the task log.
Objects not backed up	The number of objects the copies of which Kaspersky Industrial CyberSecurity for Nodes attempted to save in Backup but was unable to do so, for example, due to insufficient disk space. The application does not disinfect or delete files that it could not move to Backup. Information about such objects is recorded in the task log.
Limited mode	The status signifies whether the application sends file reputation requests in a limited mode. In a limited mode Kaspersky Industrial CyberSecurity for Nodes sends only a part of file reputation requests according to Kaspersky experts recommendation.

File Integrity Monitor

This section contains information about starting and configuring the File Integrity Monitor task.

About the File Integrity Monitor task

The File Integrity Monitor task is designed to track actions performed with the specified files and folders in the monitoring scopes specified in the task settings. You can use the task to detect file changes that may indicate a security breach on the protected device. You can also configure file changes to be tracked during periods in which monitoring is interrupted.

A *monitoring interruption* occurs when the monitoring scope temporarily falls outside the scope of the task, e.g. if the task is stopped or if an external device is not physically present on a protected device. Kaspersky Industrial CyberSecurity for Nodes reports detected file operations in the monitoring scope as soon as an external device is reconnected.

If the tasks stops running in the specified monitoring scope due to a reinstallation of the File Integrity Monitor component, this does not constitute a monitoring interruption. In this case, the File Integrity Monitor task is not run.

Requirements on the environment

To start the File Integrity Monitor task, the following conditions must be satisfied:

- ReFS or NTFS file systems must be used on the protected device.
- The Windows USN Journal must be enabled. The component queries this journal to receive information about file operations.

  If you enable USN Journal after a rule has been created for a volume and the File Integrity Monitor task has been started, the task must be restarted. If not, the rule will not be applied during monitoring.

Excluded monitoring scopes

You can create excluded monitoring scopes. Exclusions are specified for each separate rule and work only for the indicated monitoring scope. You can specify an unlimited number of exclusions for each rule.

Exclusions have higher priority than the monitoring scope and are not monitored by the task, even if an indicated folder or file is in the monitoring scope. If the settings for one of the rules specify a monitoring scope at a lower level than a folder specified in exclusions, the monitoring scope is not considered when the task is run.

To specify exclusions, you can use the same masks that are used to specify monitoring scopes.

About file operation monitoring rules

The File Integrity Monitor task is run based on file operation monitoring rules. You can use rule triggering criteria to configure the conditions that trigger the task, and adjust the importance level for detected file operation events recorded in the task log.

A file operation monitoring rule is specified for each monitoring scope.

You can configure the following rule triggering criteria:

- Trusted users
- File operation markers

Trusted users

By default, the application treats all user actions as potential security breaches. The trusted user list is empty. You can configure the event importance level by creating a list of trusted users in the file operation monitoring rule settings.

Untrusted user is a status assigned to any user not indicated in the trusted user list in the monitoring scope rule settings. If Kaspersky Industrial CyberSecurity for Nodes detects a file operation performed by an untrusted user, the File Integrity Monitor task records a Critical event in the task log.

Trusted user is a status assigned to a user or group of users authorized to perform file operations in the specified monitoring scope. If Kaspersky Industrial CyberSecurity for Nodes detects file operations performed by a trusted user, the File Integrity Monitor task records an Informational event in the task log.

Kaspersky Industrial CyberSecurity for Nodes cannot determine the users that initiate operations during monitoring interruptions. In this case, the user status is determined to be unknown.

Unknown user is a status assigned to a user if Kaspersky Industrial CyberSecurity for Nodes cannot receive information about a user due to a task interruption or a failure of the data synchronization driver or USN Journal. If Kaspersky Industrial CyberSecurity for Nodes detects a file operation performed by an unknown user, the File Integrity Monitor task records a *Warning* event in the task log.

File operation markers

When the File Integrity Monitor task runs, Kaspersky Industrial CyberSecurity for Nodes uses file operation markers to determine that an action has been performed on a file.

A file operation marker is a unique descriptor that can characterize a file operation.

Each file operation can be a single action or a chain of actions with files. Each action of this kind is equated to a file operation marker. If the marker you specify as a rule triggering criterion is detected in a file operation chain, the application logs an event indicating that the given file operation was performed.

The importance level of the logged events does not depend on the selected file operation markers or the number of events.

By default, Kaspersky Industrial CyberSecurity for Nodes considers all available file operation markers. You can select file operation markers manually in the task's rule settings.

File operation markers

File operation ID	File operation marker	Supported file

		systems
BASIC_INFO_CHANGE	Attributes or time markers of a file or folder changed	NTFS, ReFS
COMPRESSION_CHANGE	Compression of a file or folder changed	NTFS, ReFS
DATA_EXTEND	Size of file or folder increased	NTFS, ReFS
DATA_OVERWRITE	Data in a file or folder was overwritten	NTFS, ReFS
DATA_TRUNCATION	File or folder truncated	NTFS, ReFS
EA_CHANGE	Extended file or folder attributes changed	Only NTFS
ENCRYPTION_CHANGE	Encryption status of file or folder changed	NTFS, ReFS
FILE_CREATE	File or folder created for the first time	NTFS, ReFS
FILE_DELETE	File or folder permanently deleted using a SHIFT+DEL combination	NTFS, ReFS
HARD_LINK_CHANGE	Hard link created or deleted for file or folder	Only NTFS
INDEXABLE_CHANGE	Index status of file or folder changed	NTFS, ReFS
INTEGRITY_CHANGE	Integrity attribute changed for a named file stream	Only ReFS
NAMED_DATA_EXTEND	Size of a named file stream increased	NTFS, ReFS
NAMED_DATA_OVERWRITE	Named file stream overwritten	NTFS, ReFS
NAMED_DATA_TRUNCATION	Named file stream truncated	NTFS, ReFS
OBJECT_ID_CHANGE	File or folder identifier changed	NTFS, ReFS
RENAME_NEW_NAME	New name assigned to file or folder	NTFS, ReFS
REPARSE_POINT_CHANGE	New reparse point created or existing reparse point changed for a file or folder	NTFS, ReFS
SECURITY_CHANGE	File or folder access rights changed	NTFS, ReFS
STREAM_CHANGE	New named file stream created or existing named file stream changed	NTFS, ReFS
TRANSACTED_CHANGE	Named file stream changed by TxF transaction	Only ReFS

Default File Integrity Monitor task settings

By default, the File Integrity Monitor task has the settings described in the table below. You can change the values of the settings in the following components:

- The Administration Plug-in
- The Application Console
- The Web Plug-in

Default File Integrity Monitor task settings

Setting	Default value	Description
Monitoring scope	Not configured	Use this option to specify the folders and files for which actions will be monitored. Monitoring events will be generated for the

		folders and files in the specified monitoring scope.
Trusted users list	Not configured	Use this option to specify users and/or groups of users, whose actions in the specified folders will be treated as safe by the component.
Log information about file operations that appear during the monitor interruption period	Used	Use this option to enable or disable logging of file operations performed in the indicated monitoring scopes during periods in which the task in not running. By default, statistics is compiled for trusted users without regard to the configured rules.
Block attempts to compromise the USN log	Used	Use this option to enable or disable protection of the USN log.
Apply Trusted Zone	Disabled	Select or clear the **Apply Trusted Zone** check box to apply the **Trusted Zone** exclusions in addition to the monitoring scope configured for a rule.
Detect and block the selected file operations	Disabled	Select or clear the **Detect and block the selected file operations** check box if you want to block all changes for the selected monitoring area.
Exclude the following folders from control	Not applied	Use this option to check the use of exclusions for folders in which file operations do not need to be monitored. When the File Integrity Monitor task runs, Kaspersky Industrial CyberSecurity for Nodes skips monitoring scopes specified as exclusions.
Checksum calculation	Not applied	Use this option to configure calculation of the file checksum after changes are made in the file.
Set file operations markers	All available file operation markers are considered	Use this option to specify the set of file operation markers. If a file operation performed in a monitoring scope is characterized by one or more specified markers, Kaspersky Industrial CyberSecurity for Nodes generates an audit event.
Task start schedule	First run is not scheduled	You can configure the settings for starting the task on a schedule.

Manage File Integrity Monitor via the Administration Plug-in

In this section, learn how to configure the File Integrity Monitor task via the Administration Plug-in.

Configuring the File Integrity Monitor task

To configure general File Integrity Monitor task settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

- To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
- To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

  If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **System inspection** section in the **File Integrity Monitor** subsection, click the **Settings** button.

   The **File Integrity Monitor** window opens.

5. In the **File operations monitoring settings** tab in the window that appears, configure the following settings:

   - Clear or select the **Log information about file operations that appear during the monitoring interruption period** check box.

     The check box enables or disables monitoring of the file operations specified in the File Integrity Monitor task settings when the task is not running for any reason (removal of a hard disk, task stopped by user, software error).

     If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will record events in all monitoring scopes when the File Integrity Monitor task is not running.

     If the check box is cleared, the application will not log file operations in monitoring scopes when the task is not running.

     The check box is selected by default.

   - Clear or select the **Block attempts to compromise the USN log** check box.

     The check box enables or disables protection of the USN log.

     If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will block attempts to delete the USN log or to compromise the USN log's content.

     If the check box is cleared, the application will not monitor changes to the USN log.

     The check box is selected by default.

   - Select or clear the **Apply Trusted Zone** check box as applicable.

     If the **Apply Trusted Zone** check box is selected, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

     If the **Apply Trusted Zone** check box is cleared, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

     By default, the check box is cleared.

   - Add the monitoring scopes to be monitored by the task.

6. On the **Task management** tab, configure the task settings for starting the task on a schedule.

7. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

To add a monitoring scope:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **System inspection** section in the **File Integrity Monitor** subsection, click the **Settings** button.

   The **File Integrity Monitor** window opens.
5. In the **Monitoring scope** section, click the **Add** button.

   The **File operations monitoring rule** window opens.
6. Add a monitoring scope in one of the following ways:
   - If you want to select folders through the standard Microsoft Windows dialog:
     a. Click the **Browse** button.

        The standard Microsoft Windows **Browse for folder** window opens.

     b. In the **Browse for folder** window that opens, select the folder for which you want to monitor operations, and then click the **OK** button.
   - If you want to specify a monitoring scope manually, add a path using a supported mask:
     - <*.ext> — all files with the extension <ext>, regardless of their location
     - <*\name.ext> — all files with name <name> and extension <ext>, regardless of their location
     - <\dir*> — all files in folder <\dir>
     - <\dir*\name.ext> — all files with the name <name> and extension <ext> in folder <\dir> and all of its child folders

When specifying a monitoring scope manually, be sure that the path is in the following format: <volume letter>:\<mask>. If the volume letter is missing, Kaspersky Industrial CyberSecurity for Nodes will not add the specified monitoring scope.

7. On the **Trusted users** tab, click the **Add** button.

   The standard Microsoft Windows **Select Users or Groups** window appears.

8. Select the users or groups of users for whom file operations are allowed in the selected monitoring scope, and click the **OK** button.

   By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

9. Select the **File operation markers** tab.

10. Perform the following actions to select several markers as applicable:

    a. Select the **Detect file operations based on the following markers** option.

    b. On the list of available file operations select the check boxes next to the operations you want to monitor.

    By default Kaspersky Industrial CyberSecurity for Nodes detects all file operation markers, the **Detect file operations based on all recognizable markers** option is selected.

11. If you want to block all file operations for the selected area, select the **Detect and block the selected file operations** check box.

12. If you want Kaspersky Industrial CyberSecurity for Nodes to calculate a file checksum after an operation is performed, do the following:

    a. Select the **Calculate checksum for the file if possible. The checksum will be available for viewing in the task report** check box.

    b. In the **Checksum type** drop down list, select one of the options:

    - **MD5 hash**
    - **SHA256 hash**

13. If you do not want to monitor all file operations in the list of available file operations, select the check boxes next to the operations you want to monitor.

14. Add excluded monitoring scopes as applicable:

    a. Select the **Exclusions** tab.

    b. Select the **Exclude the following folders from control** check box.

    c. Click the **Add** button.

    The **Select folder to add** window opens.

d. In the window that opens, specify the folder that you want to exclude from the monitoring scope.

e. Click **OK**.

The specified folder is added to the list of excluded scopes.

15. Click **OK** in the **File operations monitoring rule** window.

The specified rule settings are applied to the selected monitoring scope of the File Integrity Monitor task.

Manage File Integrity Monitor via the Application Console

In this section, learn how to configure the File Integrity Monitor task via the Application Console.

Configuring File Integrity Monitor task settings

To configure general File Integrity Monitor task settings:

1. In the Application Console tree, expand the **System Inspection** node.
2. Select the **File Integrity Monitor** child node.
3. Click the **Properties** link in the results pane of the **File Integrity Monitor** node.

The **Task settings** window appears.

4. In the appeared window, on the **General** tab, configure the following settings:

a. Clear or select the **Log information about file operations that appear during the monitor interruption period** check box.

The check box enables or disables monitoring of the file operations specified in the File Integrity Monitor task settings when the task is not running for any reason (removal of a hard disk, task stopped by user, software error).

If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will record events in all monitoring scopes when the File Integrity Monitor task is not running.

If the check box is cleared, the application will not log file operations in monitoring scopes when the task is not running.

The check box is selected by default.

b. Clear or select the **Block attempts to compromise the USN log** check box.

The check box enables or disables protection of the USN log.

If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will block attempts to delete the USN log or to compromise the USN log's content.

If the check box is cleared, the application will not monitor changes to the USN log.

The check box is selected by default.

c. Select or clear the **Apply Trusted Zone** check box as applicable.

If the **Apply Trusted Zone** check box is selected, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

If the **Apply Trusted Zone** check box is cleared, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

By default, the check box is cleared.

5. On the **Schedule** and **Advanced** tabs, configure the task start schedule.

6. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

To add a monitoring scope:

1. In the Application Console tree, expand the **System Inspection** node.

2. Select the **File Integrity Monitor** child node.

3. Click the **File operations monitoring rules** link in the results pane of the **File Integrity Monitor** node.
   The **File operations monitoring** window opens.

4. Add a monitoring scope in one of the following ways:

   - If you want to select folders through the standard Microsoft Windows dialog:

     a. On the left side of the window, click the **Browse** button.
        The standard Microsoft Windows **Browse for folder** window appears.

     b. In the **Browse for folder** window, select the folder for which you want to monitor operations, and click the **OK** button.

     c. Click the **Add** button to have Kaspersky Industrial CyberSecurity for Nodes start monitoring file operations in the indicated monitoring scope.

   - If you want to specify a monitoring scope manually, add a path using a supported mask:

     - <*.ext> — all files with the extension <ext>, regardless of their location
     - <*\name.ext> — all files with name <name> and extension <ext>, regardless of their location
     - <\dir*> — all files in folder <\dir>
     - <\dir*\name.ext> — all files with the name <name> and extension <ext> in folder <\dir> and all of its child folders

When specifying a monitoring scope manually, be sure that the path is in the following format: <volume letter>:\<mask>. If the volume letter is missing, Kaspersky Industrial CyberSecurity for Nodes will not add the specified monitoring scope.

On the right side of the window, the **Rule description** tab displays the trusted users and file operation markers selected for this monitoring scope.

5. In the list of added monitoring scopes, select the scope settings that you want to configure.
6. Select the **Trusted users** tab.
7. Click the **Add** button.

   The standard Microsoft Windows **Select Users or Groups** window appears.
8. Select the users or groups of users that Kaspersky Industrial CyberSecurity for Nodes will consider trusted for the selected monitoring scope.
9. Click **OK**.

By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

10. Select the **Set file operations markers** tab.
11. If required, perform the following actions to select several markers:

    a. Select the **Detect file operations based on the following markers** option.

    b. In the list of available file operations select the check boxes next to the operations you want to monitor.

By default, Kaspersky Industrial CyberSecurity for Nodes detects all file operation markers, i.e. the **Detect file operations based on all recognizable markers** option is selected.

12. If you want to block all file operations for the selected area, select the **Detect and block the selected file operations** check box.
13. If you want Kaspersky Industrial CyberSecurity for Nodes to calculate a file checksum after an operation is performed, do the following:

    a. In the **Checksum calculation** section, select the **Calculate checksum for a file final version, after the file was changed, if possible. The checksum will be available for viewing in the task log** check box.

    b. In the **Calculate the checksum using the algorithm** drop down list select one of the options:

    - **MD5 hash**.
    - **SHA256 hash**.
14. Add excluded monitoring scopes as applicable:

    a. Select the **Set exclusions** tab.

b. Select the **Consider excluded monitoring scope** check box.

c. Click the **Browse** button.

The standard Microsoft Windows **Browse for folder** window appears.

d. In the **Browse for folder** window, specify the folder that you want to exclude from the monitoring scope.

e. Click **OK**.

f. Click the **Add** button.

The specified folder is added to the list of excluded scopes.

> You can also add excluded monitoring scopes manually using the same masks that are used to specify monitoring scopes.

15. Click the **Save** button to apply the new rule configuration.

The specified rule settings are immediately applied to the defined monitoring scope of the **File Integrity Monitor** task.

Manage File Integrity Monitor via the Web Plug-in

In this section, learn how to configure the File Integrity Monitor task via the Web Plug-in.

Configuring the File Integrity Monitor task

To configure the File Integrity Monitor task via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **System Inspection** section.
5. Click **Settings** in the **File Integrity Monitor** subsection.
6. In the **File Integrity Monitor** window that appears, on the **File operations monitoring settings** tab, configure the following settings:

a. Clear or select the **Log information about file operations that appear during the monitoring interruption period** check box.

The check box enables or disables monitoring of the file operations specified in the File Integrity Monitor task settings when the task is not running for any reason (removal of a hard disk, task stopped by user, software error).

If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will record events in all monitoring scopes when the File Integrity Monitor task is not running.

If the check box is cleared, the application will not log file operations in monitoring scopes when the task is not running.

The check box is selected by default.

b. Clear or select the **Block attempts to compromise the USN log** check box.

The check box enables or disables protection of the USN log.

If the check box is selected, Kaspersky Industrial CyberSecurity for Nodes will block attempts to delete the USN log or to compromise the USN log's content.

If the check box is cleared, the application will not monitor changes to the USN log.

The check box is selected by default.

c. Select or clear the **Apply Trusted Zone** check box as applicable.

If the **Apply Trusted Zone** check box is selected, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

If the **Apply Trusted Zone** check box is cleared, the **Exclusions** and **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

By default, the check box is cleared.

7. On the **Task management** tab, configure the task start schedule.

8. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

To add a monitoring scope:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **System Inspection** section.

5. Click **Settings** in the **File Integrity Monitor** subsection.

6. In the appeared **File Integrity Monitor** window, open the **File operations monitoring settings** tab.

7. In the **USN log** section, click the **Add** button.

   The **File operations monitoring rule** window appears.

8. In the **Monitor file operations for the scope**, specify a path using a supported mask:

   - <*.ext> - all files with the extension <ext>, regardless of their location
   - <*\name.ext> - all files with name <name> and extension <ext>, regardless of their location
   - <\dir*> - all files in folder <\dir>
   - <\dir*\name.ext> - all files with the name <name> and extension <ext> in folder <\dir> and all of its child folders

   When specifying a monitoring scope manually, be sure that the path is in the following format: <volume letter>:\<mask>. If the volume letter is missing, Kaspersky Industrial CyberSecurity for Nodes will not add the specified monitoring scope.

9. On the **Trusted users** tab, do one of the following:

   - Click the **Add** button and, in the window that opens, specify the user in the **User name** field using SID notation.
   - Click the **Add from Administration Server** button and, in the window that appears on the screen, select the user from the list.

   By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

10. Click **OK**.

11. Select the **File operation markers** tab.

12. Perform the following actions to select several markers as applicable:

    a. Select the **Detect file operations based on the following markers** option.

    b. On the list of available file operations select the check boxes next to the operations you want to monitor.

    By default Kaspersky Industrial CyberSecurity for Nodes detects all file operation markers, the **Detect file operations based on all recognizable markers** option is selected.

13. If you want to block all file operations for the selected area, select the **Detect and block the selected file operations** check box.

14. If you want Kaspersky Industrial CyberSecurity for Nodes to calculate a file checksum after an operation is performed:

    a. Select the **Calculate checksum for the file if possible. The checksum will be available for viewing in the task report** check box.

    b. In the **Checksum type** drop down list, select one of the options:

- **SHA256 hash**
- **MD5 hash**

15. If you do not want to monitor all file operations in the list of available file operations, select the check boxes next to the operations you want to monitor.
16. Add excluded monitoring scopes as applicable:
    a. Select the **Exclusions** tab.
    b. Select the **Exclude the following folders from control** check box.
    c. Click the **Add** button.
    The **Select folder to add** window opens.
    d. In the pane that opens on the right, specify the folder that you want to exclude from the monitoring scope.
    e. Click **OK**.
    The specified folder is added to the list of excluded scopes.
17. Click **OK** in the **File operations monitoring rule** window.
    The specified rule settings are applied to the selected monitoring scope of the File Integrity Monitor task.

Registry Access Monitor

This section explains how to start and configure the Registry Access Monitor task.

About the Registry Access Monitor task

The Registry Access Monitor task is designed to track actions performed with the specified registry branches and keys in the monitoring scopes defined in the task settings. You can use the task to detect the changes indicating a security breach on the protected device.

To start the Registry Access Monitor task, you must configure at least one monitoring rule.

About System registry monitoring rules

The Registry Access Monitor task is run based on the system registry monitoring rules. You can use the rule triggering criteria to configure the conditions triggering the task, and set the importance level for the detected events recorded in the task log.

A System registry monitoring rule is specified for each monitoring scope.

You can configure the following rule triggering criteria:

- **Actions**
- **Registry Values**
- **Trusted users**

Actions

When the Registry Access Monitor task is started, Kaspersky Industrial CyberSecurity for Nodes uses a list of actions to monitor the registry (see the table below).

If an action specified as a rule triggering criterion is detected, the application logs a respective event.

The importance level of the logged events does not depend on the selected actions or the number of events.

By default, Kaspersky Industrial CyberSecurity for Nodes considers all actions. You can configure the list of actions manually in the task rule settings.

Actions

Action	Restrictions	Operating system
Create key	• For Windows XP and Windows Server 2003, if you add **Create key** to the list of **Actions**, and then select the **Block operations according to the rules** mode, the	Windows XP and later

	key creation is not blocked in the specified operating systems because of the system restrictions. The key is created with a respective notification sent to the log of events. • If you want to forbid creating a specific key via Registry Editor, create a rule for a parent registry key and make sure to add **Create subkeys** to the list of **Actions**, and then select the **Block operations according to the rules** mode.	
Delete Key	If you want to delete a parent key, make sure to clear both the **Delete Key** and **Delete subkeys** options on the list of monitored **Actions** for a configured registry key, as you can only delete the parent key with subkeys.	Windows XP and later
Rename Key	N/A	Windows XP and later
Change key security settings	N/A	Windows Vista and later
Delete values	N/A	Windows XP and later
Set values	If you add **Set values** to the list of **Actions**, define the Default **Value name** in the rule for a key, and then select **Block operations according to the rules** mode, the key is not created, because a new key can only be created with a default value.	Windows XP and later
Create subkeys	N/A	Windows XP and later
Delete subkeys	N/A	Windows XP and later
Rename subkeys	N/A	Windows XP and later
Change subkeys security settings	N/A	Windows Vista and later

Registry Values

In addition to registry keys monitoring, you can block or monitor changes for the existing registry values. The following options are available:

- **Set value** - create the new registry values or change the existing registry values.
- **Delete value** - delete the existing registry values.

Renaming and changing the security settings are not applicable for the registry values.

Trusted users

By default, the application treats all user actions as potential security breaches. The trusted user list is empty. You can configure the event importance level by creating a list of trusted users in the system registry monitoring rule settings.

Untrusted user is any user not indicated in the trusted user list in the monitoring scope rule settings. If Kaspersky Industrial CyberSecurity for Nodes detects an action performed by an untrusted user, the Registry Access Monitor task records a Critical event in the task log.

Trusted user is a user or a group of users authorized to perform actions within the specified monitoring scope. If Kaspersky Industrial CyberSecurity for Nodes detects an action performed by a trusted user, the Registry Access Monitor task records an Informational event in the task log.

Default Registry Access Monitor task settings

The default settings for the Registry Access Monitor task are described in the table below. You can change the values of the settings in the following components:

- The Administration Plug-in
- The Application Console
- The Web Plug-in

Default Registry Access Monitor task settings

Setting	Default value	Description
Monitoring scope	Not defined	Use this option to define the parent registry keys and subkeys to monitor. Monitoring events are generated for the parent registry keys and subkeys in the specified monitoring scope.
Actions	All items of the list of actions are selected	Use this option to configure a list of actions as applicable by selecting and clearing the respective check boxes.
Registry Values	Not defined	Use this option to add, modify, and remove the registry values you want to monitor for the defined monitoring scope.
Trusted users	Not defined	Use this option to specify users and groups of users authorized to perform the defined actions for the specified registry keys.
Task mode	Statistics only	You can select the task mode to **Block operations according to the rules**, or you can select the **Statistics only** mode to receive the notifications.
Apply Trusted Zone	Disabled	You can select or clear the **Apply Trusted Zone** check box to apply the **Trusted Zone** exclusions in addition to the configured for a rule.
Task start schedule	Not defined	You can configure the settings to start the task on schedule.

Managing the Registry Access Monitor via the Administration Plug-in

In this section, learn how to configure the Registry Access Monitor task via the Administration Plug-in.

Configure the Registry Access Monitor task settings

To configure general Registry Access Monitor task settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **System inspection** section in the **Registry Access Monitor** subsection, click the **Settings** button.

   The **Registry Access Monitor** window appears.
5. On the **Registry Access Monitor Settings** tab, configure the following settings:
   - In the **Task mode** group, select the required option from the list:
     - **Block operations according to the rules**

       If you select the **Block operations according to the rules** mode, Kaspersky Industrial CyberSecurity for Nodes blocks the **Actions** defined for the monitoring scope. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not block the processes defined under **Trusted Zone**.

       By default, the **Statistics only** mode is applied.
     - **Statistics only**

       If the **Statistics only** mode is selected for the monitoring scope, Kaspersky Industrial CyberSecurity for Nodes compiles the statistics for registry key actions according the configured rules. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not compile the statistics for processes defined under **Trusted Zone**.

       By default, the **Statistics only** mode is applied.
   - Select or clear the **Apply Trusted Zone** check box as applicable.

If the **Apply Trusted Zone** check box is selected, the **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

If the **Apply Trusted Zone** check box is cleared, the **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

By default, the check box is cleared.

6. Add the monitoring scopes to be monitored by the task.
7. On the **Task management** tab, configure the schedule settings for a task.
8. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

The monitoring rules are applied one after another in line with their position in the list of configured rules.

To add a monitoring scope:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

   If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **System inspection** section, in the **Registry Access Monitor** subsection, click the **Settings** button.

   The **Registry Access Monitor** window appears.
5. In the **Monitor registry operations for the scope** section, click the **Add** button.
6. In the **Registry Access Monitoring Area** window, to add a monitor scope, specify a path using a **supported mask**.

You can use ? and * as a mask when entering a path.

If you enter the path to a root registry key, make sure to specify full path without a mask, such as HKEY_USERS. Following is a list of valid root registry keys:

- HKEY_LOCAL_MACHINE
- HKLM
- HKEY_CURRENT_USER
- HKCU
- HKEY_USERS
- HKUS
- HKU
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKCR

Avoid using supported masks for the root keys when creating the rules.
If you specify only a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, a vast number of notifications about addressing the specified child keys is generated, which results in the system performance issues. If you specify a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, and select the **Block operations according to the rules** mode, the system is not able to read or change the keys required for OS functioning and fails to respond.

7. On the **Add** tab, configure the list of actions as applicable.

8. If you want to monitor certain **Registry Values**, do the following:

   - On the **Registry Values** tab, click the **Add** button.
   - In the **Registry value rule** window, enter the **Value mask** and set the **Value mask**.
   - Click **OK** to save the changes.

9. If you want to define **Trusted users**, do the following:

   - On the **Trusted users** tab, click the **Add** button.
   - In the **Select Users or Groups** window, select the users or groups of users authorized to perform the defined actions.
   - Click **OK** to save the changes.

By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

10. Click **OK** in the **Registry Access Monitoring Area** window.

    The specified rule settings are immediately applied to the defined monitoring scope of the **Registry Access Monitor** task.

Managing the Registry Access Monitor via the Administration Console

In this section, learn how to configure the Registry Access Monitor task via the Application Console.

Configuring the Registry Access Monitor task settings

To configure general Registry Access Monitor task settings:

1. In the Application Console tree, expand the **System Inspection** node.
2. Select the **Registry Access Monitor** child node.
3. Click the **Properties** link in the results pane of the **Registry Access Monitor** node.

   The **Task settings** window appears.
4. In the **Task settings** window, on the **General** tab, configure the following settings:
   - In the **Task mode** group, select the required option from the list:
     - Block operations according to the rules

       If you select the **Block operations according to the rules** mode, Kaspersky Industrial CyberSecurity for Nodes blocks the **Actions** defined for the monitoring scope. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not block the processes defined under **Trusted Zone**.

       By default, the **Statistics only** mode is applied.

     - Statistics only

       If the **Statistics only** mode is selected for the monitoring scope, Kaspersky Industrial CyberSecurity for Nodes compiles the statistics for registry key actions according the configured rules. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not compile the statistics for processes defined under **Trusted Zone**.

       By default, the **Statistics only** mode is applied.

   - Select or clear the Apply Trusted Zone check box as applicable.

If the **Apply Trusted Zone** check box is selected, the **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

If the **Apply Trusted Zone** check box is cleared, the **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

By default, the check box is cleared.

5. On the **Schedule** and **Advanced** tabs, configure the task start schedule.
6. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

The monitoring rules are applied one after another in line with their position in the list of configured rules.

To add a monitoring scope:

1. In the Application Console tree, expand the **System Inspection** node.
2. Select the **Registry Access Monitor** child node.
3. Click the **Registry Access Monitoring rules** link in the results pane of the **Registry Access Monitor** node.
   The **Registry Access Monitoring** window appears.
4. In the **Registry Access Monitoring** window, specify a path using a supported mask to **Add system registry key to monitor** and click the **Add** button.

   Avoid using supported masks for the root keys, when creating the rules.
   If you specify only a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, a vast number of notifications about addressing the specified child keys is generated, which results in the system performance issues.
   If you specify a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, and select the **Block operations according to the rules** mode, the system is not able to read or change the keys required for OS functioning and fails to respond.

5. On the **Actions** tab for the selected monitoring area, configure the list of actions as applicable.
6. If you want to monitor certain **Registry Values**, do the following:
   a. On the **Registry Values** tab, click the **Add** button.
   b. In the **Registry value rule** window, enter the **Value mask** and set the required **Controlled operations**.
   c. Click **OK** to save the changes.
7. If you want to define **Trusted users**, do the following:

a. On the **Trusted users** tab, click the **Add** button.

b. In the **Select Users or Groups** window, select the users or groups of users authorized to perform the defined actions.

c. Click **OK** to save the changes.

By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

8. Click **Save** in the **Registry Access Monitoring Area** window.

   The specified rule settings are immediately applied to the defined monitoring scope of the **Registry Access Monitor** task.

Managing the Registry Access Monitor via the Web Plug-in

In this section, learn how to configure the Registry Access Monitor task via the Web Plug-in.

Configuring the Registry Access Monitor task

To configure the Registry Access Monitor task via the Web Plug-in:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **System Inspection** section.
5. Click **Settings** in the **Registry Access Monitor** subsection.
6. In the **Registry Access Monitor** window, on the **Registry Access Monitor Settings** tab, configure the following settings:

   - In the **Task mode** group, select the required option from the list:

     - Block operations according to the rules

       If you select the **Block operations according to the rules** mode, Kaspersky Industrial CyberSecurity for Nodes blocks the **Actions** defined for the monitoring scope. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not block the processes defined under **Trusted Zone**.

       By default, the **Statistics only** mode is applied.

     - Statistics only

If the **Statistics only** mode is selected for the monitoring scope, Kaspersky Industrial CyberSecurity for Nodes compiles the statistics for registry key actions according the configured rules. Also, if the **Apply Trusted Zone** check box is selected, Kaspersky Industrial CyberSecurity for Nodes does not compile the statistics for processes defined under **Trusted Zone**.

By default, the **Statistics only** mode is applied.

- Select or clear the **Apply Trusted Zone** check box as applicable.

  If the **Apply Trusted Zone** check box is selected, the **Trusted processes** configured in the **Trusted Zone** are applied to the monitoring scope in addition to the configured rule.

  If the **Apply Trusted Zone** check box is cleared, the **Trusted processes** configured in the **Trusted Zone** are not applied to the monitoring scope.

  By default, the check box is cleared.

7. On the **Task management** tab, configure the task start schedule.
8. Click **OK** to save the changes.

Kaspersky Industrial CyberSecurity for Nodes immediately applies the new settings to the running task. Information about the date and time of settings modification are saved in the system audit log.

Configuring monitoring rules

The monitoring rules are applied one after another in line with their position in the list of configured rules.

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **System Inspection** section.
5. Click **Settings** in the **Registry Access Monitor** subsection.
6. In the **Registry Access Monitor** window that appears on the screen, open the **Registry Access Monitor Settings** tab.
7. In the **Registry Access Monitoring Rules** section, click the **Add** button.
8. In the **Registry Access Monitoring Area** window, specify a path using a supported mask to **Monitor registry operations for the scope**.

You can use ? and * as a mask when entering a path.

If you enter the path to a root registry key, make sure to specify full path without a mask, such as HKEY_USERS. Following is a list of valid root registry keys:

- HKEY_LOCAL_MACHINE
- HKLM
- HKEY_CURRENT_USER
- HKCU
- HKEY_USERS
- HKUS
- HKU
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKCR

Avoid using supported masks for the root keys, when creating the rules.
If you specify only a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, a vast number of notifications about addressing the specified child keys is generated, which results in the system performance issues.
If you specify a root key, such as HKEY_CURRENT_USER, or a root key with a mask for all child keys, such as HKEY_CURRENT_USER*, and select the **Block operations according to the rules** mode, the system is not able to read or change the keys required for OS functioning and fails to respond.

9. On the **Actions** tab for the selected monitoring area, configure the list of actions as applicable.
10. If you want to monitor certain **Registry Values**, do the following:
    a. On the **Registry Values** tab, click the **Add** button.
    b. In the **Registry value rule** window, enter the **Value mask** and set the required **List of operations**.
    c. Click **OK** to save the changes.
11. If you want to define **Trusted users**, do the following:
    a. On the **Trusted users** tab, click the **Add** button.
    b. Enter the **User name** or click **Set SID Everyone**, to define users authorized to perform the selected actions.
    c. Click **OK** to save the changes.

By default, Kaspersky Industrial CyberSecurity for Nodes treats all users not on the trusted user list as untrusted, and generates Critical events for them. For trusted users, statistics are compiled.

12. Click **OK** in the **Registry Access Monitoring Area** window to save the changes.

    The specified rule settings are immediately applied to the defined monitoring scope of the **Registry Access Monitor** task.

Log Inspection

This section contains information about the Log Inspection task and task settings.

About the Log Inspection task

When the Log Inspection task runs, Kaspersky Industrial CyberSecurity for Nodes monitors the integrity of the protected environment based on the results of an inspection of Windows event logs. The application notifies the administrator upon detecting abnormal behavior that may indicate attempted cyberattacks.

Kaspersky Industrial CyberSecurity for Nodes analyzes the Windows event logs and identifies breaches based on the rules specified by the user or by the settings of the heuristic analyzer, which the task uses to inspect logs.

Predefined rules and heuristic analysis

You can use the Log Inspection task to monitor the state of the protected system by applying predefined rules based on existing heuristics. The heuristic analyzer identifies abnormal activity on the protected device, which may be evidence of an attempted attack. Templates to identify abnormal behavior are included in the available rules in the predefined rules settings.

Seven rules are included in the rule list for the Log Inspection task. You can enable or disable any of the rules. You cannot delete existing rules or create new rules.

You can configure the triggering criteria for rules that monitor events for the following operations:

- Password brute-force detection
- Network login detection

You can also configure exclusions in the task settings. The heuristic analyzer is not activated when a login is conducted by a trusted user or from a trusted IP address.

> Kaspersky Industrial CyberSecurity for Nodes does not use heuristics to inspect Windows logs if the heuristic analyzer is not used by the task. By default, the heuristic analyzer is enabled.

When the rules are applied, the application records a *Critical event* in the Log Inspection task log.

Custom rules for the Log Inspection task

You can use the rule settings to specify and change the criteria for triggering rules upon detecting the selected events in the specified Windows log. By default, the list of Log Inspection rules has four rules. You can enable and disable these rules, remove rules, and edit rule settings.

You can configure the following rule triggering criteria for each rule:

- List of record identifiers in the Windows Event Log.

  The rule is triggered when a new record is created in the Windows Event Log, if the event properties includes an event identifier specified in the rule. You can also add and remove identifiers for each specified rule.

- Event source.

  For each rule, you can specify a log within the Windows Event Log. The application will search for records with the specified event identifiers only in this log. You can select one of the standard logs (Application, Security, or System), or specify a custom log by entering the name in the source selection field.

  > The application does not verify that the specified log actually exists in the Windows Event Log.

When the rule is triggered, Kaspersky Industrial CyberSecurity for Nodes records a Critical event in the Log Inspection task log.

By default, the Log Inspection task applies custom rules.

> Before starting the Log Inspection task make sure the system audit policy is set up correctly. Refer to the Microsoft article for details.

Default Log Inspection task settings

By default, the Log Inspection task has the settings described in the table below. You can change the values of these settings.

Default Log Inspection task settings

Setting	Default value	Description
Apply custom rules for log inspection	Not applied.	You can enable, disable, add, or modify the custom rules.
Apply predefined rules for log inspection	Applied.	You can enable or disable the heuristic analyzer, which detects abnormal activity on the protected device.
Brute-force attack detection	10 logon failures per 300 seconds.	You can set the number of attempts and time frame used, which will be considered as triggers by the heuristic analyzer.
Network logon	12:00:00 AM.	You can indicate the start and end of the time interval during which Kaspersky Industrial CyberSecurity for Nodes treats sign-in attempts as abnormal activity.
Exclusions	Not applied.	You can specify users and IP addresses which will not trigger the heuristic analyzer.
Task start schedule	First run is not scheduled.	You can configure settings to start the task on a schedule.

Managing Log Inspection rules via the Administration Plug-in

In this section, learn how to add and configure Log Inspection rules via the Administration Plug-in.

Configuring predefined task rules

Perform the following actions to configure the predefined rules for the Log Inspection task:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **System inspection** section, click the **Settings** button in the **Log Inspection** subsection.

   The **Log Inspection** window opens.
5. Select the **Predefined rules** tab.
6. Select or clear the **Apply predefined rules for log inspection** check box.

   For the task to run, at least one Log Inspection rule must be selected.
7. Select the rules you want to apply from the list of predefined rules:
   - There are patterns of a possible brute-force attack in the system.
   - There are patterns of a possible Windows Event log abuse.
   - Atypical actions detected on behalf of a new service installed.
   - Atypical logon that uses explicit credentials detected.
   - There are patterns of a possible Kerberos forged PAC (MS14-068) attack in the system.
   - Atypical actions detected directed at a privileged built-in group Administrators.
   - There is an atypical activity detected during a network logon session.
8. To configure the selected rules, click the **Advanced settings** button.

   The **Log Inspection** window opens.
9. In the **Brute-force attack detection** section, set the number of attempts and time frame used as triggers by the heuristic analyzer.

10. In the **Network logon detection** section, indicate the start and end of the time interval during which Kaspersky Industrial CyberSecurity for Nodes treats sign-in attempts as abnormal activity.
11. Select the **Exclusions** tab.
12. Perform the following actions to add trusted users:
    a. Click the **Browse** button.
    b. Select a user.
    c. Click **OK**.
    The selected user is added to the list of trusted users.
13. Perform the following actions to add trusted IP addresses:
    a. Enter the IP address.
    b. Click the **Add** button.
14. The entered IP address is added to the list of trusted IP addresses.
15. On the **Task management** tab, configure the task start schedule.
16. Click **OK** in the **Log Inspection** window.

The Log Inspection task configuration is saved.

Adding Log Inspection rules via the Administration Plug-in

Perform the following actions to add and configure a new custom Log Inspection rule:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
    - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
    - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

    If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **System inspection** section, click the **Settings** button in the **Log Inspection** subsection.
    The **Log Inspection** window opens.
5. On the **Custom rules** tab, select or clear the **Apply custom rules for log inspection** check box.

You can control whether the preset rules are applied for Log Inspection. Select the check boxes corresponding to the rules you want to apply for Log Inspection.

6. To add a new custom rule, click the **Add** button.

   The **Custom log inspection rule** window opens.

7. In the **General** section specify the following information about the new rule:

   - **Rule name**
   - Source

8. In the **Triggering criteria** section, specify the event IDs that will trigger the rule:

   a. Enter an ID.

   b. Click the **Add** button.

   The entered event ID is added to the list. You can add an unlimited number of identifiers to each rule.

9. Click **OK**.

   The Log Inspection rule is added to the list of rules.

Managing Log Inspection rules via the Application Console

In this section, learn how to add and configure Log Inspection rules via the Application Console.

Configuring predefined task rules

Perform the following actions to configure the heuristic analyzer for the Log Inspection task:

1. In the Application Console tree, expand the **System Inspection** node.
2. Select the **Log Inspection** child node.
3. Click the **Properties** link in the results pane of the **Log Inspection** node.

   The **Task settings** window opens.

4. Select the **Predefined rules** tab.
5. Select or clear the Apply predefined rules for log inspection check box.

For the task to run, at least one Log Inspection rule must be selected.

6. Select the rules you want to apply from the list of predefined rules:

   - There are patterns of a possible brute-force attack in the system.

- There are patterns of a possible Windows Event log abuse.
- Atypical actions detected on behalf of a new service installed.
- Atypical logon that uses explicit credentials detected.
- There are patterns of a possible Kerberos forged PAC (MS14-068) attack in the system.
- Atypical actions detected directed at a privileged built-in group Administrators.
- There is an atypical activity detected during a network logon session.

7. To configure the selected rules, go to the **Extended** tab.
8. In the **Brute-force attack detection** section, set the number of attempts and time frame used as triggers by the heuristic analyzer.
9. In the **Network logon** section, indicate the start and end of the time interval during which Kaspersky Industrial CyberSecurity for Nodes treats sign-in attempts as abnormal activity.
10. Select the **Exclusions** tab.
11. Perform the following actions to add trusted users:
    a. Click the **Browse** button.
    b. Select a user.
    c. Click **OK**.
    The selected user is added to the list of trusted users.
12. Perform the following actions to add trusted IP addresses:
    a. Enter the IP address.
    b. Click the **Add** button.
    The entered IP address is added to the list of trusted IP addresses.
13. Select the **Schedule** and **Advanced** tabs to configure the task start schedule.
14. Click **OK** in the **Task settings** window.
    The Log Inspection task configuration is saved.

Adding Log Inspection rules via the Application Console

To add and configure a new custom Log Inspection rule:

1. In the Application Console tree, expand the **System Inspection** node.
2. Select the **Log Inspection** child node.
3. In the results pane of the **Log Inspection** node, click the **Log inspection rules** link.

4. The **Log inspection rules** window opens.

5. Select or clear the **Apply custom rules for log inspection. The rules configured are not applied until the checkbox is selected** check box.

   You can control whether the predefined rules are applied to the Log Inspection task. Select the check boxes corresponding to the rules you want to apply to Log Inspection.

6. To create a new custom rule:

   a. Enter the name of the new rule.

   b. Click the **Add** button.

   The created rule is added to the general rule list.

7. To configure any rule:

   a. Select a rule from the list.

   In the right area of the window, the **Description** tab displays general information about the rule.

   The description for the new rule is blank.

   b. Select the **Rule description** tab.

8. In the **General** section specify the following information about the new rule:

   - **Rule name**
   - **Log name**
   - **Source**

9. In the **Event identifiers** section specify the event IDs that will trigger the rule:

   a. Enter an event ID.

   b. Click the **Add** button.

   The entered event ID is added to the list. You can add an unlimited number of identifiers to each rule.

10. Click the **Save** button.

    The configured log inspection rules will be applied.

Managing Log Inspection rules via the Web Plug-in

To add and configure Log Inspection rules via the Web Plug-in:

1. In the main window of the Web Console, select **Devices → Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **System Inspection** section.

5. Click **Settings** in the **Log Inspection** subsection.

6. Configure the settings described in the table below.

Log Inspection task settings

Setting	Description
Apply custom rules for log inspection	You can enable, disable, add, or modify the custom rules. The setting is available on the table is with the list of custom rules.
Apply predefined rules for log inspection	You can enable or disable the heuristic analyzer, which detects abnormal activity on the protected device. The setting is available on the table is with the list of custom rules.
Detect brute-force attack if an incorrect password is entered with a frequency defined	You can set the number of attempts and time frame used, which will be considered as triggers by the heuristic analyzer.
Detect network logon, if logged on within a period defined	You can indicate the start and end of the time interval during which Kaspersky Industrial CyberSecurity for Nodes treats sign-in attempts as abnormal activity.
Users Exclusions	You can specify users which will not trigger the heuristic analyzer.
Excluded IP Addresses	You can specify IP addresses which will not trigger the heuristic analyzer.
Task management	You can configure settings to start the task on a schedule.

Exploit Prevention

This section contains instructions on how to configure process memory protection settings.

About Exploit Prevention

Kaspersky Industrial CyberSecurity for Nodes provides the ability to protect process memory from exploits. This feature is implemented in the Exploit Prevention component. You can change the component's activity status and configure process memory protection settings.

The component protects process memory from exploits by inserting an external Process Protection Agent ("Agent") in the protected process.

A Process Protection Agent is a dynamically loaded Kaspersky Industrial CyberSecurity for Nodes module that is inserted in protected processes to monitor their integrity and reduce the risk of being exploited.

The Agent's operation within the protected process requires starting and stopping the process: the initial loading of the Agent into a process added to the protected process list is only possible if the process is restarted. Additionally, after a process has been removed from the protected process list, the Agent can be unloaded only after the process has been restarted.

The Agent must be stopped to unload it from protected processes: if the Exploit Prevention component is uninstalled, the application freezes the environment and forces the Agent to be unloaded from protected processes. If during uninstallation of the component Agent is inserted in any of the protected processes, you must terminate the affected process. A protected device restart may be required (for example, if system process is being protected).

If evidence of an exploit attack in a protected process is detected, Kaspersky Industrial CyberSecurity for Nodes performs one of the following actions:

- Terminates the process if an exploit attempt is made.
- Reports the fact that the process has been compromised.

You can stop process protection using one of the following methods:

- Uninstalling the component.
- Removing the process from the list of protected processes and restarting the process.

Kaspersky Security Exploit Prevention Service

The Kaspersky Security Exploit Prevention Service is required on the protected device in order for the Exploit Prevention component to be most effective. This service and the Exploit Prevention component are part of the recommended installation. During installation of the service on the protected device, the kavfswh process is created and started. This communicates information about protected processes from the component to the Security Agent.

After the Kaspersky Security Exploit Prevention Service is stopped, Kaspersky Industrial CyberSecurity for Nodes continues to protect processes added to the protected process list, is also loaded in newly-added processes, and applies all available exploit prevention techniques to protect process memory.

If your device is running the Windows 10 operating system or later, the application will not continue to protect processes and process memory after the Kaspersky Security Exploit Prevention Service is stopped.

If the Kaspersky Security Exploit Prevention Service is stopped, the application will not receive information about events occurring with protected processes (including information about exploit attacks and the termination of processes). Furthermore, the Agent will not be able to receive information about new protection settings and the addition of new processes to the protected process list.

Exploit Prevention mode

You can select one of the following modes to configure actions taken to reduce risks that vulnerabilities will be exploited in protected processes:

- **Terminate on exploit**: apply this mode to terminate a process when an exploit attempt is made.

  Upon detecting an attempt to exploit a vulnerability in a protected critical operating system process, Kaspersky Industrial CyberSecurity for Nodes does not terminate the process, regardless of the mode indicated in the Exploit Prevention component settings.

- **Notify only**: apply this mode to receive information about instances of exploits in protected processes using events in the Security log.

  If this mode is selected, Kaspersky Industrial CyberSecurity for Nodes creates events to log all attempts to exploit vulnerabilities.

Managing Exploit Prevention via the Administration Plug-in

In this section, learn how to navigate the Administration Plug-In interface and configure the component settings for one or all protected devices on the network.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening policy settings for Exploit Prevention

To open the Exploit Prevention settings via the Kaspersky Security Center policy:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Policies** tab.
4. Double-click the policy name you want to configure.

5. In the **Properties: <Policy name>** window that opens, select the **Real-Time Computer Protection** section.
6. Click the **Settings** button in the **Exploit prevention** subsection.
   The **Exploit Prevention** window opens.

Configure Exploit Prevention as required.

Opening the Exploit Prevention properties window

To open the properties window for Exploit Prevention:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure the task.
3. Select the **Devices** tab.
4. Open the **Properties: <Protected device name>** window in one of the following ways:
   - Double-click the name of the protected device.
   - Select the **Properties** item in the context menu of the protected device.

   The **Properties: <Protected device name>** window opens.
5. In the **Applications** section, select **Kaspersky Industrial CyberSecurity for Nodes 3.0**.
6. Click the **Properties** button.
   The **Kaspersky Industrial CyberSecurity for Nodes 3.0 application settings** window opens.
7. Select the **Real-Time Computer Protection** section.
8. Click the **Settings** button in the **Exploit Prevention** subsection.
   The **Exploit Prevention** window opens.

Configure Exploit Prevention as required.

Configuring process memory protection settings

To configure settings to protect the memory of processes added to the list of protected processes, perform the following actions:

1. Open the Exploit Prevention window.
2. In the **Exploit prevention mode** block, configure the following settings:
   - Prevent vulnerable processes exploit.
     - Terminate on exploit.

- Notify only.

3. In the **Preventing actions** block, configure the following settings:

   - Notify about abused processes via Terminal Service.
   - Prevent vulnerable processes exploit even if Kaspersky Security Service is disabled.

4. Click **OK** in the **Exploit Prevention** window.

Kaspersky Industrial CyberSecurity for Nodes saves and applies the configured process memory protection settings.

Adding a process to the protection scope

The Exploit Prevention component protects several processes by default. You can exclude the processes from the protection scope by clearing the corresponding check boxes in the list.

To add a process to the list of protected processes:

1. Open the Exploit Prevention window.
2. On the **Protected processes** tab, click the **Browse** button.

   A Microsoft Windows Explorer window opens.
3. Select the process you want to add to the list.
4. Click the **Open** button.

   The process name is displayed in the line.
5. Click the **Add** button.

   The process will be added to the list of protected processes.
6. Select the added process.
7. Click **Set exploit prevention techniques**.

   The **Exploit prevention techniques** window opens.
8. Select one of the options for applying impact reduction techniques:

   - **Apply all available exploit prevention techniques**.

     If this option is selected, the list cannot be edited. By default, all available techniques are applied to a process.
   - **Apply selected exploit prevention techniques**.

     If this option is selected, you can edit the list of impact reduction techniques applied:

     a. Select the check boxes next to the techniques that you want to apply to protect the selected process.

     b. Select or clear the **Apply Attack Surface Reduction technique** check box.
9. Configure settings for the Attack Surface Reduction technique:

- Enter the names of the modules whose launch will be blocked from the protected process in the **Deny modules** field.
- In the **Do not deny modules if launched in the Internet Zone** field, select the check boxes next to the options for which you want to allow modules to be launched:
  - **Internet**
  - **Local intranet**
  - **Trusted URL**
  - **Restricted URL**
  - **Computer**

  These settings only apply to Internet Explorer®.

10. Click **OK**.

    The process is added to the task protection scope.

Managing Exploit Prevention via the Application Console

In this section, learn how to navigate the Application Console interface and configure the component settings on a protected device.

Navigation

Learn how to navigate to the required task settings via the chosen interface.

Opening the Exploit Prevention general settings

*To open the **Exploit Prevention settings** window:*

1. Expand the **Real-Time File Protection** node in the Application Console tree.
2. Select the **Exploit Prevention** node.
3. In the **Processes protection settings** section, click the **Properties** link.

   The **Exploit Prevention settings** window opens.

Configure general settings for Exploit Prevention as required.

Opening the Exploit Prevention process protection settings

*To open the **Processes protection settings** window:*

1. Expand the **Real-Time File Protection** node in the Application Console tree.
2. Select the **Exploit Prevention** node.

In the **Processes protection settings** section, click the **Process protection parameters** link.

The **Processes protection settings** window opens.

Configure process protection settings for Exploit Prevention as required.

Configuring process memory protection settings

To add a process to the list of protected processes:

1. Open the **Exploit Prevention settings** window.
2. In the **Exploit prevention mode** block, configure the following settings:
   - **Prevent vulnerable processes exploit**.
     - **Terminate on exploit**.
     - **Notify only**.
3. In the **Preventing actions** block, configure the following settings:
   - **Notify about abused processes via Terminal Service**.
   - **Prevent vulnerable processes exploit even if Kaspersky Security Service is disabled**.
4. Click **OK** in the **Exploit Prevention settings** window.

Kaspersky Industrial CyberSecurity for Nodes saves and applies the configured process memory protection settings.

Adding a process to the protection scope

The Exploit Prevention component protects several processes by default. You can uncheck the processes that you don't want to protect in the list of protected processes.

To add a process to the list of protected processes:

1. Open the **Processes protection settings** window.
2. To add a process to protect it from abuse and to reduce the potential impact of an exploit, perform the following actions:
   a. Click the **Browse** button.

      The standard Microsoft Windows **Open** window opens.

   b. In the window that opens select a process you want to add to the list.

c. Click the **Open** button.

d. Click the **Add** button.

The process will be added to the list of protected processes.

3. Select a process in the list.

4. The current configuration is displayed on the **Processes protection settings** tab:

- **Process name**.
- **Is being executed**.
- **Exploit prevention techniques applied**.
- **Attack Surface Reduction settings**.

5. To modify the exploit prevention techniques that are applied to the process, select the **Exploit prevention techniques** tab.

6. Select one of the options for applying impact reduction techniques:

- **Apply all available exploit prevention techniques**.

  If this option is selected, the list cannot be edited. By default, all available techniques are applied to a process.

- **Apply listed exploit prevention techniques for the process**.

  If this option is selected, you can edit the list of impact reduction techniques applied:

  a. Select the check boxes next to the techniques that you want to apply to protect the selected process.

7. Configure settings for the Attack Surface Reduction technique:

- Enter the names of the modules whose launch will be blocked from the protected process in the **Deny modules** field.
- In the **Do not deny modules if launched in the Internet Zone** section, select the check boxes next to the options for which you want to allow modules to be launched:
  - **Internet**
  - **Local intranet**
  - **Trusted URL**
  - **Restricted sites**
  - **Computer**

  These settings only apply to Internet Explorer®.

8. Click **Save**.

The process is added to the task protection scope.

Managing Exploit Prevention via the Web Plug-in

In this section, learn how to navigate the Web Plug-in interface and configure the component settings on a protected device.

Configuring process memory protection settings

To configure settings to protect the memory of processes added to the list of protected processes, perform the following actions:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Exploit Prevention** subsection.
6. Open the **Exploit Prevention settings** tab.
7. In the **Exploit prevention mode** block, configure the following settings:
   - Prevent vulnerable processes exploit.
     - Terminate on exploit.
     - Notify only.
8. In the **Preventing actions** block, configure the following settings:
   - Notify about abused processes via Terminal Service.
   - Prevent vulnerable processes exploit even if Kaspersky Security Service is disabled.
9. Click **OK** in the **Exploit Prevention** window.

Kaspersky Industrial CyberSecurity for Nodes saves and applies the configured process memory protection settings.

Adding a process to the protection scope

To configure settings to protect the memory of processes added to the list of protected processes, perform the following actions:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Exploit Prevention** subsection.
6. Open the **Protected processes** tab.
7. Click the **Add** button.
8. The **Exploit prevention techniques** window opens.
9. Specify the process name.
10. Select one of the options for applying impact reduction techniques:

    - **Apply all available exploit prevention techniques**.

      If this option is selected, the list cannot be edited. By default, all available techniques are applied to a process.

    - **Apply selected exploit prevention techniques**.

      If this option is selected, you can edit the list of impact reduction techniques applied:

      a. Select the check boxes next to the techniques that you want to apply to protect the selected process.

      b. Select or clear the **Apply Attack Surface Reduction technique** check box.

11. Configure settings for the Attack Surface Reduction technique:

    - Enter the names of the modules whose launch will be blocked from the protected process in the **Deny modules** field.
    - In the **Do not deny modules if launched in the Internet Zone** field, select the check boxes next to the options for which you want to allow modules to be launched:
      - **Internet**
      - **Local intranet**
      - **Trusted URL**
      - **Restricted URL**
      - **Computer**

      These settings only apply to Internet Explorer®.

12. Click **OK**.

The process is added to the task protection scope.

Exploit prevention techniques

Exploit prevention technique	Description
Data Execution Prevention (DEP)	Data execution prevention blocks execution of arbitrary code in protected areas of memory.
Address Space Layout Randomization (ASLR)	Changes to the layout of data structures in the address space of the process.
Structured Exception Handler Overwrite Protection (SEHOP)	Replacement of exception records or replacement of the exception handler.
Null Page Allocation	Prevention of redirecting the null pointer.
LoadLibrary Network Call Check (Anti ROP)	Protection against loading DLLs from network paths.
Executable Stack (Anti ROP)	Blocking of unauthorized execution of areas of the stack.
Anti RET Check (Anti ROP)	Check that the CALL instruction is invoked safely.
Anti Stack Pivoting (Anti ROP)	Protection against relocation of the ESP stack pointer to an executable address.
Simple Export Address Table Access Monitor (EAT Access Monitor & EAT Access Monitor via Debug Register)	Protection of read access to the export address table for kernel32.dll, kernelbase.dll, and ntdll.dll
Heap Spray Allocation (Heapspray)	Protection against allocating memory to execute malicious code.
Execution Flow Simulation (Anti Return Oriented Programming)	Detection of potentially dangerous chains of instructions (potential ROP gadget) in the Windows API component.
IntervalProfile Calling Monitor (Ancillary Function Driver Protection (AFDP))	Protection against escalation of privileges through a vulnerability in the AFD driver (execution of arbitrary code in ring 0 through a QueryIntervalProfile call).
Attack Surface Reduction (ASR)	Blocking the start of vulnerable add-ins via the protected process.
Anti Process Hollowing (Hollowing)	Protection against creating and executing the malicious copies of trusted processes.
Anti AtomBombing (APC)	Global atom table exploit via Asynchronous Procedure Calls (APC).
Anti CreateRemoteThread (RThreadLocal)	Another process has created a thread in protected process.
Anti CreateRemoteThread (RThreadRemote)	Protected process has created a thread in another process.

Industrial Network Protection

This section describes the Programmable Logic Controller Project (also referred to as "PLC project") Investigation and Integrity Check tasks and provides instructions on how to configure it.

About PLC Project Integrity Check

This function is designed to check the integrity of PLC projects used in an industrial system.

A PLC project is a microprogram written for a PLC. A PLC project is stored in the PLC's memory and run as part of the production process using the PLC.

PLC Project Integrity Check requires that the protected device network with Kaspersky Industrial CyberSecurity for Nodes installed has access to the PLC.

Before beginning to use this function, perform the following preparatory actions:

1. Obtain information about the PLC projects using the Application Console **PLC Project Investigation** local task.
2. In the Application Console **PLC Project Integrity Check** local task settings, indicate the PLC reference projects from the list of projects obtained in the previous step.

To see information about PLC projects in the Application Integrity Control task:

open the **Interaction with Administration Server** window and select the **Versions of PLC projects**.

After the PLC Integrity Check local task is started, the application will issue warnings if the PLC projects have been changed relative to the PLC reference projects.

PLC Project Integrity Check is disabled by default.

PLC Project Integrity Check task in KICS for Nodes 2.5 are available in Kaspersky Security Center version 10.5.1781.

Reporting

Reporting is provided by the basic functionality of the Kaspersky Security Center Administration Server and can only be executed via Kaspersky Security Center Administration Console.

After the PLC Project Integrity Check task is successfully completed, you can generate and review a report that includes the following information:

- Computer name, where the PLC Project Integrity Check task is completed.
- PLCs, whose integrity is being monitored.
- Last check-up date.

- Results of the integrity check.

To generate a report in the Kaspersky Security Center Administration Server,

open the **Reports** tab and select **Report on check of programmable logic controllers (PLCs) for integrity**.

See *Kaspersky Security Center Help* for detailed information about generating reports.

Configuring the PLC Projects Control tasks via the Application Console

Configuring PLC Project Investigation

Before running the PLC Project Integrity Check, you must receive information about the PLC projects currently used in the industrial network. Information about PLC projects is obtained using the PLC Project Investigation local task.

To configure PLC Project Investigation:

1. In the Application Console tree, expand the **Industrial Network Protection** node.
2. Select the **PLC Project Investigation** child node.
3. Click the **Properties** link in the details pane of the **PLC Project Investigation** node.
   The **Task settings** window opens.
4. Click the **Add** button to open the **Controller configuration** window.
5. Configure the following PLC project settings:
   - In the **General** section:
     - **Controller type**
     - **Description**
     - In the **Wait for connection** field set the connection wait time for the specific PLC.
   - In the **Connection settings** section:
     - Specify **IP address**, **Port**, **Rack number** and **Slot number**.
     - To protect a connection with a PLC, select the **Use password** check box and enter your password in the field below.
     - Select or clear the **Read data blocks** check box.
6. Click **OK** in the **Controller configuration** window.

Redundant controllers are not supported.

7. Repeat the process to configure each PLC.

   The settings are displayed in the table on the **General** tab.

8. Click **Delete** to delete selected PLC configuration from the task list.

   The PLC configuration is not deleted from the Registry and can be added again at any moment.

9. In the **Task settings** window, click **OK** to save your changes.

The PLC project information obtained as a result of running the PLC Project Investigation task is used to select PLC reference projects and to configure the PLC Project Integrity Check task.

Configuring PLC Project Integrity Check

To configure PLC Project Integrity Check:

1. In the Application Console tree, expand the **Industrial Network Protection** node.
2. Select the **PLC Project Integrity Check** child node.
3. Click the **Properties** link in the details pane of the **PLC Project Integrity Check** node.

   The **Task settings** window opens.

4. In the window that opens, configure the following settings:

   - Task start schedule settings on the **Schedule** and **Advanced** tabs.
   - On the **Run as** tab, configure the settings to start the task using specific account permissions.

5. In the details pane of the **PLC Project Integrity Check** node, click the **Configure protection scope** link.

   The **Protection scope settings** window opens.

6. Click **Add** to add to the list the configurations for which the PLC Project Integrity Check task will be run.

   The **Data for PLC project integrity check** window opens.

   All information in this window is obtained as a result of running the Kaspersky Security Center's PLC Project Investigation task.

7. In the **PLC type** drop-down list of the **Data for PLC project integrity check** window, select the PLC type whose project integrity you want to check.

   The lists display the available configurations for the selected PLC type and the reference versions of the selected PLC project.

8. Specify the value of the **Polling interval** setting to indicate the time interval at which the application should check the PLC project integrity.
9. In the **Data for PLC project integrity check** window, click **OK** to save your changes.
10. Select the added PLC configuration in the list in the **Protection scope settings** window.

The **PLC configuration** tab displays the PLC connection settings specified in the PLC Project Investigation task settings.

11. On the **PLC configuration** tab, select or clear the **Check the PLC project's current status** check box.

12. Select the **PLC project integrity check settings** tab.

    - The drop-down list contains information about the PLC project's hash and the date on which it was obtained. Do the following:

      a. Select the **Reference version of PLC project** in the list. Based on the results of a comparison with the PLC reference project's settings, the application makes a conclusion regarding the integrity of the PLC's project.

      If a PLC reference project was specified when the PLC configuration was added, then this PLC project is displayed first in the list. The remaining PLC projects are sorted by the date they were received, from oldest to most recent.

      a. Set the value of the **Polling interval** in order to indicate the time interval at which the application will request information about the PLC's project settings.

13. Click **Save** in the **Protection scope settings** window.

Enabling and Disabling PLC Project Integrity Check

The PLC Integrity Check task is run only after Kaspersky Industrial CyberSecurity for Nodes receives firmware information using the PLC Investigation task.

To enable or disable PLC Project Integrity Check:

1. In the Application Console tree, expand the **Industrial Network Protection** node.

2. Select the **PLC Project Investigation** child node.

3. In the **Management** section of the details pane of the **PLC Project Investigation** node, click the **Start** link.

4. Select the **PLC Project Integrity Check** child node.

5. In the **Management** section of the details pane of the **PLC Project Integrity Check** node, perform one of the following steps:

   - To enable PLC Project Integrity Check, click the **Start** link.

     The PLC Project Integrity Check task is started.

   - To disable PLC Project Integrity Check, click the **Stop** link.

     The PLC Project Integrity Check task is stopped.

Configuring the PLC Projects Control tasks via the Administration Plug-in

About the PLC configurations Registry

The PLC configurations Registry (also referred to as "Registry") is a shared list of all PLC configurations, that are used by the applications of the Kaspersky Industrial CyberSecurity solution. PLC configuration is set of individual properties of a PLC, which can be specified in settings (IP address, rack number, model, etc.). You can add, modify and remove PLC configurations while working with the Registry.

The PLC configurations Registry can be filled manually or by importing a configuration file containing PLC configurations data.

The list of PLC configurations Registry is used for creating a protection scope of the PLC Integrity Check task, configured via the Kaspersky Security Center Administration Console. When creating the PLC Investigation task list you can add and remove PLC configurations, that were added to the Registry. If you remove a PLC configuration from the task list, this configuration is not removed from the Registry.

Each PLC configuration added to the Registry acquires a unique identification number. If the PLC configuration is altered, the identification number changes. PLC configurations, that are added in a list of the PLC Investigation task in the Kaspersky Industrial CyberSecurity for Nodes Console, do not have any identification numbers. Such PLC configurations can be added to the Registry manually when creating a PLC Investigation task protection scope in the Kaspersky Security Center.

The list of PLC configurations of the PLC Investigation task in Kaspersky Security Center is populated from two sources:

- PLC configurations without IDs, added to the list of a local task via the Application Console (the lists are synchronized automatically);
- PLC configurations without IDs, added from the Registry by the administrator.

If the PLC configuration added to the PLC Investigation task list is removed from the Registry, Kaspersky Industrial CyberSecurity for Nodes 2.5 notifies you that the integrity check results might be distorted. Make sure that all PLC configurations in the PLC Investigation task list exist in the Registry and restart the PLC Investigation task.

Configuring PLC Registry

To configure the PLC Registry:

1. In the Kaspersky Security Center window, select the **Administration Server <server name>**.
2. Open the **Advanced** child node.
3. In the **Repositories** folder of the Kaspersky Security Center Administration Console tree, select the **Hardware** subfolder.
4. In the workspace of the **Hardware** folder, click the **Additional actions** button and select **Open PLC Registry** in the drop-down list.

   The **PLC Registry management** window opens.

5. To add a new configuration manually, click the **Add** button.

   The **PLC settings added via PLC Registry** window opens.

6. In the **General Settings** block:

   a. In the **Name** field enter the PLC name.

   b. In the **PLC type** drop-down list select PLC type.

   c. In the **Description** field enter description.

   d. In the **Wait for connection** field specify the wait time value (in seconds).

7. In the **Connection settings** block enter the following information:

   a. Specify **IP address**, **Port**, **Rack number** and **Slot number**.

   b. To protect a connection with a PLC, select the **Apply password** check box and enter your password in the field below.

   c. Clear or select the **Read data blocks** check box.

8. Click **OK**.

9. You can also import and export an xml file with PLC Project configurations by clicking the corresponding buttons in the **PLC Project configurations registry** window.

10. To change the configuration settings, click the **Modify** button.

    When you modify the PLC configuration in the Registry, the results of the PLC Project Integrity Check task are affected. You need to run the PLC Project Investigation task to get the updated data and then run the PLC Project Integrity Check again to get actual results.

11. Click the **Remove** button, if you do not use the PLC Project configuration any more.

    When the PLC is deleted from the Registry, it becomes unavailable for further investigation and integrity check.

12. Use the **Filter** field to review the PLC configurations with the required values.

    You cannot use filtering by PLC Registry ID value.

13. You can also select the **Only show PLC that can be protected by Kaspersky Industrial CyberSecurity for Nodes** check box, if you don't need a combined list of configurations for all *Kaspersky Industrial CyberSecurity Solution* applications.

14. Click the **Close** button.

The PLC Registry will be saved.

Configuring PLC Project Investigation

Before running the PLC Project Integrity Check, you must receive information about the PLC projects currently used in the industrial network. Information about PLC projects is obtained using the PLC Project Investigation local task.

To configure PLC Project Investigation:

1. Open the Kaspersky Security Center Administration Console.
2. In the **Managed devices** node, select the **Devices** tab and open the selected computer's properties.
3. In the **Tasks** section, select **PLC Project Investigation** > **Properties**.

   The **Properties: PLC Project Investigation** window opens.
4. Select the **PLC configurations** section.

   The list of PLC configurations displays configurations that were added via Kaspersky Industrial CyberSecurity for Nodes Console.

   > A newly added via Kaspersky Industrial CyberSecurity for Nodes Console configuration appears in the Kaspersky Security Center task list only after the PLC Project Investigation task is completed on the local computer with Kaspersky Industrial CyberSecurity for Nodes Console.

5. Click the **Add from PLC Registry** to add required PLC Project configurations from the PLC Registry.

   The **PLC Registry management** window opens.
6. Select a PLC configuration and click the **Add to task list** button.
7. Add all required PLC configurations and close the **PLC Registry management** window.
8. To add the PLC configuration that was received from the local computer task:

   a. In the list of PLC configurations, select one that you want to add to the PLC Registry.

   b. Click the **Link to PLC Registry** button.

   > Each PLC configuration from the Registry has a unique ID number specified in the last column. After you add a PLC configuration from the local computer task to the PLC Registry, an ID number will be assigned to this configuration.

9. To remove a PLC configuration from the task list:

   a. Select a PLC configuration.

   b. Click the **Remove** button.

   > The PLC is not removed from the PLC Registry and can be added again at any moment.

10. In the **Properties: PLC Project Investigation** window, click **OK** to save your changes.

The PLC project information obtained as a result of running the PLC Project Investigation task is used to select PLC reference projects and to configure the PLC Project Integrity Check task.

Configuring PLC Project Integrity Check

To configure PLC Project Integrity Check, do the following:

1. Open the Kaspersky Security Center Administration Console.
2. In the **Managed devices** node, select the **Devices** tab and open the selected computer's properties.
3. In the **Tasks** section, select **PLC Project Integrity Check** > **Properties**.

   The **Properties: PLC Project Integrity Check** window opens.
4. In the **Settings** section of the PLC Project Integrity Check task's properties window, click **Add**.

   The **PLC Project Integrity Check information** window opens. All data in this window is received as a result of running the PLC Project Investigation local task via Kaspersky Security Center.
5. For each type of PLC in the table, configure the PLC Integrity Check settings, if necessary. To do this, perform the following actions:

   a. In the table, select the entry with the PLC's information and click **Edit**.

      The **PLC project integrity check settings** window opens.

   b. Set the value in the **PLC polling interval** field in order to indicate the time interval at which the application will request information about the PLC's project settings.

   c. Select the PLC reference project in the list. Based on the results of a comparison with the reference project's settings, the application makes a conclusion regarding the integrity of the PLC's project.

   d. Click **OK** in the **PLC project integrity check settings** window.
6. In the **PLC type** column of the **PLC Project Integrity Check information** window, select the check boxes next to the types of PLCs whose project integrity you want to check.
7. In the **PLC Project Integrity Check information** window, click **OK**.
8. In the **Properties: PLC Project Integrity Check** window, click **OK** to save your changes.

Enabling and Disabling PLC Project Integrity Check

The PLC Project Integrity Check task is run only after Kaspersky Industrial CyberSecurity for Nodes receives firmware information using the PLC Project Investigation task.

To enable or disable PLC Project Integrity Check:

1. Open the Kaspersky Security Center Administration Console.
2. In the **Managed devices** node, select the **Devices** tab and open the selected computer's properties.
3. In the **Tasks** section, select **PLC Project Integrity Check** > **Properties**.
   The **Properties: PLC Project Integrity Check** window opens.
4. In the **General** section of the PLC Project Integrity Check task's properties window, do the following:
   - Click the **Start** button to enable PLC Project Integrity Check.
   - Click the **Stop** button to disable PLC Project Integrity Check.
5. In the **Properties: PLC Project Integrity Check** window, click **OK** to save your changes.

Importing and Exporting Information for PLC Project Investigation

To import or export information for PLC Project Investigation:

1. Open the Kaspersky Security Center Administration Console.
2. In the **Managed devices** node, select the **Devices** tab and open the selected computer's properties.
3. In the **Tasks** section, select **PLC Project Investigation** > **Properties**.
   The **Properties: PLC Project Investigation** window opens.
4. In the **Settings** section, perform one of the following actions:
   - Click the **Import** button to import into the PLC Project Investigation table information about PLCs for which you want to obtain project information.
     The standard Microsoft Windows **Open File** window opens. Do the following:
     a. In the Microsoft Windows **Open File** window, select the XML file with the PLC settings.
     b. Click the **Open** button.
        The **Import settings** window opens.
     c. Select a method to import PLC settings:
        - Replace current settings.
        - Add to current settings.

     The entries appear in the **Specified PLC configurations** list.
   - Click **Export** to export the contents of the PLC Project Investigation table to an XML file.
5. In the **Properties: PLC Project Investigation** window, click **OK** to save your changes.

Using Kaspersky Security Gateway

This section contains step-by-step instructions for using Kaspersky Security Gateway.

About Kaspersky Security Gateway

Kaspersky Security Gateway is designed to transmit from Kaspersky Security Center to the SCADA system the diagnostic information received from Kaspersky Industrial CyberSecurity for Nodes and Kaspersky Industrial CyberSecurity for Networks, including the information about PLC firmware alterations and potentially dangerous registered commands for PLCs. The information about the protection status of industrial networks and network nodes is displayed on the screens of the SCADA system, enabling the SCADA system operator to respond promptly to industrial network protection problems.

Kaspersky Security Gateway uses the following communication protocols to interact with the SCADA system:

- **IEC 60870-5-104**. Unified open protocol for automation systems.
- **OPC DA**. Device interoperation specification for industrial networks.

You can configure data transfer setting either using the Kaspersky Security Gateway graphical user interface or standard Microsoft Windows tools. You can assign tags and tag values for events signifying technological process interruptions.

Kaspersky Security Gateway transmits the following information to the SCADA system:

- Availability status of the Kaspersky Security Center Administration Server:
  - 1. This status signifies that Kaspersky Security Gateway has successfully connected to the Kaspersky Security Center Administration Server.
  - 0. This status signifies that Kaspersky Security Gateway could not be connected to the Kaspersky Security Center Administration Server.
- Availability status of all protected nodes of the network:
  - 0. This status signifies that all network nodes managed by the Kaspersky Security Center Administration Server and selected for monitoring in Kaspersky Security Gateway settings are available at the time of status determination.
  - 1. This status signifies that at least one network node managed by the Kaspersky Security Center Administration Server and selected for monitoring in Kaspersky Security Gateway settings is unavailable when the status is determined.
- Protection status of each node on the Kaspersky Security Center network:
  - 0. This status signifies that no critical incidents or incidents that require processing have occurred on a network node managed by the Kaspersky Security Center Administration Server and selected for monitoring in Kaspersky Security Gateway settings.
  - 1. This status signifies that at least one critical incident has occurred on a network node managed by the Kaspersky Security Center Administration Server and selected for monitoring in Kaspersky Security Gateway settings.

- 2. This status signifies that at least one incident that requires processing has occurred on a network node managed by the Kaspersky Security Center Administration Server and selected for monitoring in Kaspersky Security Gateway settings.

Protection status of each node is determined according to Kaspersky Security Center for managed computers or administration groups.

Kaspersky Security Gateway sends status information only for those network nodes that have been selected in the Kaspersky Security Gateway settings to be displayed in the SCADA system.

- Network protection status (refer to the protection status of each node in the Kaspersky Security Center network description):
  - 0. This means that all network nodes have 0 status in Kaspersky Security Center.
  - 1. This means that at least one network node has 1 status in Kaspersky Security Center.
  - 2. This means that at least one computer on the network has 2 status in Kaspersky Security Center.

  When determining the network protection status, the Kaspersky Security Gateway uses status information only for those network nodes that have been selected in the Kaspersky Security Gateway settings to be displayed in the SCADA system.

Starting and stopping Kaspersky Security Gateway using standard Microsoft Windows tools

Kaspersky Security Gateway starts automatically when the operating system start. You can start or stop Kaspersky Security Gateway manually using standard Microsoft Windows tools.

To start or stop Kaspersky Security Gateway:

1. Open the Services MMC snap-in (services.msc).
2. In the list of services, select the Kaspersky Security Gateway service that you need:
   - Kaspersky Security Gateway
   - Kaspersky Security Gateway IEC 60870-5-104
   - Kaspersky Security Gateway OPC
3. Right-click to bring up the selected service's context menu and do one of the following:
   - Select **Start** to start the service.
   - Select **Stop** to stop the service.

Kaspersky Security Gateway Console interface

Kaspersky Security Gateway Console is displayed in the Microsoft Management Console tree in the form of a node with the name **Kaspersky Security Gateway**.

The Console tree displays the **Kaspersky Security Gateway** node and the child nodes for the configuring the available communication protocols usage:

- **IEC 60870-5-104**
- **OPC**

The results pane of the **Kaspersky Security Gateway** node displays:

- General information about Kaspersky Security Gateway.
- Details about current connection settings to the SCADA system and a link to the settings window.
- Details about current Kaspersky Security Gateway additional settings and a link to the settings window.

Configuring the connection to the SCADA system

To configure the connection to the SCADA system:

1. In the **Start** menu of Microsoft Windows, select **All applications** > **Kaspersky Security Gateway** > **Kaspersky Security Gateway Console**.

   The **Kaspersky Security Gateway** window opens.

   > You can also open the Console by clicking the **Kaspersky Security Gateway** option in the menu of the Kaspersky Security Gateway Tray Icon.

2. Select the **Kaspersky Security Gateway** node.
3. In the **Connection Settings** section of the results pane, click the **Configure connection** link.

   The **Connection settings** window is displayed.

4. In the **Kaspersky Security Center Connection Settings** section, specify the following settings for connecting to the Kaspersky Security Center Administration server:

   - **Server** name and **Port** number. Name of the Kaspersky Security Center Administration Server and the number of the port used to connect to it. Specify in `server:port` format. Range of possible values for the port number: 1–65535.

     - For the Klakaut data provider, the default port number is 13291.
     - For the Open API data provider, the default port number is 13299.

   - **User name**. Account name of the administrator of the Kaspersky Security Center Administration Server.
   - **Password**. Account password of the administrator of the Kaspersky Security Center Administration Server.

When you use the Klakaut service as a data provider, you need to install the Kaspersky Security Center Administration Console on the same computer where Kaspersky Security Gateway is installed. The Klakaut service is the Kaspersky Security Center Automation service, which lets you manage and monitor the Kaspersky Security Center server via the external API using COM (Component Object Model) objects. If you selected the Open API interface as a data provider, you need to install the Kaspersky Security Center certificate (klserver.cer) on the computer. Please, refer to the *Kaspersky Security Center Help* for detailed information about Kaspersky Security Center configuration.

5. Click the **Test connection** button.

   The status *Connected* appears when the connection is established.

6. To add a computer with Kaspersky Industrial CyberSecurity for Networks installed:

   a. Click the **Add** button.

      Kaspersky Industrial CyberSecurity for Networks Connection Settings window opens.

   b. Enter the server address and port number.

   c. Click **Test connection**.

      The status *Connected* appears when the connection is established.

   d. Click **OK**.

   The computer will be added to the list of connected computers in the **Connection settings** window.

7. Click **OK** to exit to the **Kaspersky Security Gateway** window.

You can also configure connection settings using the ConnectionSettings.xml configuration file located in the C:\ProgramData\Kaspersky Lab\Security Gateway\Settings folder. Note that you cannot set the password in the configuration file. Use Kaspersky Security Gateway Console to set the password.

Configuring the DCOM protocol

If the computers involved in the OPC connection aren't joined to an Active Directory domain, create user accounts with the same user name and password for each of those computers.

To establish an OPC connection, you need to configure access permission for the Distributed Component Object Model (DCOM) protocol.

To configure access permission for the DCOM protocol:

1. Press the **Win+R** key combination.

   The standard Microsoft Window **Run** window opens.

2. Enter *dcomcnfg* in the **Open** field and press **OK**.

   The **Component Services** window opens.

3. In the left part of the window, in the folder tree, select **Component Services** → **Computers** → **My Computer**.

4. Right-click to bring up the context menu of the **My Computer** folder and select **Properties**.

   The **My Computer Properties** window opens.

5. Select the **COM Security** tab in the **My Computer Properties** window.

6. In the **Access Permission** section, click the **Edit Limits** button.

   The **Security Limits** tab opens in the **Access Permission** window.

7. In the **Group or user names** section, select the **ANONYMOUS LOGON** logon group.

8. In the **Permissions for ANONYMOUS LOGON** table, in the **Allow** column, select the **Remote Access** check box.

9. To save the changes, click **OK**.

10. Click **OK** in the **My Computer Properties** window.

11. Restart the computer.

Configuring data transfer settings using communication protocols

This section provides instructions on configuring data transfer using available communication protocols.

Configuring data transfer using IEC 60870-5-104 protocol via the Console

To configure data transfer using IEC 60870-5-104 protocol via the Kaspersky Security Gateway Console:

1. In the **Start** menu of Microsoft Windows select **All applications** > **Kaspersky Security Gateway** > **Kaspersky Security Gateway Console**.

   The **Kaspersky Security Gateway** window opens.

   > You can also open the Console by clicking the **Kaspersky Security Gateway** option in the menu of the Kaspersky Security Gateway Tray Icon.

2. In the **Kaspersky Security Gateway** node select the **IEC 60870-5-104** child node.

3. In the **Data transmission settings** section of the results pane, click the **Change** link.

   The **Settings** window opens.

4. In the **Transmission settings** group box, clear or select the **Enable data transmission** check box.

5. In the **Connection Settings** group box configure the following:

   - **Device address**. An auxiliary address assigned to the computer in the SCADA system.Range of possible values: 0–65535.

   - **Device port**. A port number for establishing a connection to the SCADA system. Range of possible values: 0–65535.

- **TCP connection timeout**. The value is specified in seconds. Range of possible values: 1–255.
- **Message send timeout**. The value is specified in seconds. Range of possible values: 1–255.
- **Message confirmation timeout**. The value is specified in seconds. Range of possible values: 1–255.
- **Test connection timeout**. The value is specified in seconds. Range of possible values: 1–255.
- **Maximum unconfirmed sent messages allowed**. Range of possible values: 1–32767.
- **Maximum unconfirmed received messages allowed**. Range of possible values: 1–32767.

6. Click **OK**.
7. In the **Monitored values** section of the results pane click the **Change** link.
   The **Monitored values settings** window opens.
8. Current settings for values with assigned tags are displayed in the list. You can edit the following settings:
   - Select the check boxes next to the values you want to monitor.
   - Assign a new service tag in the **Service tag** column.
9. Click **OK**.

The new configuration is saved.

Configuring data transfer using OPC protocol via the Console

The following prerequisites must be met to successfully transfer data via the OPC protocol:

- The required DCOM rights are assigned to OPCEnum both on the SCADA system and in Kaspersky Security Gateway.
- Unified authentication is set for the computer with Kaspersky Security Gateway installed and the SCADA system: domain authentication is used, or the same user name / password are used for all computers of the work group.

To configure data transfer using OPC protocol via the Kaspersky Security Gateway Console:

1. In the **Start** menu of Microsoft Windows select **All applications** > **Kaspersky Security Gateway** > **Kaspersky Security Gateway Console**.
   The **Kaspersky Security Gateway** window opens.

   You can also open the Console by clicking the **Kaspersky Security Gateway** option in the menu of the Kaspersky Security Gateway Tray Icon.

2. In the **Kaspersky Security Gateway** node select the **OPC** child node.
3. In the **Data transmission settings** section of the results pane click the **Change** link.
   The **Settings** window displays.

4. Clear or select the **Enable data transmission** check box.

5. Click **OK**.

6. In the **Monitored values** section of the results pane click the **Change** link.

   The **Monitored values settings** window opens.

7. Current settings for values with assigned tags are displayed in the list. You can edit the following settings:

   - Select the check boxes next to the values you want to monitor.
   - Assign a new service tag in the **Service tag** column.

The new configuration is saved.

Configuring data transfer using IEC 60870-5-104 protocol vai the configuration file

To configure data transfer using IEC 60870-5-104 protocol via Kaspersky Security Gateway configuration file:

1. Use any available text editor to open the configuration file C:\ProgramData\Kaspersky Lab\Security Gateway\Settings\ProtocolIECSettings.xml.

2. Specify the common settings of the Kaspersky Security Gateway connection to the SCADA system:

   - **Device address**. An auxiliary address assigned to the computer in the SCADA system. Range of possible values: 0–65535.
   - **Device port**. A port number for establishing a connection to the SCADA system. Range of possible values: 0–65535.
   - **TCP connection timeout**. The value is specified in seconds. Range of possible values: 1–255.
   - **Message send timeout**. The value is specified in seconds. Range of possible values: 1–255.
   - **Message confirmation timeout**. The value is specified in seconds. Range of possible values: 1–255.
   - **Test connection timeout**. The value is specified in seconds. Range of possible values: 1–255.
   - **Maximum unconfirmed sent messages allowed**. Range of possible values: 1–32767.
   - **Maximum unconfirmed received messages allowed**. Range of possible values: 1–32767.

3. Specify the details of the monitored computers. To do so, in the <MonitoredHosts/> section, specify Name and Address pairs using <MonitoredHosts Name="" Address=""/> tags, separated by a semi-colon (";"):

   - **Name**. Name of the computer with Kaspersky Industrial CyberSecurity for Nodes installed, whose protection status is sent to the SCADA system by Kaspersky Security Gateway.
   - **IP address**. IP address of the computer with Kaspersky Industrial CyberSecurity for Nodes installed, whose protection status is sent to the SCADA system by Kaspersky Security Gateway.

4. Save the configuration file.

5. Restart Kaspersky Security Gateway service to apply the new settings.

A sample configuration file for the IEC 60870-5-104 protocol is provided below:

Example:

```
<?xml version="1.0" encoding="utf-8"?>
<KSGTW-Settings>
<DataTransmissionOptions>
<SlaveAddress>1</SlaveAddress>
<SlavePort>2404</SlavePort>
<TcpConnectionTimeoutSeconds>30</TcpConnectionTimeoutSeconds>
<MessageSendTimeoutSeconds>15</MessageSendTimeoutSeconds>
<MessageConfirmationTimeoutSeconds>10</MessageConfirmationTimeoutSeconds>
<ConnectionTestTimeoutSeconds>20</ConnectionTestTimeoutSeconds>
<MaxUnconfirmedMessagesAllowSend>12</MaxUnconfirmedMessagesAllowSend>
<MaxUnconfirmedMessagesAllowRecieve>8</MaxUnconfirmedMessagesAllowRecieve>
<EnableDataTransmission>yes</EnableDataTransmission>
<SpontaneousTransmission>yes</SpontaneousTransmission>
</DataTransmissionOptions>
<MonitoredHosts/>
<MonitoredDevices/>
</KSGTW-Settings>
```

Configuring data transfer using OPC protocol via the configuration file

To configure OPC server settings using a configuration file:

1. Use any available text editor to open the configuration file with the Kaspersky Security Gateway service settings for the OPC server, which is located at the following path: C:\ProgramData\Kaspersky Lab\Security Gateway\Settings\ProtocolOPCSettings.xml.

2. Configure data transmission.

3. Save the configuration file.

4. Restart Kaspersky Security Gateway service to apply the new settings.
   Example:

```
<?xml version="1.0" encoding="utf-8"?>
<KSGTW-Settings>
<DataTransmissionOptions>
<EnableDataTransmission>yes</EnableDataTransmission>
<SpontaneousTransmission>yes</SpontaneousTransmission>
</DataTransmissionOptions>
<MonitoredHosts/>
<MonitoredDevices/>
</KSGTW-Settings>
```

Configuring Kaspersky Security Gateway additional settings

To configure Kaspersky Security Gateway additional settings:

1. In the **Start** menu of Microsoft Windows select **All applications** > **Kaspersky Security Gateway** > **Kaspersky Security Gateway Console**.

The **Kaspersky Security Gateway** window appears.

You can also open the Console by clicking the **Kaspersky Security Gateway** option in the menu of the Kaspersky Security Gateway Tray Icon.

2. Select the **Kaspersky Security Gateway** node.
3. In the **Application Settings** section of the results pane, click the **Configure application settings** link.
   The **Application settings** window is displayed.
4. In the **Interrogation** block, set the **Interrogation period (sec)**.
5. In the **System tracing** block:
   - Clear or select the **Enable tracing** check box.
   - In the drop-down list, select the **Level** of information to be logged.
6. Click **OK** in the **Application settings** window.

You can also configure Kaspersky Security Gateway additional settings using the AppSettings.xml configuration file located in the C:\ProgramData\Kaspersky Lab\Security Gateway\Settings folder.

Viewing Kaspersky Security Gateway events

The following events can occur during the operation of Kaspersky Security Gateway:

- Instances of the Kaspersky Security Gateway service being enabled or disabled.
- Communication problems between Kaspersky Security Gateway and the SCADA system.
- Problems connecting to the Kaspersky Security Center Administration Server and receiving data from the Administration Server.
- Problems accessing the Kaspersky Security Gateway configuration file.

Kaspersky Security Gateway saves entries about these events in the Microsoft Windows event log.

To view event entries,

in the **Start** menu, select **Control Panel > Administrative Tools > Event Viewer > Applications and Services Logs > Kaspersky Security Gateway**.

Integrating with third-party systems

This section describes integration of Kaspersky Industrial CyberSecurity for Nodes with third-party features and technologies.

Performance counters for System Monitor

This section contains information about performance counters for the Microsoft Windows System Monitor that are registered by Kaspersky Industrial CyberSecurity for Nodes during installation.

About Kaspersky Industrial CyberSecurity for Nodes performance counters

The Performance Counters component is included in the installed components of Kaspersky Industrial CyberSecurity for Nodes by default. Kaspersky Industrial CyberSecurity for Nodes registers its own performance counters for the Microsoft Windows System Monitor during installation.

Using Kaspersky Industrial CyberSecurity for Nodes counters, you can monitor the application's performance while the Real-Time Computer Protection tasks are running. You can identify bottlenecks when it is running with other applications and resource shortages. You can diagnose Kaspersky Industrial CyberSecurity for Nodes crashes and identify undesirable settings.

You can view Kaspersky Industrial CyberSecurity for Nodes performance counters by opening the **Performance** console in the **Administration** section of Windows Control Panel.

The following sections list definitions of counters, recommended intervals for taking readings, threshold values, and recommended Kaspersky Industrial CyberSecurity for Nodes settings if the counter values exceed the thresholds.

Total number of requests denied

Total number of requests denied

Name	Total number of requests denied
Definition	Total number of object processing requests made by the file interception driver and not accepted by the application processes; counted from the time Kaspersky Industrial CyberSecurity for Nodes was last started. The application skips objects for which processing requests are denied by Kaspersky Industrial CyberSecurity for Nodes processes.
Purpose	This counter can help you detect: • Reduced Real-Time Computer Protection because Kaspersky Industrial CyberSecurity for Nodes processes are overworked. • Interruption of Real-Time Computer Protection because of failures of file interception dispatchers.
Normal / threshold value	0 / 1.
Recommended	1 hour.

reading interval	
Recommendations for configuration if value exceeds the threshold	The number of denied processing requests corresponds to the number of skipped objects. The following situations are possible depending on counter behavior: • The counter shows several requests denied over an extended period of time: all Kaspersky Industrial CyberSecurity for Nodes processes were fully loaded, so Kaspersky Industrial CyberSecurity for Nodes could not scan objects. To avoid skipping objects, increase the number of application processes for the Real-Time Computer Protection tasks. You can use such Kaspersky Industrial CyberSecurity for Nodes settings as **Maximum number of active processes** and **Number of processes for real-time protection**. • The number of request denied significantly exceeds the critical threshold and is growing quickly: the file interception dispatcher has crashed. Kaspersky Industrial CyberSecurity for Nodes is not scanning objects when they are accessed. Restart Kaspersky Industrial CyberSecurity for Nodes.

Total number of requests skipped

Total number of requests skipped

Name	Total number of requests skipped
Definition	The total number of object processing requests made by the file interception driver that have been received by Kaspersky Industrial CyberSecurity for Nodes and have not generated events indicating that processing is complete; this number is counted starting from the moment when the application was last started. If an object processing request is accepted by one of the work processes but does not send an event indicating that processing is complete, the driver will transfer the request to another process and the value of the **Total Number of Skipped Requests** counter will increase by 1. If the driver has gone through all of the work processes and none of them has accepted the processing request (all were busy) or has not sent an event indicating that processing is complete, Kaspersky Industrial CyberSecurity for Nodes will skip the object, so the value of the **Total Number of Skipped Requests** counter will increase by 1.
Purpose	This counter enables you to detect drops in performance due to failures of file interception dispatchers.
Normal / threshold value	0 / 1
Recommended reading interval	1 hour
Recommendations for configuration if value exceeds the threshold	If the counter is anything other than zero, this means that one or more file interception dispatcher streams have frozen and are down. The counter value corresponds to the number of streams currently down. If the scan speed is not satisfactory, restart Kaspersky Industrial CyberSecurity for Nodes to restore the off-line streams.

Number of requests not processed because of lack of system resources

Number of requests not processed because of lack of system resources

Name	Number of requests not processed due to a lack of resources.
Definition	Total number of requests from the file interception driver which were not processed because of a lack of system resources (for example, RAM); counted from the time Kaspersky Industrial CyberSecurity for Nodes was last started. Kaspersky Industrial CyberSecurity for Nodes skips object processing requests that are not processed by the file interception driver.
Purpose	This counter can be used to detect and eliminate potentially lower quality in Real-Time Computer Protection that occurs because of low system resources.
Normal / threshold value	0 / 1.
Recommended reading interval	1 hour.
Recommendations for configuration if value exceeds the threshold	If the counter value is anything other than zero, Kaspersky Industrial CyberSecurity for Nodes work processes need more RAM to process requests. Active processes of other applications may be using all available RAM.

Number of requests sent to be processed

Number of requests sent to be processed

Name	Number of requests sent to be processed.
Definition	The number of objects waiting to be processed by work processes.
Purpose	This counter can be used to monitor the load on Kaspersky Industrial CyberSecurity for Nodes work processes and the overall level of file activity on the protected device.
Normal / threshold value	The counter may vary depending on the level of file activity on the protected device.
Recommended reading interval	1 minute
Recommendations for configuration if value exceeds the threshold	N/A

Average number of file interception dispatcher streams

Average number of file interception dispatcher streams

Name	Average number of file interception dispatcher streams.
Definition	The number of file interception dispatcher streams in one process and the average for all processes currently involved in the Real-Time Computer Protection tasks.
Purpose	This counter can be used to detect and eliminate a potential reduction in Real-Time Computer Protection due to a full load on Kaspersky Industrial CyberSecurity for Nodes processes.
Normal / threshold value	Varies / 40

Recommended reading interval	1 minute
Recommendations for configuration if value exceeds the threshold	Up to 60 file interception dispatcher streams can be created in each work process. If the counter approaches 60, there is a risk that none of the work processes will be able to process the next request in the queue from the file interception driver and Kaspersky Industrial CyberSecurity for Nodes will skip the object. Increase the number of Kaspersky Industrial CyberSecurity for Nodes processes for the Real-Time Computer Protection tasks. You can use such Kaspersky Industrial CyberSecurity for Nodes settings as **Maximum number of active processes** and **Number of processes for real-time protection**.

Maximum number of file interception dispatcher streams

Maximum number of file interception dispatcher streams

Name	Maximum number of file interception dispatcher streams.
Definition	The number of file interception dispatcher streams in one process and the maximum for all processes currently involved in the Real-Time Computer Protection tasks.
Purpose	This counter enables you to detect and eliminate drops in performance because of uneven distribution of loads in running processes.
Normal / threshold value	Varies / 40
Recommended reading interval	1 minute
Recommendations for configuration if value exceeds the threshold	If the value of this counter significantly and continuously exceeds the **Average number of file interception dispatcher streams** counter, Kaspersky Industrial CyberSecurity for Nodes is distributing the load to running processes unevenly. Restart Kaspersky Industrial CyberSecurity for Nodes.

Number of elements in the infected objects queue

Number of elements in the infected objects queue

Name	Number of elements in the infected objects queue.
Definition	Number of infected objects currently waiting to be processed (disinfected or deleted).
Purpose	This counter can help you detect: • Interruption of Real-Time Computer Protection due to potential failures of file interception dispatchers. • Overloading of processes due to uneven distribution of processor time among different work processes and Kaspersky Industrial CyberSecurity for Nodes. • Virus outbreaks.
Normal / threshold value	This value may be something other than zero while Kaspersky Industrial CyberSecurity for Nodes is processing infected or probably infected objects but will

	return to zero after processing is finished / The value remains non-zero for an extended period of time.
Recommended reading interval	1 minute
Recommendations for configuration if value exceeds the threshold	If the value of the counter does not return to zero for an extended period of time: • Kaspersky Industrial CyberSecurity for Nodes is not processing objects (the file interception dispatcher may have crashed). Restart Kaspersky Industrial CyberSecurity for Nodes. • There may be insufficient processor time to process the objects. Make sure Kaspersky Industrial CyberSecurity for Nodes receives additional processor time (by reducing other applications' load on the protected device, for example). • There has been a virus outbreak. A large number of infected or probably infected objects in the Real-Time File Protection task is also a sign of a virus outbreak. You can view information about the number of detected objects in the task statistics or task logs.

Number of objects processed per second

Number of objects processed per second

Name	Number of objects processed per second.
Definition	Number of objects processed divided by the amount of time that it took to process those objects (calculated over equal time intervals).
Purpose	This counter reflects the speed of object processing; it can be used to detect and eliminate low points in protected device performance that occur because of insufficient processor time being allotted to Kaspersky Industrial CyberSecurity for Nodes processes or errors in Kaspersky Industrial CyberSecurity for Nodes operation.
Normal / threshold value	Varies / No.
Recommended reading interval	1 minute.
Recommendations for configuration if value exceeds the threshold	The values of this counter depend on the values set in Kaspersky Industrial CyberSecurity for Nodes settings and the load on the protected device from other applications' processes. Observe the average counter value over an extended period of time. If the general counter value decreases, one of the following situations is possible: • Kaspersky Industrial CyberSecurity for Nodes processes do not have enough processor time to process the objects. Make sure Kaspersky Industrial CyberSecurity for Nodes receives additional processor time (by reducing other applications' load on the protected device, for example). • Kaspersky Industrial CyberSecurity for Nodes has experienced an error (several streams are idle). Restart Kaspersky Industrial CyberSecurity for Nodes.

Kaspersky Industrial CyberSecurity for Nodes SNMP counters and traps

This section contains information about Kaspersky Industrial CyberSecurity for Nodes counters and traps.

About Kaspersky Industrial CyberSecurity for Nodes SNMP counters and traps

If you included SNMP Counters and Traps in the set of anti-virus components to be installed, you can view Kaspersky Industrial CyberSecurity for Nodes counters and traps using Simple Network Management Protocol (SNMP).

To view Kaspersky Industrial CyberSecurity for Nodes counters and traps from the administrator's workstation, start SNMP Service on the protected device and start SNMP and SNMP Trap Services on the administrator's workstation.

Kaspersky Industrial CyberSecurity for Nodes SNMP counters

This section contains tables with a description of the settings for Kaspersky Industrial CyberSecurity for Nodes SNMP counters.

Performance counters

Performance counters

Counter	Definition
currentRequestsAmount	Number of requests sent to be processed
currentInfectedQueueLength	Number of elements in the infected objects queue
currentObjectProcessingRate	Number of objects processed per second
currentWorkProcessesNumber	Current number of work processes used by Kaspersky Industrial CyberSecurity for Nodes

Quarantine counters

Quarantine counters

Counter	Definition
totalObjects	Number of objects currently in Quarantine
totalSuspiciousObjects	Number of probably infected objects currently in Quarantine
currentStorageSize	Total amount of data in Quarantine (MB)

Backup counter

Backup counter

Counter	Definition
currentBackupStorageSize	Total amount of data in Backup (MB)

General counters

General counters

Counter	Definition
lastCriticalAreasScanAge	The period since the last complete scan of the protected device's critical areas (time elapsed in seconds since the last Critical Areas Scan task was completed).
licenseExpirationDate	License expiration date. If an active and additional key have been added, the date of expiry of the license associated with the additional key is displayed.
currentApplicationUptime	The amount of time that Kaspersky Industrial CyberSecurity for Nodes has been running since it was last started, in hundredths of seconds.

Update counter

Update counter

Counter	Definition
avBasesAge	"Age" of databases (time elapsed in hundredths of seconds since the creation date of the latest installed database updates).

Real-Time File Protection counters

Real-Time File Protection counters

Counter	Definition
totalObjectsProcessed	Total number of objects scanned since the time the last Real-Time File Protection task was run
totalInfectedObjectsFound	Total number of infected and other objects detected since the time the last Real-Time File Protection task was run
totalSuspiciousObjectsFound	Total number of probably infected objects detected since the time the last Real-Time File Protection task was run
totalVirusesFound	Total number of objects detected since the time the Real-Time File Protection task was last run
totalObjectsQuarantined	Total number of infected, probably infected and other objects which were placed into Quarantine by Kaspersky Industrial CyberSecurity for Nodes;

	calculated from the time the Real-Time File Protection task was last started
totalObjectsNotQuarantined	Total number of infected or probably infected objects Kaspersky Industrial CyberSecurity for Nodes attempted to quarantine but was unable to; calculated from the time the Real-Time File Protection task was last started
totalObjectsDisinfected	Total number of infected objects which were disinfected by Kaspersky Industrial CyberSecurity for Nodes; calculated from the time the Real-Time File Protection task was last started
totalObjectsNotDisinfected	Total number of infected and other objects which Kaspersky Industrial CyberSecurity for Nodes attempted to disinfect but was unable to; calculated from the time Real-Time File Protection task was last started
totalObjectsDeleted	Total number of infected, probably infected and other objects which were deleted by Kaspersky Industrial CyberSecurity for Nodes; calculated from the time the Real-Time File Protection task was last started
totalObjectsNotDeleted	Total number of infected, probably infected and other objects which Kaspersky Industrial CyberSecurity for Nodes attempted to delete but was unable to; calculated from the time Real-Time File Protection task was last started
totalObjectsBackedUp	Total number of infected objects and other which were placed into Backup by Kaspersky Industrial CyberSecurity for Nodes; calculated from the time the Real-Time File Protection task was last started
totalObjectsNotBackedUp	Total number of infected objects and other which Kaspersky Industrial CyberSecurity for Nodes attempted to place into Backup but was unable to; calculated from the time Real-Time File Protection task was last started

Kaspersky Industrial CyberSecurity for Nodes SNMP traps and their options

The SNMP traps options in Kaspersky Industrial CyberSecurity for Nodes are summarized as follows:

- eventThreatDetected: an object has been detected.

  The trap has the following options:

  - eventDateAndTime
  - eventSeverity
  - computerName
  - userName
  - objectName
  - threatName
  - detectType
  - detectCertainty

- eventBackupStorageSizeExceeds: maximum Backup size exceeded. The total amount of data in Backup exceeds the value specified by **Maximum Backup size (MB)**. Kaspersky Industrial CyberSecurity for Nodes continues to back up infected objects.

  The trap has the following options:

  - eventDateAndTime
  - eventSeverity
  - eventSource

- eventThresholdBackupStorageSizeExceeds: Backup free space threshold reached. The amount of free space in Backup is less than or equal to the value specified by **Threshold value for space available (MB)**. Kaspersky Industrial CyberSecurity for Nodes continues to back up infected objects.

  The trap has the following options:

  - eventDateAndTime
  - eventSeverity
  - eventSource

- eventQuarantineStorageSizeExceeds: maximum Quarantine size exceeded. The total size of data in Quarantine has exceeded the value specified by the **Maximum Quarantine size (MB)**. Kaspersky Industrial CyberSecurity for Nodes continues to quarantine probably infected objects.

  The trap has the following options:

  - eventDateAndTime
  - eventSeverity
  - eventSource

- eventThresholdQuarantineStorageSizeExceeds: Quarantine free space threshold reached. The amount of free size in Quarantine assigned by the **Threshold value for space available (MB)** is equal to or less than the specified value. Kaspersky Industrial CyberSecurity for Nodes continues to back up infected objects.

  The trap has the following options:

  - eventDateAndTime
  - eventSeverity
  - eventSource

- eventObjectNotQuarantined: Quarantine error.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - userName

- computerName
- objectName
- storageObjectNotAddedEventReason

- eventObjectNotBackuped: Error while saving an object copy in Backup.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - objectName
  - userName
  - computerName
  - storageObjectNotAddedEventReason

- eventQuarantineInternalError: Quarantine internal error.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - eventReason

- eventBackupInternalError: Backup error.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - eventReason

- eventAVBasesOutdated: Anti-virus database is out of date. Number of days since the last time the Database Update task (local task, or group task, or task for sets of protected devices) was run.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource

- days

- eventAVBasesTotallyOutdated: Anti-virus database is obsolete. Number of days since the last time the Database Update task (local task, or group task, or task for sets of protected devices) was run.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - days

- eventApplicationStarted: Kaspersky Industrial CyberSecurity for Nodes is running.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource

- eventApplicationShutdown: Kaspersky Industrial CyberSecurity for Nodes is stopped.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource

- eventCriticalAreasScanWasntPerformForALongTime: Critical areas have not been scanned for a long time. Number of days since the last time the Critical Areas Scan task completed.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - days

- eventLicenseHasExpired: License has expired.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource

- eventLicenseExpiresSoon: License expires soon. Calculated as the number of days until the expiration date for the license.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - days

- eventTaskInternalError: Task completion error.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - eventSource
  - errorCode
  - knowledgeBaseId
  - taskName

- eventUpdateError: Error while running the update task.

  The trap has the following options:

  - eventSeverity
  - eventDateAndTime
  - taskName
  - updaterErrorEventReason

Kaspersky Industrial CyberSecurity for Nodes SNMP traps options descriptions and possible values

Descriptions of the traps options and their possible values are given below:

- eventDateAndTime: event date and time.
- eventSeverity: importance level.

  The option can take the following values:

  - critical (1) – critical
  - warning (2) – warning

- info (3) – informational

- userName: user name (for example, the name of a user that attempted to access an infected file).

- computerName: protected device name (for example, the name of a protected device from which a user attempted to access an infected file).

- eventSource: functional component that generated the event.

  The option can take the following values:

  - unknown (0) – functional component not known
  - quarantine (1) – Quarantine
  - backup (2) – Backup
  - reporting (3) – task logs
  - updates (4) – Update
  - realTimeProtection (5) – Real-Time File Protection
  - onDemandScanning (6) – On-Demand Scan
  - product (7) – event related to operation of Kaspersky Industrial CyberSecurity for Nodes as a whole rather than operation of individual components
  - systemAudit (8) – system audit log

- eventReason: event trigger: what triggered the event.

  The option can take the following values:

  - reasonUnknown (0) – reason is unknown.
  - reasonInvalidSettings (1) – only for Backup and Quarantine events, displayed if Quarantine or Backup is unavailable (insufficient access permissions or an invalid folder is specified in the Quarantine settings -- for example, the a network path is specified). In this case, Kaspersky Industrial CyberSecurity for Nodes will use the default Backup or Quarantine folder.

- objectName: an object name (for example, the name of the file where the virus was detected).

- threatName: The name of the object according to the Virus Encyclopedia classification. This name is included in the full name that Kaspersky Industrial CyberSecurity for Nodes returns on detecting an object. You can view the full name of a detected object in the task log.

- detectType: type of object detected.

  The option can take the following values:

  - undefined (0) – undefined
  - virware – classic viruses and network worms
  - trojware – Trojans
  - malware – other malicious applications

- adware – advertising software
- pornware – pornographic software
- riskware – legitimate applications that may be used by intruders to damage the user's device or personal data

- detectCertainty: certainty level for threat detection.

  The option can take the following values:

  - Suspicion (probably infected) – Kaspersky Industrial CyberSecurity for Nodes has detected a partial match between a section of object code and a known section of malicious code.
  - Sure (infected) – Kaspersky Industrial CyberSecurity for Nodes has detected a complete match between a section of code in the object and a known section of malicious code.

- days: number of days (for example, the number of days until the license expiration date).
- errorCode: an error code.
- knowledgeBaseId: address of a knowledge base article (for example, address of an article that explains a particular error).
- taskName: a task name.
- updaterErrorEventReason: the reason for the update error.

  The option can take the following values:

  - reasonUnknown(0) – reason is unknown.
  - reasonAccessDenied – access denied.
  - reasonUrlsExhausted – the list of update sources is exhausted.
  - reasonInvalidConfig – invalid configuration file.
  - reasonInvalidSignature – invalid signature.
  - reasonCantCreateFolder – folder cannot be created.
  - reasonFileOperError – file error.
  - reasonDataCorrupted – object is corrupted.
  - reasonConnectionReset – connection reset.
  - reasonTimeOut – connection timeout exceeded.
  - reasonProxyAuthError – proxy authentication error.
  - reasonServerAuthError – server authentication error.
  - reasonHostNotFound – device not found.
  - reasonServerBusy – server unavailable.

- reasonConnectionError – connection error.
- reasonModuleNotFound – object not found.
- reasonBlstCheckFailed(16) – error while checking the key denylist. It is possible that database updates were being published at the time of the update; please repeat the update in a few minutes.

- storageObjectNotAddedEventReason: the reason why the object was not backed up or quarantined.

  The option can take the following values:

  - reasonUnknown (0) – reason is unknown.
  - reasonStorageInternalError – database error; Kaspersky Industrial CyberSecurity for Nodes must be restored.
  - reasonStorageReadOnly – database is read-only; Kaspersky Industrial CyberSecurity for Nodes must be restored.
  - reasonStorageIOError – input-output error: a) Kaspersky Industrial CyberSecurity for Nodes is corrupted, Kaspersky Industrial CyberSecurity for Nodes must be restored; b) disk with Kaspersky Industrial CyberSecurity for Nodes files is corrupted.
  - reasonStorageCorrupted – storage is corrupted; Kaspersky Industrial CyberSecurity for Nodes must be restored.
  - reasonStorageFull – database is full; free disk space is required.
  - reasonStorageOpenError – database file could not be opened; Kaspersky Industrial CyberSecurity for Nodes must be restored.
  - reasonStorageOSFeatureError – some operating system features do not correspond to Kaspersky Industrial CyberSecurity for Nodes requirements.
  - reasonObjectNotFound – object being placed in Quarantine does not exist on the disk.
  - reasonObjectAccessError – insufficient permissions to use Backup API: the account being used to perform the operation does not have Backup Operator permissions.
  - reasonDiskOutOfSpace – not enough space on the disk.

Integrating with WMI

Kaspersky Industrial CyberSecurity for Nodes supports integration with Windows Management Instrumentation (WMI): you can use client systems that use WMI to receive data via the Web-Based Enterprise Management (WBEM) standard in order to receive information about the status of Kaspersky Industrial CyberSecurity for Nodes and its components.

When Kaspersky Industrial CyberSecurity for Nodes is installed, it registers a proprietary module on the system to create a Kaspersky Industrial CyberSecurity for Nodes namespace on the protected device. A Kaspersky Industrial CyberSecurity for Nodes namespace lets you work with Kaspersky Industrial CyberSecurity for Nodes classes and instances and their properties.

The values of some instance properties depend on task types.

A *non-periodic task* is an application task that is not time-limited and can either be constantly running or stopped. Such tasks have no execution progress. The task results are logged continuously while the task is running as single events (for example, detection of an infected object by any Real-Time Computer Protection tasks). This type of tasks is managed via Kaspersky Security Center policies.

A *periodic task* is an application task that is time-limited and has execution progress displayed as a percentage. The task results are generated when task is complete and are represented as a single item or changed application state (for example, completed application database update, generated configuration files for rule generation tasks). Several periodic tasks of the same type can run on a single protected device simultaneously (e.g. three On-Demand scan tasks with different scan scopes). Periodic tasks can be managed via Kaspersky Security Center as group tasks.

If you use tools to generate WMI namespace queries and receive dynamic data from WMI namespaces on your corporate network, you will be able to receive information about the current application state (see the table below).

Information about the application state

Instance property	Description	Values
ProductName	Name of the installed application.	Full name of application without version number.
ProductVersion	Full version of the installed application.	Full application version number, including the build number.
InstalledPatches	Set of display names for installed patches.	List of critical fixes installed for the application.
IsLicenseInstalled	Application activation status.	Status of the key used to activate the application. Possible values: • False - A license key has not been added to the application. • True - A license key has been added to the application.
LicenseDaysLeft	Shows how many days are left before a current license expiration.	Number of days remaining before expiration of the current license. Possible non-positive values: • 0 - License has expired. • -1 - Unable to get information on the current key or the specified key cannot be used to activate the application (for example, it is blocked based on key denylist).
AVBasesDatetime	Timestamp for the current anti-virus database version.	Date and time of the creation of the anti-virus databases currently in use. If the installed application does not use anti-virus databases, then the field has the value “Not installed”.
IsExploitPreventionEnabled	Status of the Exploit Prevention component.	Status of the Exploit Prevention component. Possible values:

		• True - The Exploit Prevention component is enabled and providing protection. • False - The Exploit Prevention component is not providing protection. For example: disabled, not installed, the License Agreement has been violated.
ProtectionTasksRunning	Set of protection tasks that are currently running.	List of protection, control, and monitoring tasks currently running. This field should account for all running non-periodic tasks. If no non-periodic task is running, the field has the value “None”.
IsAppControlRunning	Status of the Applications Launch Control task.	Status of the Applications Launch Control task. • True - The Applications Launch Control task is currently running. • False - The Applications Launch Control is not currently running or the Applications Launch Control component is not installed.
AppControlMode	Applications Launch Control task mode.	Describes the current status of the Applications Launch Control component, and describes the selected mode for the corresponding task. Possible values: • Active - **Active** mode is selected in the task settings. • Statistics Only - **Statistics only** mode is selected in the task settings. • Not installed - The Applications Launch Control component is not installed.
AppControlRulesNumber	Total number of applications launch control rules.	The number of rules currently specified in the Applications Launch Control task settings.
AppControlLastBlocking	The timestamp for the last application launch blocking by the Applications Launch Control task in any mode.	Date and time when the Applications Launch Control component last blocked the launch of an application. This field includes all blocked applications, regardless of the task mode. If no instances of blocked application launches are registered at the time the WMI query is processed, the field is assigned the value “None”.
PeriodicTasksRunning	Set of periodic tasks that are currently running.	List of On-Demand Scan, Update, and inventory-taking tasks currently running. This field should include all running periodic tasks. If no periodic tasks are currently running, then the field has the value “None”.
ConnectionState	Status of the connection	Information about the status of the

	between the WMI Provider component and the Kaspersky Security Service (KAVFS).	connection between the WMI Provider component and the Kaspersky Security Service. Possible values: • Success - The connection was successfully established: the WMI client can receive the application status. • Failed. Error Code: <code> - The connection could not be established due to an error with the specified code.

This data represents instance properties KasperskySecurity_ProductInfo.ProductName=Kaspersky Industrial CyberSecurity for Nodes, where:

- KasperskySecurity_ProductInfo is the name of the Kaspersky Industrial CyberSecurity for Nodes class
- .ProductName=Kaspersky Industrial CyberSecurity for Nodes are the Kaspersky Industrial CyberSecurity for Nodes key properties

The instance is created in the ROOT\Kaspersky\Security namespace.

Isolating objects and copying backups

This section provides information about backing up detected malicious objects before they are disinfected or removed, and information about quarantining probably infected objects.

Isolating probably infected objects. Quarantine

This section describes how to isolate probably infected objects by quarantining them and how to configure Quarantine settings.

About quarantining probably infected objects

Kaspersky Industrial CyberSecurity for Nodes quarantines probably infected objects by moving such objects from their original location to the *Quarantine* folder. For security purposes, objects in the Quarantine folder are stored in encrypted form.

Viewing quarantine objects

Quarantined objects can be viewed in the **Quarantine** node of the Application Console.

To view quarantined objects:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Quarantine** child node.

   Information about quarantined objects is displayed in the results pane of the selected node.

To find the required object in the list of quarantined objects,

sort the objects or filter the objects.

Sorting quarantined objects

By default, objects in the list of quarantined objects are sorted by quarantine date in reverse chronological order. To find the required object you may sort objects by the columns with object information. The sorted results will be saved if you close and then re-open the **Quarantine** node, or if you close the Application Console, save the msc file and then re-open it from this file.

To sort objects:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Quarantine** child node.

3. In the results pane of the **Quarantine** node, select the column heading that you wish to use to sort the objects in the list.

Objects in the list will be sorted based on the selected setting.

Filtering quarantined objects

To find the required quarantined object, you can filter objects in the list, i.e. display only those objects that satisfy the filtering criteria (filters) that you specify. The filtered results are saved if you close and then reopen the **Quarantine** node or if you close the Application Console, save the msc file and then reopen it from this file.

To specify one or more filters:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Quarantine** child node.
3. Select **Filter** in the context menu of the node's name.

   The **Filter settings** window opens.
4. To add a filter, perform the following steps:

   a. In the **Field name** list, select the field that will form the basis of the filter.

   b. In the **Operator** list, select the filtering condition. The filtering conditions in the list may differ depending on the value you selected in the **Field name** list.

   c. Enter the filter value in the **Field value** field or select it from the list.

   d. Click the **Add** button.

   The filter you have added will appear in the list of filters in the **Filter settings** window. Repeat steps a-d for each filter you add. Use the following guidelines while working with filters:

   - To combine multiple filters using the logical operator "AND", select **If all conditions are met**.
   - To combine multiple filters using the logical operator "OR", select **If any condition is met**.
   - To delete a filter, select the filter you wish to delete in the filter list, and click the **Remove** button.
   - To edit a filter, select the filter in the list in the **Filter settings** window. Then change the required values in the **Field name**, **Operator** or **Field value** fields and click the **Replace** button.
5. After all filters have been added, click the **Apply** button.

The created filters will be saved.

To return to displaying all quarantined objects,

select **Remove filter** in the context menu of the **Quarantine** node.

Quarantine Scan

By default, after each database update, Kaspersky Industrial CyberSecurity for Nodes performs the Quarantine Scan local system task. The task settings are described in the table below. The Quarantine Scan task settings cannot be modified.

You can configure the task start schedule, start it manually, and modify the permissions of the account used to start the task.

After scanning quarantined objects following a database update, Kaspersky Industrial CyberSecurity for Nodes may reclassify some of them as not infected: the status of such objects is changed to **False alarm**. Other objects may be reclassified as infected, in which case Kaspersky Industrial CyberSecurity for Nodes handles such objects as specified by the Quarantine Scan task settings: disinfect, or delete if disinfection failed.

Quarantine Scan task settings

Quarantine Scan task setting	Value
Scan scope	Quarantine folder
Security settings	The same for the entire scan scope; their values are provided in the next table

Scan settings in the Quarantine Scan task

Security setting	Value
Scan objects	All objects included in the scan scope
Performance	Disabled
Action to perform on infected and other objects	Disinfect, delete if disinfection is impossible
Action to perform on probably infected objects	Skip
Exclude files	No
Do not detect	No
Stop scanning if it takes longer than (sec.)	Not configured
Do not scan objects larger than (MB)	Not configured
Scan alternate NTFS streams	Enabled
Scan disk boot sectors and MBR	Disabled
Use iChecker technology	Disabled
Use iSwift technology	Disabled
Scan compound objects	• **Archives*** • **SFX archives*** • **Packed objects*** • **Embedded OLE objects*** * **Scan only new and modified files** is disabled.
Check Microsoft signature in files	Not performed
Use heuristic analyzer	Enabled with **Deep** analysis level
Trusted Zone	Not applied

Restoring quarantined objects

Kaspersky Industrial CyberSecurity for Nodes places probably infected objects into the Quarantine folder in encrypted form to shield the protected device against any possible harmful effects.

You can restore any object from Quarantine. This may be required in the following cases:

- After a Quarantine Scan using an updated database, the status of the object changes to **False alarm** or **Disinfected**.
- You consider the object harmless for the protected device and want to use it. If you do not want Kaspersky Industrial CyberSecurity for Nodes to isolate the object during the subsequent scans, you can exclude the object from processing in the Real-Time File Protection task and On-Demand Scan tasks. To do this, specify the object in the **Exclude files** (by filename) or **Do not detect** security setting in those tasks, or add it to the Trusted Zone.

When you restore objects you can select where the object being restored will be saved: the original location (default), special folder for restored objects on the protected device, or custom folder on the protected device where the Application Console is installed.

You can specify the folder for storing restored objects on the protected device. You can configure special security settings for it to be scanned. The path to this folder is set by the Quarantine settings.

Restoring objects from Quarantine may lead to protected device infection.

You can restore the object and save a copy of it in the Quarantine folder to use later, for example, to rescan the object after the database has been updated.

If a quarantined object was contained in a compound object (for example, in an archive), Kaspersky Industrial CyberSecurity for Nodes will not include the quarantined object into the compound object during the restoration, rather the quarantined object will be saved separately into a selected folder.

You can restore one or more objects.

To restore quarantined objects, perform the following steps:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Quarantine** child node.
3. Perform one of the following actions in the details pane of the **Quarantine** node:
   - To restore one object, select **Restore** from the context menu of the object that you want to restore.
   - To restore multiple objects, select the objects you wish to restore using the **CTRL** or **SHIFT** key, right-click one of the selected objects, and select **Restore** from the context menu.

   The **Restore object** window opens.
4. In the **Restore object** window, specify the folder in which the object being restored will be saved for each selected object.

The name of the object is displayed in the **Object** field in the upper part of the window. If you selected several objects, the name of the first object in the list of selected objects will be displayed.

5. Perform one of the following steps:

   - To restore an object to its original location, select **Restore to the source folder**.
   - To restore an object to the folder specified as the location for restored objects in the settings, select **Restore to the default folder for restoration**.
   - To save an object to a different folder on the protected device where the Application Console is installed, select **Restore to folder on your local computer** and then select the required folder or specify the path to it.

6. If you want to save a copy of the object in the *Quarantine* folder after the object is restored, clear the **Remove objects from storage after they are restored** check box.

7. To apply the specified restoration conditions to the rest of the selected objects, check the **Apply to all selected objects** box.

   All selected objects are restored and saved in the specified location. If you selected **Restore to the source folder**, each of the objects will be saved in its original location; if you selected **Restore to the default folder for restoration** or **Restore to folder on your local computer**, all objects will then be saved in one specified folder.

8. Click **OK**.

   Kaspersky Industrial CyberSecurity for Nodes will start restoring the first of the selected objects.

9. If an object with this name already exists in the specified location, the **Object with this name already exists** window opens.

   a. Select one of the following Kaspersky Industrial CyberSecurity for Nodes actions:

      - **Replace**, to replace the existing object with the restored object.
      - **Rename**, to save the restored object under a different name. In the entry field, enter the new restored object's filename and full path.
      - **Rename by adding suffix**, to rename the restored object by adding a suffix to its filename. Enter the suffix in the entry field.

   b. If you selected several objects to be restored, then select the **Apply to all selected objects** check box to apply the selected action (**Replace** or **Rename**) to the rest of the selected objects. If you selected **Rename**, the **Apply to all selected objects** check box will be unavailable.

   c. Click **OK**.

   The object will be restored. Information about the restoration operation will be recorded in the system audit log.

   If you did not select **Apply to all selected objects** in the **Restore object** window, the **Restore object** window may open again. Use this window to specify the location where the next selected object will be saved (see Step 4 of this procedure).

Moving objects to Quarantine

You can quarantine files manually.

To quarantine a file:

1. In the Application Console tree, open the context menu of the **Quarantine** node.
2. Select **Add**.
3. In the **Open** window, select the file on the disk that you wish to quarantine.
4. Click **OK**.

Kaspersky Industrial CyberSecurity for Nodes will quarantine the selected file.

Deleting objects from Quarantine

Based on the Quarantine Scan task settings, Kaspersky Industrial CyberSecurity for Nodes automatically deletes objects from the Quarantine folder if their status changed to *Infected* during a Quarantine Scan with updated databases and if Kaspersky Industrial CyberSecurity for Nodes failed to disinfect them. Kaspersky Industrial CyberSecurity for Nodes does not remove other objects from Quarantine.

One or more objects can be deleted from Quarantine.

To delete one or more objects from Quarantine:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Quarantine** child node.
3. Perform one of the following steps:
   - To remove one object, select **Remove** in the context menu of the name of the object.
   - To delete multiple objects, select the objects that you want to delete using the **Ctrl** or **Shift** key, open the context menu on any one of the selected objects, and select **Remove**.
4. In the confirmation window, click the **Yes** button to confirm the operation.

The selected objects will be removed from Quarantine.

Sending probably infected objects to Kaspersky Kaspersky for analysis

If the behavior of a file gives you a reason to suspect that it contains a threat, and Kaspersky Industrial CyberSecurity for Nodes considers the file to be clean, you may have encountered an unknown threat whose signature has not yet been added to the databases. You can send this file to Kaspersky for analysis. Kaspersky's Anti-Virus analysts will analyze it and, if they detect a new threat, will add a record identifying it in the databases. When you rescan the object after the database has been updated, it is likely that Kaspersky Industrial CyberSecurity for Nodes will identify the object as infected and will be able to disinfect it. You will not only be able to keep the object, but will also prevent a virus outbreak.

Only quarantined files can be sent for analysis. Quarantined files are stored in encrypted form and are not deleted by the Anti-Virus application installed on the mail server when they are sent.

A quarantined object cannot be sent to Kaspersky for analysis after the license expires.

To send a file for analysis to Kaspersky:

1. If the file was not quarantined, first move it into **Quarantine**.
2. In the **Quarantine** node, open the context menu on the file you want to send for analysis and select **Send object for analysis** in the context menu.
3. In the confirmation window that opens, click **Yes** if you are sure you want to send the selected object for analysis.
4. If a mail client is configured on the protected device on which the Application Console is installed, a new email message is created. Review it and click the **Send** button.

   The **Receiver** field contains the Kaspersky email address newvirus@kaspersky.com. The Subject field will contain the text "Quarantined object".

   The body of the message will contain the following text: "This file will be sent to Kaspersky for analysis". Any additional information about the file, why you considered it probably infected or dangerous, how it behaves, or how it affects the system, can be included in the body of the message.

   An archive named <object name>.cab will be attached to the message. This archive will contain a <uuid>.klq file with the object in encrypted form, a <uuid>.txt file with information about the object extracted by Kaspersky Industrial CyberSecurity for Nodes, and a Sysinfo.txt file, which contains the following information about Kaspersky Industrial CyberSecurity for Nodes and the operation system installed on the protected device:

   - Name and version of the operating system.
   - Name and version of Kaspersky Industrial CyberSecurity for Nodes.
   - Release date of the latest database update installed.
   - Active key.

   This information is required by Kaspersky's anti-virus analysts to analyze your file faster and more efficiently. However, if you do not wish to send this information, you can delete the Sysinfo.txt file from the archive.

If a mail client is not installed on the protected device with the Application Console, the application prompts you to save the selected encrypted object to file. This file can be sent to Kaspersky manually.

To save an encrypted object to a file:

1. In the window that opens with a prompt to save the object, click **OK**.
2. Select a folder on the drive of the protected device where the file containing the object will be saved.

   The object will be saved to a CAB file.

Configuring Quarantine settings

You can configure Quarantine settings. New Quarantine settings are applied immediately after saving.

To configure Quarantine settings:

1. In the Application Console tree, expand the **Storages** node.
2. Open the context menu of the **Quarantine** child node.
3. Select **Properties**.
4. In the **Quarantine Properties** window, configure the necessary Quarantine settings in accordance with your requirements:
   - In the **Quarantine settings** section:
     - Quarantine folder
     - Maximum Quarantine size (MB)
     - Threshold value for space available (MB)

     If the size of objects in Quarantine exceeds the maximum quarantine size or exceeds the available space threshold, Kaspersky Industrial CyberSecurity for Nodes will notify you about this while continuing to place objects in Quarantine.
   - In the **Restoration settings** section:
     - Target folder for restoring objects
5. Click **OK**.

The newly configured Quarantine settings will be saved.

Quarantine statistics

You can view information about the number of quarantined objects, i.e. quarantine statistics.

To view quarantine statistics,

in the context menu of the **Quarantine** node in the Application Console tree, select **Statistics**.

The **Quarantine statistics** window displays information about the number of objects currently stored in Quarantine (see the following table):

Field	Description
Probably infected objects	Number of objects found by Kaspersky Industrial CyberSecurity for Nodes to be probably infected.
Used quarantine space	Total amount of data in the Quarantine folder.
False alarms	The number of objects that received *False alarm* status because they were classified as non-infected during a Quarantine Scan using updated databases.
Objects	The number of objects that received *Disinfected* status after the Quarantine Scan.

disinfected	
Total number of objects	Total number of objects in Quarantine.

Making backup copies of objects. Backup

This section provides information about backup of detected malicious objects before disinfection or deletion, as well as instructions for configuring Backup.

About backing up objects before disinfection or deletion

Kaspersky Industrial CyberSecurity for Nodes stores encrypted copies of objects classified as *Infected* in *Backup* before disinfecting or deleting them.

If the object is a part of a compound object (for example, part of an archive), Kaspersky Industrial CyberSecurity for Nodes will save the compound object in its entirety in Backup. For example, if Kaspersky Industrial CyberSecurity for Nodes has detected that one of the objects from a mail database is infected, it will back up the entire mail database.

Large objects placed in Backup by Kaspersky Industrial CyberSecurity for Nodes can slow down the system and reduce available disk space on the hard drive.

Files can be restored from Backup either to their original folder or to a different folder on the protected device. A file can be restored from Backup, for example, if an infected file contains important information, but Kaspersky Industrial CyberSecurity for Nodes is unable to disinfect it without damaging its integrity and losing the information.

Restoring files from Backup may lead to protected device infection.

Viewing objects stored in Backup

Objects can be viewed in the Backup folder only by using the Application Console in the **Backup** node. They cannot be viewed using Microsoft Windows file managers.

To view the objects in Backup,

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Backup** child node.

   Information about objects placed in Backup is displayed in the results pane of the selected node.

To find the necessary object in the list of objects in Backup,

sort the objects or filter the objects.

Sorting files in Backup

By default, files in Backup are sorted by the backup date in reverse chronological order. To find the required file, you can sort files according to the content of any column in the results pane.

The sorted results are saved if you close and then reopen the **Backup** node or if you close the Application Console, save the msc file and then reopen it from this file.

To sort files in Backup:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Backup** child node.
3. In the list of files in **Backup**, select the column heading which you want to use to sort the objects.

Files in Backup will be sorted based on the selected criterion.

Filtering files in Backup

To find the required file in Backup you can filter files: display in the **Backup** node only those files which satisfy the filtering criteria you have specified (filters).

The sorting result will be saved if you close and then re-open the **Backup** node or if you close the Application Console, save the msc file and then re-open it from this file.

To filter files in Backup:

1. In the Application Console tree, open the context menu of the **Backup** node and select **Filter**.

   The **Filter settings** window opens.

2. To add a filter, perform the following steps:

   a. In the **Field name** list, select the field that will form the basis of the filter.

   b. In the **Operator** list select the filtering condition. The filtering conditions in the list may differ depending on the value you selected in the **Field name** field.

   c. Enter the filter value in the **Field value** field or select a filter value.

   d. Click the **Add** button.

   The filter you added will appear in the list of filters in the **Filter settings** window. Repeat these steps for each filter you add. The following guidelines can be used while working with filters:

   - To combine multiple filters using the logical operator "AND", select **If all conditions are met**.
   - To combine multiple filters using the logical operator "OR", select **If any condition is met**.
   - To delete a filter, select the filter you wish to delete in the filter list, and click the **Remove** button.

- To edit the filter, select it from the filter list in the **Filter settings** window, modify the required values in the **Field name**, **Operator** or **Field value** fields and click the **Replace** button.

When all filters have been added, click the **Apply** button. Only files that match the filters you have specified will be displayed in the list.

To display all files included in the list of objects stored in Backup,

select **Remove filter** in the context menu of the **Backup** node.

Restoring files from Backup

Kaspersky Industrial CyberSecurity for Nodes stores files in the Backup folder in encrypted form to shield the protected device against possible harmful effects.

Any file can be restored from Backup.

A file may need to be restored in the following cases:

- The original infected file contained important information and Kaspersky Industrial CyberSecurity for Nodes failed to keep its integrity so, as a result, the information in the file became unavailable.
- You consider the file harmless to the protected device and want to use it. If you do not want Kaspersky Industrial CyberSecurity for Nodes to consider this file infected or probably infected, during subsequent scans you can exclude it from processing in the Real-Time File Protection task and On-Demand Scan tasks. To do this, specify the file in the **Exclude files** setting or the **Do not detect** setting in the corresponding tasks.

Restoring files from Backup may lead to protected device infection.

When you restore a file you can select where it will be saved: the original location (default), the special folder for restored objects on the protected device, or a custom folder on the protected device where the Application Console is installed.

You can specify the folder for storing restored objects on the protected device. You can configure special security settings for it to be scanned. The path to this folder is specified by Backup settings.

By default when Kaspersky Industrial CyberSecurity for Nodes restores a file, it makes a copy of it in Backup. The file copy can be deleted from Backup after it is restored.

To restore files from Backup:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Backup** child node.
3. Perform one of the following actions in the details pane of the **Backup** node:
   - To restore one object, select **Restore** from the context menu of the object that you want to restore.
   - To restore multiple objects, select the objects you wish to restore using the **CTRL** or **SHIFT** key, right-click one of the selected objects, and select **Restore** from the context menu.

   The **Restore object** window opens.

4. In the **Restore object** window, specify the folder in which the object being restored will be saved for each selected object.

   The name of the object is displayed in the **Object** field in the upper part of the window. If you selected several objects, the name of the first object in the list of selected objects will be displayed.

5. Perform one of the following steps:

   - To restore an object to its original location, select **Restore to the source folder**.
   - To restore an object to the folder specified as the location for restored objects in the settings, select **Restore to the default folder for restoration**.
   - To save an object to a different folder on the protected device where the Application Console is installed, select **Restore to folder on your local computer** and then select the required folder or specify the path to it.

6. If you do not want to save a copy of the file in the Backup folder after it is restored, select the **Remove objects from storage after they are restored** check box (by default, this check box is cleared).

7. To apply the specified restoration conditions to the rest of the selected objects, check the **Apply to all selected objects** box.

   All selected objects are restored and saved in the specified location. If you selected **Restore to the source folder**, each of the objects will be saved in its original location; if you selected **Restore to the default folder for restoration** or **Restore to folder on your local computer**, all objects will then be saved in one specified folder.

8. Click **OK**.

   Kaspersky Industrial CyberSecurity for Nodes will start restoring the first of the selected objects.

9. If an object with this name already exists in the specified location, the **Object with this name already exists** window opens.

   a. Select one of the following Kaspersky Industrial CyberSecurity for Nodes actions:

      - **Replace**, to replace the existing object with the restored object.
      - **Rename**, to save the restored object under a different name. In the entry field, enter the new restored object's filename and full path.
      - **Rename by adding suffix**, to rename the restored object by adding a suffix to its filename. Enter the suffix in the entry field.

   b. If you selected several objects to be restored, then select the **Apply to all selected objects** check box to apply the selected action (**Replace** or **Rename**) to the rest of the selected objects. If you selected **Rename**, the **Apply to all selected objects** check box will be unavailable.

   c. Click **OK**.

   The object will be restored. Information about the restoration operation will be recorded in the system audit log.

If you did not select **Apply to all selected objects** in the **Restore object** window, the **Restore object** window may open again. Use this window to specify the location where the next selected object will be saved (see Step 4 of this procedure).

Deleting files from Backup

To delete one or more files from Backup:

1. In the Application Console tree, expand the **Storages** node.
2. Select the **Backup** child node.
3. Perform one of the following steps:
   - To remove one object, select **Remove** in the context menu of the name of the object.
   - To delete multiple objects, select the objects that you want to delete using the **Ctrl** or **Shift** key, open the context menu on any one of the selected objects, and select **Remove**.
4. In the confirmation window, click the **Yes** button to confirm the operation.

The selected files will be deleted from Backup.

Configuring Backup settings

To configure Backup settings:

1. In the Application Console tree, expand the **Storages** node.
2. Open the context menu of the **Backup** child node.
3. Select **Properties**.
4. In the **Backup Properties** window, configure the necessary Backup settings in accordance with your requirements:

   In the **Backup settings** section:

   - Backup folder
   - Maximum Backup size (MB)
   - Threshold value for space available (MB)

     If the size of objects in Backup exceeds the maximum Backup size or exceeds the available space threshold, Kaspersky Industrial CyberSecurity for Nodes will notify you about this while continuing to place objects in Backup.

   In the **Restoration settings** section:

   - Target folder for restoring objects
5. Click **OK**.

The configured Backup settings will be saved.

Backup statistics

You can view information about the current status of Backup, i.e. Backup statistics.

To view Backup statistics,

open the context menu on the **Backup** node in the Application Console tree and select **Statistics**. The **Backup statistics** window opens.

The **Backup statistics** window displays information about the current Backup status (see the table below).

Information about the current Backup status

Field	Description
Current Backup size	Amount of data in the Backup folder; the application calculates the file size in encrypted form
Total number of objects	Current total number of objects in Backup

Blocking access to network resources. Blocked network sessions

This section describes how to block remote devices and configure the settings for the List of blocked network sessions.

About the List of blocked network sessions

By default, the List of blocked network sessions is available for use if any of the following components is installed: Real-Time File Protection, Network Threat Protection. These components discover remote attempts to encrypt, open or execute objects on the protected device or network attached storage shared folders in accordance with the list of blocked network sessions. Information about blocked network sessions from all protected devices is sent to the Kaspersky Security Center. Kaspersky Industrial CyberSecurity for Nodes blocks current session and, in terms of current session, makes shared folders or network attached storage folders unavailable.

The List of blocked network sessions is populated when at least one of the following tasks is started in active mode (under specified conditions):

- For the Real-Time File Protection task: malicious activity by a device accessing network file resources is detected and in the Real-Time File Protection task settings the **Block access to network shared resources for the hosts that show malicious activity** check box is selected.
- For the Network Threat Protection task: activity typical of network attacks is detected.

After malicious activity or an encryption attempt is detected, the task sends information about the attacking network session to the List of blocked network sessions and the application creates a *Warning* event for current session of the attacking host. Any attempts by this session to access the protected shared network folders will be blocked.

If the locally unique identifier (LUID) of a host that initiated the attacking network session is added to the List of blocked network sessions, Kaspersky Industrial CyberSecurity for Nodes determines the IP address of the host and adds it to the List of blocked network sessions instead of the LUID of the attacking host.

By default, Kaspersky Industrial CyberSecurity for Nodes removes blocked network sessions from the list 30 minutes after they were added to the list. Access to network file resources is restored automatically after the network sessions are deleted from the List of blocked network sessions. You can specify the period of time after which blocked network sessions are automatically unblocked.

Note that when you restrict access to storage management for any user account, the List of blocked network sessions will still be available. The settings for blocked network sessions cannot be changed unless the selected user account has **Edit permissions** for managing Kaspersky Industrial CyberSecurity for Nodes.

Managing the List of blocked network sessions via the Administration Plug-in

In this section, learn how to configure the settings for the List of blocked network sessions via the Administration Plug-in interface.

Enabling untrusted network sessions blocking

To add network sessions showing any malicious or encrypting activity to the List of blocked network sessions and block access to network file resources for those sessions, at least one of the following tasks must run in the active mode:

- Real-Time File Protection
- Anti-Cryptor

Configure the Real-Time File Protection task:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node.
2. Select the **Policies** tab and open **<Policy name>** >**Real-Time Computer Protection** > **Settings** in the **Real-Time File Protection** section.

   The **Real-time file protection** window opens.
3. In the **Integration with other components** section, select the **Block access to network shared resources for the hosts that show malicious activity** check box if you want Kaspersky Industrial CyberSecurity for Nodes to block current session and make network shared resources unavailable for network sessions for which malicious activity was detected.
4. If the task has not been started, open the **Task management** tab:
   a. Select the **Run by schedule** check box.
   b. Select the **At application launch** frequency in the drop-down list.
5. In the **Real-time file protection** window, click **OK**.

The newly configured settings are saved.

Configure the Anti-Cryptor task:

1. In the Kaspersky Security Center Administration Console tree, expand the **Managed devices** node.
2. Select the **Policies** tab and open **<Policy name>** > **Network activity control** > **Settings** in the **Anti-Cryptor** section.

   The **Anti-Cryptor** window opens.
3. If the task has not been started, open the **Task management** tab:

   a. Select the **Run by schedule** check box.

   b. Select the **At application launch** frequency in the drop-down list.
4. In the **Anti-Cryptor** window, click **OK**.

The newly configured settings are saved.

Configuring settings for the List of blocked network sessions

To configure the List of blocked network sessions:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Supplementary** section, click the **Settings** button in the **Storages** subsection.

   The **Storages settings** window is displayed.
5. In the **Host blocking terms** section of the **Blocked Hosts Storage** tab, specify the number of days, hours and minutes after which blocked network sessions regain access to network file resources after being blocked.
6. Click **OK**.

Managing the List of blocked network sessions via the Application Console

In this section, learn how to configure the settings of the List of blocked network sessions via the Application Console interface.

Enabling untrusted network sessions blocking

To add network sessions showing any malicious or encryption activity to the **Blocked Hosts** and block access to network file resources for those network sessions, at least one of the following tasks must run in active mode:

- Real-Time File Protection
- Anti-Cryptor

Configure the Real-Time File Protection task:

1. In the Kaspersky Industrial CyberSecurity for Nodes Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Real-Time File Protection** child node.
3. Click the **Properties** link in the details pane.

   The **Task settings** window opens.
4. In the **Deep** section, select the **Block access to network shared resources for the hosts that show malicious activity** check box if you want Kaspersky Industrial CyberSecurity for Nodes to block access to network file resources for network sessions on which malicious activity is detected while the Real-Time File Protection task is running.
5. If the task has not been started, open the **Schedule** tab:
   a. Select the **Run by schedule** check box.
   b. Select the **At application launch** frequency in the drop-down list.
6. In the **Task settings** window, click **OK**.

The newly configured settings are saved.

Configure the Anti-Cryptor task:

1. In the Kaspersky Industrial CyberSecurity for Nodes Console tree, expand the **Real-Time Computer Protection** node.
2. Select the **Anti-Cryptor** child node.
3. Click the **Properties** link in the details pane.

   The **Task settings** window opens.
4. If the task has not been started, open the **Schedule** tab:
   a. Select the **Run by schedule** check box.
   b. Select the **At application launch** frequency in the drop-down list.

5. In the **Task settings** window, click **OK**.

The newly configured settings are saved.

Configuring settings for the List of blocked network sessions

To configure the List of blocked network sessions:

1. In the Application Console tree, expand the **Storages** node.
2. Open the context menu of the **Blocked Hosts** child node.
3. Select the **Properties** menu option.
   The **Blocked hosts storage settings** window is displayed.
4. In the **Host blocking term** section, specify the number of days, hours and minutes after which blocked network sessions regain access to network file resources after being blocked.
5. Click **OK**.
6. To restore access for all blocked network sessions:
   a. Open the context menu of the **Blocked Hosts** child node.
   b. Select the **Unblock all** option.
      All network sessions will be removed from the list and unblocked.
7. To remove several sessions from the list of blocked network sessions:
   a. In the list of blocked network sessions, which is displayed in the results pane, select one or more sessions.
   b. Open the context menu of the **Blocked Hosts** child node.
   c. Select the **Unblock selected** option.
      The selected network sessions are unblocked.

Managing the List of blocked network sessions via the Web Plug-in

In this section, learn how to configure the List of blocked network sessions settings via the Web Plug-in interface.

Enabling network sessions blocking

To add network sessions showing any malicious or encrypting activity to the **Blocked Hosts** and block access to network file resources for those sessions, at least one of the following tasks must run in the active mode:

- Real-Time File Protection

- Network Threat Protection

Configure the Real-Time File Protection task:

1. In the main window of Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Real-time computer protection** section.
5. Click **Settings** in the **Real-Time File Protection** subsection.
6. In the **Integration with other components** section, select the **Block access to network shared resources for the hosts that show malicious activity** check box if you want Kaspersky Industrial CyberSecurity for Nodes to block current session and make network shared resources unavailable for network sessions for which malicious activity was detected.
7. If the task has not been started, open the **Task management** tab:
   a. Select the **Run by schedule** check box.
   b. Select the **At application launch** frequency in the drop-down list.
8. Click **Save**.

The newly configured settings are saved.

Configuring settings for the List of blocked network sessions

To configure the List of blocked network sessions:

1. In the main window of Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Supplementary** section.
5. Click **Settings** in the **Storages** subsection.
6. In the **Supplementary** section, click the **Settings** button in the **Storages** subsection.
   The **Storages** window is displayed.
7. In the **Host blocking term** section of the **Blocked Hosts Storage** tab, specify the number of days, hours and minutes after which blocked network sessions regain access to network file resources after being blocked.
8. Click **OK**.

Updating Kaspersky Industrial CyberSecurity for Nodes databases and software modules

This section provides information about Kaspersky Industrial CyberSecurity for Nodes databases and software module update tasks, copying updates and rolling back database updates of Kaspersky Industrial CyberSecurity for Nodes, as well as instructions on how to configure database and software module update tasks.

About Update tasks

Kaspersky Industrial CyberSecurity for Nodes provides four system update tasks: Database Update, Software Modules Update, Copying Updates, and Rollback of Database Update.

By default, Kaspersky Industrial CyberSecurity for Nodes connects to the update source (one of Kaspersky's update protected devices) every hour. You can configure all Update tasks, except for the Rollback of Database Update task. When task settings are modified, Kaspersky Industrial CyberSecurity for Nodes will apply the new values at the next task start.

You are not allowed to pause and resume Update tasks.

Database Update

By default, Kaspersky Industrial CyberSecurity for Nodes copies databases from the update source to the device and immediately starts using them in the running Real-Time Computer Protection task. The On-Demand Scan tasks start using the updated database at the next start.

By default, Kaspersky Industrial CyberSecurity for Nodes runs the Database Update task every hour.

Software Modules Update

By default, Kaspersky Industrial CyberSecurity for Nodes checks whether software module updates are available on the update source. In order to start using installed software modules, a protected device restart and / or a restart of Kaspersky Industrial CyberSecurity for Nodes is required.

By default, Kaspersky Industrial CyberSecurity for Nodes runs the Software Modules Update task on a weekly basis on Fridays at 4:00 PM (according to the regional time settings of the protected device). During task execution, the application checks for availability of important and scheduled updates of Kaspersky Industrial CyberSecurity for Nodes modules without distributing them.

Copying Updates

By default, during task execution, Kaspersky Industrial CyberSecurity for Nodes downloads Database Update files and saves them to the specified network or local folder without applying them.

The Copying Updates task is disabled by default.

Rollback of Database Update

During task execution, Kaspersky Industrial CyberSecurity for Nodes returns to using databases from previously installed updates.

The Rollback of Database Update task is disabled by default.

About Software Modules Update

Kaspersky can issue update packages for Kaspersky Industrial CyberSecurity for Nodes modules. The update packages can be *urgent* (or *critical*) or planned. Critical update packages repair vulnerabilities and errors; planned packages add new features or enhance existing features.

Urgent (critical) update packages are uploaded to Kaspersky's update servers. Their automatic installation can be configured using the Software Modules Update task. By default, Kaspersky Industrial CyberSecurity for Nodes runs the Software Modules Update task on a weekly basis on Fridays at 4:00 PM (according to the regional time settings of the protected device).

Kaspersky does not publish planned update packages on its update servers for automatic update; these can be downloaded from the Kaspersky website. The Software Modules Update task can be used to receive information about the release of scheduled Kaspersky Industrial CyberSecurity for Nodes updates.

Critical updates can be retrieved from the Internet and applied to each protected device, or one protected device can be used as an intermediary by copying all updates onto it and then distributing them to the network protected devices. In order to copy and save updates without installing them, use the Copying Updates task.

Before updates of modules are installed, Kaspersky Industrial CyberSecurity for Nodes creates backup copies of the previously installed modules. If the software module update process is interrupted or results in an error, Kaspersky Industrial CyberSecurity for Nodes will automatically return to using the previously installed software modules. Software modules can be rolled back manually to the previously installed updates.

During the installation of downloaded updates, the Kaspersky Security Service automatically stops and then restarts.

About Database Update

Kaspersky Industrial CyberSecurity for Nodes databases stored on the protected device quickly become outdated. Kaspersky's virus analysts detect hundreds of new threats daily, create identifying records for them, and include them in application database updates. Database updates are a file or set of files containing records that identify threats discovered during the time since the last update was created. To maintain the required level of device protection, we recommend that database updates are received regularly.

By default, if the Kaspersky Industrial CyberSecurity for Nodes databases are not updated within a week from the time that the installed database updates were created, the *Application database is out of date* event occurs. If the databases are not updated for a period of two weeks, the *Application database is extremely out of date* event occurs. Information about the up-to-date status of the databases is displayed in the results pane of the **Kaspersky Industrial CyberSecurity for Nodes** node of the Application Console tree. You can use Kaspersky Industrial CyberSecurity for Nodes general settings to indicate a different number of days before these events occur. You can also configure administrator notifications about these events.

Kaspersky Industrial CyberSecurity for Nodes downloads updates of application databases and modules from Kaspersky's FTP or HTTP update servers, Kaspersky Security Center Administration Server, or other update sources.

Updates can be downloaded to every protected device, or one protected device can be used as an intermediary by copying all updates onto it and then distributing them to the protected devices. If you use Kaspersky Security Center for centralized administration of device protection in an organization, you can use Kaspersky Security Center Administration Server as an intermediary for downloading updates.

Database Update tasks can be started manually or based on a schedule. By default, Kaspersky Industrial CyberSecurity for Nodes runs the Database Update task every hour.

If the update download process is interrupted or results in an error Kaspersky Industrial CyberSecurity for Nodes will automatically switch back to using the databases from the last installed updates. If the Kaspersky Industrial CyberSecurity for Nodes databases become corrupted, they can be manually rolled back to previously installed updates.

Schemes for updating anti-virus application databases and modules used within an organization

Selection of an update source in update tasks depends on the scheme used for updating databases and program modules in the organization.

Kaspersky Industrial CyberSecurity for Nodes databases and modules can be updated on the protected devices using the following schemes:

- Download updates directly from the Internet to each protected device (Scheme 1).
- Download updates from the Internet to an intermediate device and distribute updates to protected devices from that device.

  Any device with the software listed below installed can serve as an intermediate device:

  - Kaspersky Industrial CyberSecurity for Nodes (Scheme 2).
  - Kaspersky Security Center Administration Server (Scheme 3).

Updating using an intermediate device not only reduces Internet traffic, but also provides additional network protected device security.

The update schemes listed are described below.

Scheme 1. Updating databases and modules directly from the Internet

To configure Kaspersky Industrial CyberSecurity for Nodes updates directly from the Internet:

on each protected device in the settings of the Database Update task and the Software Modules Update task, specify Kaspersky's update servers as the source of updates.

Other HTTP or FTP servers that have an update folder can be configured as the update source.




Figure 1: Updating databases and modules directly from the Internet

Scheme 2. Updating databases and modules via one of the protected devices

To configure Kaspersky Industrial CyberSecurity for Nodes updates via one of the protected devices:

1. Copy updates to the selected protected device. To do this, perform the following actions:
   - Configure the Copying Updates task settings on the selected protected device:
     a. Specify Kaspersky's update server as the update source.
     b. Specify a shared folder to be used as the folder where updates are saved.
2. Distribute updates to other protected devices. To do this, perform the following actions:
   - On each protected device, configure the settings for the Database Update task and the Software Modules Update task (see the figure below):
     a. For the update source, specify a folder on the intermediate device's drive to which updates will be downloaded.

Kaspersky Industrial CyberSecurity for Nodes will obtain updates via one of the protected devices.




Figure 2: Updating databases and modules via one of the protected devices

Scheme 3. Updating databases and modules via Kaspersky Security Center Administration Server

If Kaspersky Security Center is used for centralized administration of anti-virus device protection, updates can be downloaded via the Kaspersky Security Center Administration Server installed in the local area network (see the figure below).




Figure 3: Updating databases and modules via Kaspersky Security Center Administration Server

To configure Kaspersky Industrial CyberSecurity for Nodes updates via the Kaspersky Security Center Administration Server:

1. Download updates from Kaspersky's update servers to Kaspersky Security Center Administration Server. To do this, perform the following actions:

   - Configure the Retrieve Updates by Administration Server task for the specified set of protected devices:

     a. Specify Kaspersky's update servers as the update source.

2. Distribute updates to protected devices. To do so, perform one of the following actions:

   - On the Kaspersky Security Center configure an Anti-Virus database (application module) update group task to distribute updates to protected devices:

     a. In the task schedule specify **After Administration Server has retrieved updates** as the start frequency.

     Administration Server will start the task each time it receives updates (recommended method).

     The **After Administration Server has retrieved updates** start frequency cannot be specified in the Application Console.

   - On each protected device, configure the Database Update task and the Software Modules Update task:

     a. Specify the Kaspersky Security Center Administration Server as the update source.

     b. Configure the task schedule if necessary.

     If Kaspersky Industrial CyberSecurity for Nodes anti-virus databases are rarely updated (from once a month to once a year), the likelihood of detecting threats decreases and the frequency of false alarms raised by application components increases.

Kaspersky Industrial CyberSecurity for Nodes will obtain updates via the Kaspersky Security Center Administration Server.

If you plan to use Kaspersky Security Center Administration Server to distribute updates, install Network Agent (an application component included in the Kaspersky Security Center distribution kit) on each of the protected devices. This ensures interaction between the Administration Server and Kaspersky Industrial CyberSecurity for Nodes on the protected device. Detailed information about Network Agent and its configuration using Kaspersky Security Center is provided in the *Kaspersky Security Center Help*.

Configuring Update tasks

This section provides instructions on how to configure Kaspersky Industrial CyberSecurity for Nodes update tasks.

Configuring settings for working with Kaspersky Industrial CyberSecurity for Nodes update sources

For each update task except the Rollback of Database Update task, you can specify one or more update sources, add user-defined update sources, and configure the settings for connecting to the specified sources.

After update task settings are modified, the new settings will not be immediately applied in running update tasks. The configured settings will be applied only when the task is restarted.

To specify the type of update source:

1. In the Application Console tree, expand the **Update** node.
2. Select the child node corresponding to the update task that you want to configure.
3. Click the **Properties** link in the results pane of the selected node.

   The **Task settings** window opens on the **General** tab.
4. In the **Update source** section, select the type of Kaspersky Industrial CyberSecurity for Nodes update source:
   - Kaspersky Security Center Administration Server
   - Kaspersky update servers
   - Custom HTTP or FTP servers, or network folders
5. If required, configure the advanced settings for user-defined update sources:
   a. Click on the **Custom HTTP or FTP servers, or network folders** link.
      1. In the **Update servers** window that opens, select or clear the check boxes next to user-defined update sources in order to start or stop using them.
      2. Click **OK**.
   b. In the **Update source** section on the **General** tab, select or clear the Use Kaspersky update servers if specified servers are not available check box.
6. In the **Task settings** window, select the **Connection settings** tab to configure the settings for connecting to update sources:

- Clear or select the **Use proxy server settings to connect to Kaspersky update servers** check box.
- Clear or select the **Use proxy server settings to connect to other servers** check box.

For information about configuring the optional proxy server settings and authentication settings for accessing the proxy server, see Starting and configuring Kaspersky Industrial CyberSecurity for Nodes Database Update task section.

7. Click **OK**.

The configured settings for the Kaspersky Industrial CyberSecurity for Nodes update source will be saved and applied at the next task start.

You can manage the list of user-defined Kaspersky Industrial CyberSecurity for Nodes update sources.

To edit the list of user-defined application update sources:

1. In the Application Console tree, expand the **Update** node.
2. Select the child node corresponding to the update task that you want to configure.
3. Click the **Properties** link in the results pane of the selected node.

   The **Task settings** window opens on the **General** tab.
4. Click on the **Custom HTTP or FTP servers, or network folders** link.

   The **Update servers** window opens.
5. Do the following:
   - To add a new user-defined update source, click **Add** and in the entry field specify the address of the folder containing update files on the FTP or HTTP server. Specify a local or network folder in the UNC (Universal Naming Convention) format. Press **ENTER**.

     By default, the added folder is used as the source of updates.
   - To disable use of a user-defined source, clear the check box next to the source in the list.
   - To enable use of a user-defined source, select the check box next to the source in the list.
   - In order to change the order in which Kaspersky Industrial CyberSecurity for Nodes accesses user-defined update sources, use the **Move up** and **Move down** buttons to move the selected source toward the beginning or end of the list, depending on whether it is to be used before or after other sources.
   - To change the path to a user-defined source, select the source in the list and click the **Edit** button, make the required changes in the entry field, and press the **ENTER** key.
   - To remove a user-defined source, select it in the list and click the **Remove** button.

     You cannot delete the only remaining user-defined source from the list.
6. Click **OK**.

The changes in the list of user-defined application update sources will be saved.

Optimizing disk I/O when running the Database Update task

When running the Database Update task, Kaspersky Industrial CyberSecurity for Nodes stores update files on the protected device's local disk. You can lower the workload on the protected device's disk I/O subsystem by storing update files on a virtual drive in RAM when running the update task.

This feature is available for Microsoft Windows 7 operating systems and higher.

When using this feature while running the Database Update task, an extra logical drive may appear in the operating system. This logical drive will be removed from the operating system after the task is completed.

To lower the workload on your protected devices's disk I/O subsystem during the Database Update task:

1. In the Application Console tree, expand the **Update** node.
2. Select the **Database Update** child node.
3. Click the **Properties** link in the results pane of the **Database Update** node.

   The **Task settings** window opens on the **General** tab.
4. In the **Disk I/O usage optimization** section, define the following settings:

   - Clear or select the **Lower the load on the disk I/O** check box.
   - In the **RAM used for optimization, MB** field, specify the RAM volume (in MB). The operating system temporarily allocates the specified RAM volume to store update files while running the task. The default RAM size is 512 MB. The minimum RAM size is 400 MB.

     When running the Database Update task with the disk subsystem optimization feature enabled, one of the following may occur, depending on the amount of RAM allocated for the feature:

     - If the value is too small, the allocated amount of RAM might be insufficient to complete the database update task (for example, during the first update), which will lead to the completion of the task with an error.

       In this case, it is recommended to allocate more RAM for the disk subsystem optimization feature.
     - If the value is too large, at the start of the Database Update task, it might be impossible to create a virtual drive of a selected size in RAM. As a result, the disk subsystem optimization feature automatically disables, and the Database Update task runs without the optimization feature.

       In this case, it is recommended to allocate less RAM for the disk subsystem optimization feature.
5. Click **OK**.

The configured settings will be saved and applied at the next task start.

Configuring Copying Updates task settings

To configure the Copying Updates task:

1. In the Application Console tree, expand the **Update** node.
2. Select the **Copying Updates** child node.
3. Click the **Properties** link in the results pane of the **Copying Updates** node.
   The **Task settings** window opens.
4. On the **General** and **Connection settings** tabs, configure the settings for working with update sources.
5. On the **General** tab in the **Copying updates settings** section:
   - Specify the conditions for copying updates:
     - **Copy database updates**.
     - **Copy critical software modules updates**.
     - **Copy database updates and critical software modules updates**.
   - Specify the local or network folder to which Kaspersky Industrial CyberSecurity for Nodes will be distributing downloaded updates.
6. On the **Schedule** and **Advanced** tabs configure the task start schedule.
7. On the **Run as** tab, configure the task to start using a specific user account.
8. Click **OK**.

The configured settings will be saved and applied at the next task start.

Configuring Software Modules Update task settings

To configure the Software Modules Update task:

1. In the Application Console tree, expand the **Update** node.
2. Select the **Software Modules Update** child node.
3. Click the **Properties** link in the results pane of the **Software Modules Update** node.
   The **Task settings** window opens.
4. On the **General** and **Connection settings** tabs, configure the settings for working with update sources.
5. On the **General** tab in the **Update settings** section, configure the settings for updating application modules:
   - **Only check for available critical software modules updates**
   - **Copy and install critical software modules updates**
   - **Allow operating system restart**
   - **Receive information about available scheduled software modules updates**

6. On the **Schedule** and **Advanced** tabs, configure the task start schedule. By default, Kaspersky Industrial CyberSecurity for Nodes runs the Software Modules Update task on a weekly basis on Fridays at 4:00 PM (according to the regional time settings of the protected device).

7. On the **Run as** tab, configure the task to start using a specific user account.

8. Click **OK**.

The configured settings will be saved and applied at the next task start.

Kaspersky does not publish planned update packages on the update servers for automatic installation; these can be downloaded manually from the Kaspersky website. You can configure administrator notification about the *New critical and scheduled updates are available* event; the notification will contain the URL of the web page where scheduled updates can be downloaded.

Rolling back Kaspersky Industrial CyberSecurity for Nodes database updates

Before database updates are performed, Kaspersky Industrial CyberSecurity for Nodes creates backup copies of the previously used databases. If an update is interrupted or results in an error, Kaspersky Industrial CyberSecurity for Nodes will automatically return to using the previously installed databases.

If any problems arise after you have updated the databases, you can roll back to the previously installed updates through the Rollback of Database Update task.

To start the Rollback of Database Update task:

In the results pane of the **Rollback of Application Database Update** node, click the **Start** link.

Rolling back application module updates

The names of settings may vary under different Windows operating systems.

Before applying software module updates, Kaspersky Industrial CyberSecurity for Nodes creates backup copies of the modules currently in use. If the module update process is interrupted or results in an error, Kaspersky Industrial CyberSecurity for Nodes will automatically return to using modules from the latest installed updates.

In order to roll back software modules, use the **Install and delete applications** feature in Microsoft Windows.

Update task statistics

While the update task is running, the real-time information is displayed about the amount of data downloaded since the task started, as well as other task execution statistics.

When the task is complete or stopped, the information is available in the task log.

To view update task statistics:

1. In the Application Console tree, expand the **Update** node.
2. Select the child node that corresponds to the task whose statistics you want to view.

   Task statistics are displayed in the **Statistics** section of the results pane of the selected node.

If you are viewing/ the Database Update task or the Copying Updates task, the **Statistics** section shows the volume of data downloaded by Kaspersky Industrial CyberSecurity for Nodes as of the present moment (**Received data**).

The following table contains the details for the Software Modules Update task.

Information about the Software Modules Update task

Field	Description
Received data	Total amount of downloaded data.
Available critical updates	Number of critical updates available for installation.
Available scheduled updates	Number of planned updates available for installation.
Errors applying updates	If the value of this field is non-zero, the update was not applied. The name of the update that resulted in an error can be viewed in the task log.

Event registration. Kaspersky Industrial CyberSecurity for Nodes logs

This section provides information about working with Kaspersky Industrial CyberSecurity for Nodes logs.

Ways to register Kaspersky Industrial CyberSecurity for Nodes events

Events of Kaspersky Industrial CyberSecurity for Nodes are divided into two groups:

- Events related to the processing of objects in Kaspersky Industrial CyberSecurity for Nodes tasks.
- Events related to the administration of Kaspersky Industrial CyberSecurity for Nodes, such as starting the application, creating or deleting tasks, or editing task settings.

Kaspersky Industrial CyberSecurity for Nodes uses the following methods to log events:

- **Task logs**. A task log contains information about the current task status and events that occurred during task execution.
- **System audit log**. The system audit log contains information about events related to the administration of Kaspersky Industrial CyberSecurity for Nodes.
- **Event Log**. The Event Log contains information about events required to diagnose failures in the operation of Kaspersky Industrial CyberSecurity for Nodes. The Event Log is available in Microsoft Windows Event Viewer.
- **Security log**. The Security log contains information about events associated with security breaches or attempted security breaches on the protected device.

If a problem occurs during operation of Kaspersky Industrial CyberSecurity for Nodes (for example, Kaspersky Industrial CyberSecurity for Nodes or an individual task terminates abnormally or does not start), you can create a trace file and a dump file of Kaspersky Industrial CyberSecurity for Nodes processes and send files with this information to Kaspersky Technical Support for analysis in order to diagnose the problem.

Kaspersky Industrial CyberSecurity for Nodes does not send any trace or dump files automatically. Diagnostic data can only be sent by a user who has the required permissions.

Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump file in unencrypted form. The folder where files are saved is selected by the user and managed by the operating system configuration and Kaspersky Industrial CyberSecurity for Nodes settings. You can configure access permissions and allow only required users to access logs, trace files and dump files.

Files that can be downloaded by the following links contain tables with the full lists of Kaspersky Industrial CyberSecurity for Nodes events of the following categories:

- Events that Kaspersky Industrial CyberSecurity for Nodes writes to the Event Log.

  DOWNLOAD KICS-WEL-EVENTS.ZIP
- Events that Kaspersky Industrial CyberSecurity for Nodes sends to the Administration Server.

  DOWNLOAD KICS-KSC-EVENTS.ZIP

Configuring log settings via the Application Console

You can edit the following settings of Kaspersky Industrial CyberSecurity for Nodes logs:

- Length of the storage period for events in task logs and the system audit log.
- Location of the folder in which Kaspersky Industrial CyberSecurity for Nodes stores task log files and the system audit log file.
- Events generation thresholds for *Application database is out of date*, *Application database is extremely out of date* and *Critical areas scan has not been performed for a long time*.
- Events that Kaspersky Industrial CyberSecurity for Nodes saves in task logs, the system audit log, and the event log of Kaspersky Industrial CyberSecurity for Nodes in Event Viewer.
- Settings for publishing audit events and task performance events to the syslog server via the Syslog protocol.

To configure Kaspersky Industrial CyberSecurity for Nodes logs, perform the following steps:

1. In the Application Console tree, open the context menu of the **Logs and notifications** node and select **Properties**.

   The **Logs and notifications settings** window opens.

2. In the **Logs and notifications settings** window, configure the logs in accordance with your requirements. To do this, perform the following actions:

   - On the **General** tab, if necessary, select events that Kaspersky Industrial CyberSecurity for Nodes will save in task logs, the system audit log, and the event log of Kaspersky Industrial CyberSecurity for Nodes in Event Viewer. To do this, perform the following actions:

     - In the **Component** list, select the component of Kaspersky Industrial CyberSecurity for Nodes for which you want to set the detail level.

     For the Real-Time File Protection, On-Demand Scan, and Update components, events are recorded in tasks logs and the event log. For these components, the event table contains the **Task log** and **Windows Event Log** columns. Events for the Quarantine and Backup components are registered in the system audit log and the event log. For these components, the event table contains the **Audit** and **Windows Event Log** columns.

     - In the **Importance level** list, select a detail level for events in task logs, the system audit log, and the event log for the selected component.

       In the following table with a list of events, the check boxes are selected next to events that are registered in task logs, the system audit log, and the event log, according to the current detail level.

     - If you want to manually enable registration of specific events for a selected component, perform the following actions:

     a. In the **Importance level** list, select **Custom**.

     b. In the table with the list of events, select the check boxes next to events that you want to be registered in task logs, the system audit log, and the event log.

- On the **Advanced** tab, configure the log storage settings and event generation thresholds for device protection status:
  - In the **Log storage** section:
    - **Logs folder**
    - **Remove task logs older than (days)**
    - **Remove from the system audit log events older than (days)**
  - In the **Event generation thresholds** section:
    - Specify the number of days after which the *Application database is out of date*, *Application database is extremely out of date* and *Critical areas scan has not been performed for a long time* events will occur.
- On the **SIEM integration** tab, configure the settings for publishing audit events and task performance events to the syslog server.

3. Click **OK** to save the changes.

System audit log

Kaspersky Industrial CyberSecurity for Nodes performs a system audit of events related to the administration of Kaspersky Industrial CyberSecurity for Nodes. The application logs information about start of the application, starts and stops of Kaspersky Industrial CyberSecurity for Nodes tasks, changes in task settings, and creation and deletion of On-Demand Scan tasks. Records of all those events are displayed in the results pane when you select the **System audit log** node in the Application Console.

By default, Kaspersky Industrial CyberSecurity for Nodes stores records in the system audit log for an unlimited period of time. You specify the storage period for records in the system audit log.

You can specify a folder that Kaspersky Industrial CyberSecurity for Nodes will use to store files containing system audit log other than the default one.

Sorting events in the system audit log

By default, events in the system audit log node are displayed in reverse chronological order.

Events can be sorted by the contents of any column except the **Event** column.

To sort events in the system audit log:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Select the **System audit log** child node.
3. In the results pane, select the header of the column that you want to use to sort the events in the list.

The sorted results will be saved for the next time you view the system audit log.

Filtering events in the system audit log

You can configure the system audit log to display only the records of events that meet the filtering conditions (filters) that you have specified.

To filter events in the system audit log:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Open the context menu of the **System audit log** child node and select **Filter**.

   The **Filter settings** window opens.
3. To add a filter, perform the following steps:

   a. In the **Field name**, select a column to filter events.

   b. In the **Operator** list, select the filtering condition. Filtering conditions vary depending on the item selected in the **Field name** list.

   c. In the **Field value**, select a value for the filter.

   d. Click the **Add** button.

   The filter you added will appear in the list of filters in the **Filter settings** window.
4. If necessary, perform one of the following actions:

   - To combine multiple filters using the logical operator "AND", select **If all conditions are met**.
   - To combine multiple filters using the logical operator "OR", select **If any condition is met**.
5. Click the **Apply** button to save the filtering conditions in the system audit log.

   The list of events of the system audit log displays only events that meet the filtering conditions. The filtered results will be saved for the next time you view the system audit log.

To disable the filter:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Open the context menu of the **System audit log** child node and select **Remove filter**.

   The list of events of the system audit log will then display all events.

Deleting events from the system audit log

By default, Kaspersky Industrial CyberSecurity for Nodes stores records in the system audit log for an unlimited period of time. You can specify the storage period for records in the system audit log.

You can manually delete all events from the system audit log.

To delete events from the system audit log:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Open the context menu of the **System audit log** child node and select **Clear**.
3. Perform one of the following steps:
   - If you want to save the log contents as a file in CSV or TXT format before deleting events from the system audit log, click the **Yes** button in the deletion confirmation window. In the window that opens, specify the name and location of the file.
   - If you do not want to save the log contents as a file, click the **No** button in the deletion confirmation window.

The system audit log will be cleared.

Task logs

This section provides information about Kaspersky Industrial CyberSecurity for Nodes task logs and instructions on how to manage them.

About task logs

Information about the execution of Kaspersky Industrial CyberSecurity for Nodes tasks is displayed in the results pane when you select the **Task logs** node in the Application Console.

In the log of each task, you can view task execution statistics, details of each of the objects that have been processed by the application since the task started, and task settings.

By default, Kaspersky Industrial CyberSecurity for Nodes stores records in task logs for 30 days after a task is done. You can change the storage period for records in task logs.

You can specify a folder that Kaspersky Industrial CyberSecurity for Nodes will use to store files containing task logs other than the default one. You can also select events that Kaspersky Industrial CyberSecurity for Nodes will record in task logs.

Sorting task logs

By default, task logs are displayed in reverse chronological order. They can be sorted by any column.

To sort task logs:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Select the **Task logs** subnode.
3. In the results pane, select the header of the column that you want to use to sort Kaspersky Industrial CyberSecurity for Nodes task logs.

The sorted results will be saved for the next time you view the task logs.

Filtering task logs

You can configure the list of task logs to display only the task logs that meet the filtering conditions (filters) that you have specified.

To filter task logs:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Open the context menu of the **Task logs** child node and select **Filter**.

   The **Filter settings** window opens.
3. To add a filter, perform the following steps:

   a. In the **Field name**, select a column to filter task logs.

   b. In the **Operator** list, select the filtering condition. Filtering conditions vary depending on the item selected in the **Field name** list.

   c. In the **Field value**, select a value for the filter.

   d. Click the **Add** button.

   The filter you added will appear in the list of filters in the **Filter settings** window.
4. If necessary, perform one of the following actions:

   - To combine multiple filters using the logical operator "AND", select **If all conditions are met**.
   - To combine multiple filters using the logical operator "OR", select **If any condition is met**.
5. Click the **Apply** button to save the filtering conditions in the list of task logs.

The list of task logs displays only task logs that meet the filtering conditions. The filtered results will be saved for the next time you view the task logs.

To disable the filter:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Open the context menu of the **Task logs** child node and select **Remove filter**.

The list of task logs will then display all task logs.

Viewing statistics and information about a Kaspersky Industrial CyberSecurity for Nodes task in task logs

In task logs, you can view detailed information about all events that have occurred in tasks since they started, as well as task execution statistics and task settings.

To view statistics and information about a Kaspersky Industrial CyberSecurity for Nodes task:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Select the **Task logs** subnode.
3. In the results pane, open the **Logs** window using one of the following methods:
   - Double-click the task log you want to view.
   - Open the context menu of the task log you want to view and select **View log**.
4. In the window that opens, the following details are displayed:
   - The **Statistics** tab displays the time of task start and completion, as well as task statistics.
   - The **Events** tab displays a list of events logged during task execution.
   - The **Options** tab displays the task settings.
5. If necessary, click the **Filter** button to filter the events in the task log.
6. If necessary, click the **Export** button to export data from the task log into a file in CSV or TXT format.
7. Click the **Close** button.

The **Logs** window will be closed.

Exporting information from a task log

You can export data from a task log into a file in CSV or TXT format.

To export data from a task log:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Select the **Task logs** subnode.
3. In the results pane, open the **Logs** window using one of the following methods:
   - Double-click the task log you want to view.
   - Open the context menu of the task log you want to view and select **View log**.
4. In the lower part of the **Logs** window, click the **Export** button.
   The **Save as** window opens.
5. Specify the name, location, type, and encoding of the file to which you want to export data from the task log.
6. Click the **Save** button.

The specified settings are saved.

Deleting task logs

By default, Kaspersky Industrial CyberSecurity for Nodes stores records in task logs for 30 days after a task is done. You can change the storage period for records in task logs.

You can manually delete task logs that are already complete.

Events from the logs of tasks that are currently running and tasks being used by other users will not be deleted.

To delete the task logs:

1. In the Application Console tree, expand the **Logs and notifications** node.
2. Select the **Task logs** subnode.
3. Perform one of the following steps:
   - If you want to delete the logs of all tasks that are already complete, open the context menu of the **Task logs** child node and select **Clear**.
   - If you want to clear the log of an individual task, in the results pane, open the context menu the task log you want to clear, and select **Remove**.
   - If you want to clear the logs of several tasks:
     a. In the results pane, use the **Ctrl** or **Shift** key to select the task logs you want to clear.
     b. Open the context menu of any selected task log and select **Remove**.
4. Click the **Yes** button in the deletion confirmation window to confirm that you want to delete the logs.

The task logs that you selected will be cleared. The deletion of task logs will be recorded in the system audit log.

Security log

Kaspersky Industrial CyberSecurity for Nodes maintains a log of events associated with security breaches or attempted security breaches on the protected device. The following events are recorded in this log:

- Exploit Prevention events.
- Critical Log Inspection events.
- Critical events that indicate an attempted security breach (for the Real-Time Computer Protection, On-Demand Scan, File Integrity Monitor, Applications Launch Control, and Device Control tasks).

You can clear the Security log. Moreover, Kaspersky Industrial CyberSecurity for Nodes records a system audit event when the Security log is cleared.

About SIEM integration

To reduce the load on low-performance devices and to reduce the risk of system degradation as a result of increased application log sizes, you can configure the publication of audit events and task performance events to the *syslog server* via the Syslog protocol.

A syslog server is an external server for aggregating events (SIEM). It stores and analyzes received events and performs other log management actions.

You can use SIEM integration in two modes:

- Duplicate events on the syslog server: in this mode, all task performance events whose publication is configured in log settings, as well as all system audit events, continue to be stored on the protected device even after they are sent to the SIEM server.

  We recommend that you use this mode to reduce the load on the protected device as much as possible.

- Delete local copies of events: in this mode, all events that are registered during application operation and published to the SIEM server will be deleted from the protected device.

  > The application never deletes local versions of the security log.

Kaspersky Industrial CyberSecurity for Nodes can convert events in application logs into formats supported by the syslog server so that those events can be transmitted and successfully recognized by the SIEM server. The application supports conversion into structured data format and into JSON format.

We recommend that you select the format of events based on the configuration of the utilized SIEM server.

Reliability settings

You can reduce the risk that events will be relayed to the SIEM server unsuccessfully by defining the settings for connecting to a mirror syslog server.

A mirror syslog server is an additional syslog server to which the application switches automatically if the connection to the main syslog server is unavailable or if the main server cannot be used.

Kaspersky Industrial CyberSecurity for Nodes also uses system audit events to notify you about unsuccessful attempts to connect to the SIEM server and about errors while sending events to the SIEM server.

Configuring SIEM integration settings

By default, SIEM integration is not used. You can enable and disable SIEM integration, and configure relevant settings (see the table below).

SIEM integration settings

Setting	Default value	Description
Send events to a remote syslog server via syslog protocol	Not applied	You can enable or disable SIEM integration by selecting or clearing the check box, respectively.
Remove local copies for events that have been sent to a remote syslog server	Not applied	You can configure the settings for storing local copies of logs after they are sent to the SIEM server by selecting or clearing the check box.
Events format	Structured data	You can select one of two formats to which the application converts its events prior to sending them to the syslog server for better recognition of these events by the SIEM server.
Connection protocol	TCP	You can use the drop-down list to configure the connection to

		the main and mirror syslog servers via the UDP or TCP protocols.
Main syslog server connection settings	IP address: 127.0.0.1 Port: 514	You can use the appropriate fields to configure the IP address and port used to connect to the main syslog server. You can specify the IP address only in IPv4 format.
Use mirror syslog server if the main server is not accessible	Not applied	You can use the check box to enable or disable the use of a mirror syslog server.
Mirror syslog server connection settings	IP address: 127.0.0.1 Port: 514	You can use the appropriate fields to configure the IP address and port used to connect to the mirror syslog server. You can specify the IP address only in IPv4 format.

To configure SIEM integration settings:

1. In the Application Console tree, open the context menu of the **Logs and notifications** node.
2. Select **Properties**.

   The **Logs and notifications settings** window opens.
3. Select the **SIEM integration** tab.
4. In the **Integration settings** section, select the **Send events to a remote syslog server via syslog protocol** check box.
5. If necessary, in the **Integration settings** section, select the **Remove local copies for events that have been sent to a remote syslog server** check box.

   The status of the **Remove local copies for events that have been sent to a remote syslog server** check box does not affect the settings for storing events of the security log: the application never automatically deletes security log events.
6. In the **Events format** section, specify the format to which you want to convert application events so that they can be sent to the SIEM server.

   By default, the application converts them into a structured data format.
7. In the **Connection settings** section:

   - Specify the SIEM connection protocol.
   - Specify the settings for connecting to the main syslog server.

     You can only specify an IP address in IPv4 format.
   - Select the **Use mirror syslog server if the main server is not accessible** check box if you want the application to use other connection settings when unable to send events to the main syslog server.

     Specify the following settings for connecting to the mirror syslog server: **Address** and **Port**.

     The **Address** and **Port** fields for the mirror syslog server cannot be edited if the **Use mirror syslog server if the main server is not accessible** check box is cleared.

     You can only specify an IP address in IPv4 format.
8. Click **OK**.

   The configured SIEM integration settings will be applied.

Viewing the event log of Kaspersky Industrial CyberSecurity for Nodes in Event Viewer

You can view the event log of Kaspersky Industrial CyberSecurity for Nodes using the Microsoft Windows Event Viewer snap-in for Microsoft Management Console. The log contains events registered by Kaspersky Industrial CyberSecurity for Nodes and required to diagnose failures in its operation.

Events that will be registered in the event log can be selected based on the following criteria:

- **by event types**.
- **by level of detail**. The level of detail corresponds to the importance level of the events registered in the log (informational, important, or critical events). The most detailed is the Informational level, which registers all events. The least detailed is the Critical level, which registers only critical events.

To view the Kaspersky Industrial CyberSecurity for Nodes event log:

1. Click the **Start** button, enter the `mmc` command at the search bar, and press **ENTER**.

   Microsoft Management Console opens.

2. Select **File** > **Add or remove snap-in**.

   The **Add or remove snap-ins** window opens.

3. In the list of available snap-ins, select the **Event Viewer snap-in** and click the **Add** button.

   The **Select computer** window opens.

4. In the **Select computer** window, specify the protected device on which Kaspersky Industrial CyberSecurity for Nodes is installed, and click **OK**.

5. In the **Add and remove snap-ins** window, click **OK**.

   In the Microsoft Management Console tree, the **Event Viewer** node appears.

6. Expand the **Event Viewer** node and select the **Applications and Services Logs** > **Kaspersky Industrial CyberSecurity for Nodes** child node.

The Kaspersky Industrial CyberSecurity for Nodes event log opens.

Notification settings

This section provides information about ways in which users and administrators of Kaspersky Industrial CyberSecurity for Nodes can be notified about application events and the device protection status, as well as instructions on how to configure notifications.

Administrator and user notification methods

You can configure the application to notify the administrator and users who access the device about the following events in the operation of Kaspersky Industrial CyberSecurity for Nodes and the anti-virus protection status on the device.

- The administrator can receive information about events of selected types.
- LAN users who access a device and terminal device users can receive information about events of the *Object detected* type in the Real-Time File Protection task.

In the Application Console, administrator or user notifications can be activated using several methods:

- User notification methods:
  a. Terminal service tools.
     You can apply this method for notifying terminal protected device users if the protected device is used as terminal.
  b. Message service tools.
     You can apply this method for notification via Microsoft Windows message services.
- Administrator notification methods:
  a. Message service tools.
     You can apply this method for notification via Microsoft Windows message services.
  b. Running an executable file.
     This method runs an executable file stored on the protected device's local drive when an event occurs.
  c. Sending by email.
     This method uses email to transmit messages.

You can create the text of a message for individual event types. It can include an information field to describe an event. By default, the application uses a default message to notify users.

Configuring administrator and user notifications

Event notification settings give you a choice of methods for configuring and composing a message text.

To configure event notification settings:

1. In the Application Console tree, open the context menu of the **Logs and notifications** node and select **Properties**.
   The **Logs and notifications settings** window opens.
2. On the **Notifications** tab select the notification mode:
   a. Select the event for which you wish to select a notification method from the **Event type** list.
   b. In the **Notify administrators** or **Notify users** group settings, select the check box next to the notification methods that you wish to configure.

   > You can only configure user notifications for the following events: **Object detected**, **Untrusted external device detected and restricted** event, and **Host listed as untrusted** event.

3. To add the text of a message:

a. Click the **Message text** button.

b. In the window that opens, enter the text to be displayed in the corresponding event message.

> You can create the same message for several event types: after selecting a notification method for one event type, use the **Ctrl** or **Shift** key to select the other event types for which you want to use the same message, and then click the **Message text** button.

a. To add fields with information about an event, click the **Macro** button and select the relevant fields from the drop-down list. Fields with event information are described in the table in this section.

b. To restore the default event message text, click the **By default** button.

4. To configure administrator notification methods for the selected event, select the **Notifications** tab, click the **Settings** button in the **Notify administrators** section and configure the selected methods in the **Advanced settings** window. To do this, perform the following actions:

   a. For email notifications, open the **Email** tab and specify the email addresses of recipients (delimit addresses with semicolon), name or network address of the SMTP server, and port number in the appropriate fields. If necessary, specify the text that will be displayed in the **Subject** and **From** fields. The text in the **Subject** field can also include variables with information about the event (see table below).

   If you want to apply user account authentication when connecting to the SMTP server, select **Use SMTP authentication** in the **Authentication settings** group and specify the name and password of the user whose user account will be authenticated.

   b. For notifications using Windows Messenger Service, create a list of recipient protected devices for notifications on the **Windows Messenger Service** tab: for each protected device that you wish to add, click the **Add** button and enter its network name in the input field.

   c. To run an executable file, select the file on the protected device's local drive that will be executed on the protected device when an event occurs or enter its full path on the **Executable file** tab. Enter the user name and password which will be used to execute the file.

   System environment variables can be used when the path to the executable file is specified; user environment variables are not allowed.

   If you wish to limit the number of messages of one event type over a period of time, on the **Advanced** tab, select **Do not send the same notification more than** and specify the number of times and a time interval.

5. Click **OK**.

The configured notification settings are saved.

Fields with event information

Variable	Description
%EVENT_TYPE%	Event type.
%EVENT_TIME%	Event time.
%EVENT_SEVERITY%	Importance level.
%OBJECT%	Object name (in Real-Time Computer Protection and On-Demand Scan tasks). The Software Modules Update task includes the name of the update and the address of the web page with information on the update.
%VIRUS_NAME%	The name of the object according to the Virus Encyclopedia classification. This name is included in the full name of the detected object that Kaspersky Industrial

	CyberSecurity for Nodes returns on detecting an object. You can view the full name of the detected object in the task log.
%VIRUS_TYPE%	The type of detected object according to the Kaspersky classification, such as "virus" or "trojan". It is included in the full name of the detected object, which is returned by Kaspersky Industrial CyberSecurity for Nodes when it finds an object infected or probably infected. You can view the full name of the detected object in the task log.
%USER_COMPUTER%	In the Real-time File Protection task the protected device name for the user who accessed the object on the device.
%USER_NAME%	In the Real-Time File Protection task the name of the user who accessed the object on the device.
%FROM_COMPUTER%	Name of the protected device where the notification originated.
%EVENT_REASON%	Reason the event occurred (some events do not have this field).
%ERROR_CODE%	Error code (only for the "internal task error" event).
%TASK_NAME%	Task name (only for events related to task performance).

Configuring logs and notifications settings via the Administration Plug-in

The Kaspersky Security Center Administration Console can be used to configure notifications for administrator and users about the following events in the operation of Kaspersky Industrial CyberSecurity for Nodes and the anti-virus protection status on the device:

- The administrator can receive information about events of selected types.
- LAN users who access the protected device and terminal protected device users can receive information about *Object detected* events.

Notifications about Kaspersky Industrial CyberSecurity for Nodes events can be configured either for a single protected device using the **Properties: <Protected device name>** window of the selected protected device, or for a group of protected devices in the **Properties: <Policy name>** window of the selected administration group.

On the **Event notifications** tab or in the **Notification settings** window, you can configure the following types of notifications:

- Administrator notifications about events of selected types can be configured using the **Event notifications** tab (the standard tab in Kaspersky Security Center). For details on notification methods, see the *Kaspersky Security Center Help*.
- Both administrator and user notifications can be configured in the **Notification settings** window.

You can configure notifications for some event types only in the window or on the tab; you can use both the window and tab to configure notifications for other event types.

If you configure notifications about events of the same type using the same mode on the **Event notifications** tab and in the **Notification settings** window, the system administrator will receive notifications for those events twice but in the same mode.

Configuring task logs settings

To configure Kaspersky Industrial CyberSecurity for Nodes logs, perform the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Logs and notifications** section, click the **Settings** button in the **Task logs** subsection.
5. In the **Logs settings** window define the following settings of Kaspersky Industrial CyberSecurity for Nodes according to your requirements:
   - Configure the level of detail of events in logs. To do this, perform the following actions:
     a. In the **Component** list select the component of Kaspersky Industrial CyberSecurity for Nodes for which you want to set the detail level.
     b. To define the level of detail in the task logs and system audit log for the selected component, choose the level you need from **Importance level**.
   - To change the default location for logs, specify the full path to the folder or click the **Browse** button to select it.
   - Specify how many days task logs will be stored.
   - Specify how many days information displayed in the **System audit log** node will be stored.
6. Click **OK**.

The configured log settings are saved.

Configuring SIEM integration settings

To reduce the load on low-performance devices and to reduce the risk of system degradation as a result of increased application log sizes, you can configure the publication of audit events and task performance events to the *syslog server* via the Syslog protocol.

A syslog server is an external server for aggregating events (SIEM). It stores and analyzes received events and performs other log management actions.

You can use SIEM integration in two modes:

- Duplicate events on the syslog server: in this mode, all task performance events whose publication is configured in log settings, as well as all system audit events, continue to be stored on the protected device even after they are sent to the SIEM server.

  We recommend that you use this mode to reduce the load on the protected device as much as possible.

- Delete local copies of events: in this mode, all events that are registered during application operation and published to the SIEM server will be deleted from the protected device.

  > The application never deletes local versions of the security log.

Kaspersky Industrial CyberSecurity for Nodes can convert events in application logs into formats supported by the syslog server so that those events can be transmitted and successfully recognized by the SIEM server. The application supports conversion into structured data format and into JSON format.

To reduce the risk that events will be relayed to the SIEM server unsuccessfully, you can define settings for connecting to a mirror syslog server.

A mirror syslog server is an additional syslog server to which the application switches automatically if the connection to the main syslog server is unavailable or if the main server cannot be used.

By default, SIEM integration is not used. You can enable and disable SIEM integration, and configure relevant settings (see the table below).

SIEM integration settings

Setting	Default value	Description
Send events to a remote syslog server via syslog protocol	Not applied	You can enable or disable SIEM integration by selecting or clearing the check box, respectively.
Remove local copies for events that have been sent to a remote syslog server	Not applied	You can configure the settings for storing local copies of logs after they are sent to the SIEM server by selecting or clearing the check box.
Events format	Structured data	You can select one of two formats to which the application converts its events prior to sending them to the syslog server for better recognition of these events by the SIEM server.
Connection protocol	TCP	You can use the drop-down list to configure the connection to the main syslog server via the UDP or TCP protocols; to the mirror syslog server via the TCP protocol.
Main syslog server connection settings	IP address: 127.0.0.1 Port: 514	You can use the appropriate fields to configure the IP address and port used to connect to the main syslog server. You can specify the IP address only in IPv4 format.
Use mirror syslog server if the main server is not accessible	Not applied	You can use the check box to enable or disable the use of a mirror syslog server.
Mirror syslog server connection settings	IP address: 127.0.0.1 Port: 514	You can use the appropriate fields to configure the IP address and port used to connect to the mirror syslog server. You can specify the IP address only in IPv4 format.

To configure SIEM integration settings:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Logs and notifications** section click the **Settings** button in the **Task logs** subsection.

   The **Logs and notifications settings** window opens.
5. Select the **SIEM integration** tab.
6. In the **Integration settings** section, select the **Send events to a remote syslog server via syslog protocol** check box.
7. If necessary, in the **Integration settings** section, select the **Remove local copies for events that have been sent to a remote syslog server** check box.

   The status of the **Remove local copies for events that have been sent to a remote syslog server** check box does not affect the settings for storing events of the security log: the application never automatically deletes security log events.
8. In the **Events format** section, specify the format to which you want to convert application events so that they can be sent to the SIEM server.

   By default, the application converts them into a structured data format.
9. In the **Connection settings** section:
   - Specify the SIEM connection protocol.
   - Specify the settings for connecting to the main syslog server.

     You can only specify an IP address in IPv4 format.
   - Select the **Use mirror syslog server if the main server is not accessible** check box if you want the application to use other connection settings when unable to send events to the main syslog server.

     Specify the following settings for connecting to the mirror syslog server: **Address** and **Port**.

     The **Address** and **Port** fields for the mirror syslog server cannot be edited if the **Use mirror syslog server if the main server is not accessible** check box is cleared.

     You can only specify an IP address in IPv4 format.
10. Click **OK**.

The configured SIEM integration settings will be applied.

Configuring notification settings

To configure Kaspersky Industrial CyberSecurity for Nodes notifications, perform the following steps:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Logs and notifications** section, click the **Settings** button in the **Event notifications** subsection.
5. In the **Notification settings** window, define the following settings of Kaspersky Industrial CyberSecurity for Nodes according to your requirements:
   - In the **Notification settings** list select the type of notification whose settings you want to configure.
   - In the **Notify users** section configure the user notification method. If necessary, enter the text of the notification message.
   - In the **Notify administrators** section configure the administrator notification method. If necessary, enter the text of the notification message. If necessary, configure additional notification settings by clicking the **Settings** button.
   - In the **Event generation thresholds** section, specify the time intervals after which Kaspersky Industrial CyberSecurity for Nodes logs *Application database is out of date*, *Application database is extremely out of date* and *Critical areas scan has not been performed for a long time* events.
     - **Application database is out of date (days)**
     - **Application database is extremely out of date (days)**
     - **Critical areas scan has not been performed for a long time (days)**
6. Click **OK**.

The configured notification settings are saved.

Configuring incident generation and interactions with the Administration Server

To select the types of objects about which Kaspersky Industrial CyberSecurity for Nodes sends information to the Kaspersky Security Center Administration Server:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Logs and notifications** section, click the **Settings** button in the **Interaction with Administration Server** subsection.

   The **Administration Server Network lists** window opens.
5. In the **Administration Server Network lists** window, choose the types of objects about which Kaspersky Industrial CyberSecurity for Nodes will send information to the Kaspersky Security Center Administration Server:
   - Information about Quarantine objects.
   - Information about Backup objects.
   - Information about available Wi-Fi networks.
   - Information about Blocked sessions (Are shown in unprocessed ogjects on KSC side).
   - Information about Versions of PLC projects.

   To configure Wi-Fi Control tasks settings for a group of protected devices using a Kaspersky Security Center policy, be sure to enable the sending of information about available Wi-Fi networks to the Administration Server.
6. Click **OK**.

   Kaspersky Industrial CyberSecurity for Nodes will send information about the selected object types to the Administration Server.

Incident generation

The Administration Server's database stores information about application events that occur on the managed protected devices.

To configure the notifications that Kaspersky Industrial CyberSecurity for Nodes will use as the basis for generating incidents in Kaspersky Security Center:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.

2. Select the administration group for which you want to configure application settings.

3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.

   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Logs and notifications** section, click the **Settings** button in the **Incidents** subsection.

   The **Incidents** window opens.

5. In the **Incidents** window, edit the selection of events in the table below, which Kaspersky Industrial CyberSecurity for Nodes will use to generate incidents:

List of events for incident generation

Event	Default Value
PLC project does not match reference project	Selected
Error matching PLC project to reference project	Selected
Error getting PLC project information	Selected
License has expired	Not selected
End User License Agreement violation	Selected
Failed to update	Not selected
Application database is corrupted	Not selected
Application database is extremely out of date	Not selected
Application database is out of date	Not selected
Application modules integrity is corrupted	Selected
Host listed as untrusted	Selected
Application launch denied	Not selected
Statistics only mode: application launch denied	Selected
Error processing application launch	Not selected
Error processing device connection	Selected
Untrusted external device detected and restricted	Not selected
Untrusted external device detected and restricted	Selected
Statistics only: untrusted external device detected	Selected
Infected or other object detected	Not selected
KSN-untrusted object found	Selected

Probably infected object detected	Selected
Object not disinfected	Not selected
Object not backed up	Not selected
Object not quarantined	Not selected

6. Click the **OK** button in the **Application settings** window.

   The incident generation settings are saved.

Kaspersky Industrial CyberSecurity for Nodes self-defense

This section provides information about Kaspersky Industrial CyberSecurity for Nodes self-defense mechanisms.

About Kaspersky Industrial CyberSecurity for Nodes self-defense

Kaspersky Industrial CyberSecurity for Nodes has self-defense mechanisms that protect the application against modification or deletion of its folders, memory processes, and system registry entries.

Protection from changes to folders with installed Kaspersky Industrial CyberSecurity for Nodes components

Kaspersky Industrial CyberSecurity for Nodes blocks renaming and deletion of folders with the installed application components by any user account. By default, the paths to the application installation folders are as follows:

- On the 32-bit version of Microsoft Windows: %ProgramFiles%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\
- On the 64-bit version of Microsoft Windows: %ProgramFiles(x86)%\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\

Protection from changes to Kaspersky Industrial CyberSecurity for Nodes registry keys

Kaspersky Industrial CyberSecurity for Nodes restricts access to the following registry branches and keys, which facilitates loading of application drivers and services:

- [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\kavfs]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\kavfsgt]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\kavfsslp]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klam]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klelaml]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klfltdev]
- [HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\klramdisk]
- [HKEY_LOCAL_MACHINE\SOFTWARE\KasperskyLab\KICS\3.0\CrashDump]
- [HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\KasperskyLab\KICS\3.0] (on the 64-bit version of Microsoft Windows)

- [HKEY_LOCAL_MACHINE\SOFTWARE\KasperskyLab\KICS\3.0\Trace]

The rights to change these registry branches and keys are granted to Local System (SYSTEM) account only. User and Administrator accounts are granted read-only rights.

Protection from changes to the memory of program service parts

To protect program service parts from third-party processes, Kaspersky Industrial CyberSecurity for Nodes drivers restrict access to the following executable files:

- kavfs.exe
- kavfswp.exe
- kavfswh.exe
- kavfsgt.exe

By default, access to the memory of Kaspersky Industrial CyberSecurity for Nodes service parts is restricted for third-party processes.

You can enable the self-defense functions in the Kaspersky Industrial CyberSecurity for Nodes Console and Kaspersky Industrial CyberSecurity for Nodes Administration Plug-in policy properties.

Registering the Kaspersky Security Service as a protected service

Protected Process Light ("PPL") technology ensures that the operating system only loads trusted services and processes. For a service to run as a protected service, an *Early Launch Antimalware* driver must be installed on the device.

An *Early Launch Antimalware* ("ELAM") driver provides protection for the device in your network when they start and before third-party drivers are initialized.

An ELAM driver is automatically installed during Kaspersky Industrial CyberSecurity for Nodes installation and is used for registering the Kaspersky Security Service as a PPL when the operating system starts. When the Kaspersky Security Service (KAVFS) is started as a system protected process, other non-protected processes on the system are not able to inject threads, write into the virtual memory of the protected process, or stop the service.

When a process is started as a PPL, it cannot be managed by a user regardless of the assigned user permissions. The Kaspersky Security Service can be registered as PPL using the ELAM driver on Microsoft Windows Server 2016 RS3 build 16299 and higher operating systems. If you install Kaspersky Industrial CyberSecurity for Nodes on a protected device running an operating system that supports PPL, permission management will not be available for the Kaspersky Security Service (KAVFS).

To install Kaspersky Industrial CyberSecurity for Nodes as a PPL, run the following command:

```
msiexec /i kics_x64.msi NOPPL=0 EULA=1 PRIVACYPOLICY=1 /qn
```

Managing access permissions for Kaspersky Industrial CyberSecurity for Nodes functions

This section contains information about permissions to manage Kaspersky Industrial CyberSecurity for Nodes and operating system services registered by the application, and instructions on how to configure these permissions.

About permissions to manage Kaspersky Industrial CyberSecurity for Nodes

By default, access to all Kaspersky Industrial CyberSecurity for Nodes functions is granted to users of the Administrators group on the protected device, users of the KICS Administrators group created on the protected device during installation of Kaspersky Industrial CyberSecurity for Nodes, and the SYSTEM group.

Users who have Edit permissions access level for Kaspersky Industrial CyberSecurity for Nodes can grant access to Kaspersky Industrial CyberSecurity for Nodes functions to other users registered on the protected device or included in the domain.

Users who are not registered in the list of Kaspersky Industrial CyberSecurity for Nodes users cannot open the Application Console.

You can choose one of the following preset access levels for a user or group of users:

- **Full control** – access to all application functions: the ability to view and edit Kaspersky Industrial CyberSecurity for Nodes general settings, component settings, and Kaspersky Industrial CyberSecurity for Nodes user permissions; and the ability to view Kaspersky Industrial CyberSecurity for Nodes statistics.
- **Modification** – access to all application functions except editing of user permissions: the ability to view and edit Kaspersky Industrial CyberSecurity for Nodes general settings and Kaspersky Industrial CyberSecurity for Nodes component settings.
- **Read** – the ability to view Kaspersky Industrial CyberSecurity for Nodes general settings, Kaspersky Industrial CyberSecurity for Nodes component settings, Kaspersky Industrial CyberSecurity for Nodes statistics, and Kaspersky Industrial CyberSecurity for Nodes user permissions.

You can also configure advanced access permissions: allow or block access to specific functions of Kaspersky Industrial CyberSecurity for Nodes.

If you have manually configured access permissions for a user or group, then the **Special permissions** access level is set for this user or group.

About access permissions for Kaspersky Industrial CyberSecurity for Nodes functions

User rights	Description
Task management	Ability to start / stop / pause / resume Kaspersky Industrial CyberSecurity for Nodes tasks.
Create and delete On-Demand Scan tasks	Ability to create and delete On-Demand Scan tasks.
Edit settings	Ability to: • Import Kaspersky Industrial CyberSecurity for Nodes settings from a configuration file.

	• Edit the application settings.
Read settings	Ability to: • View Kaspersky Industrial CyberSecurity for Nodes general settings and task settings. • Export Kaspersky Industrial CyberSecurity for Nodes settings to a configuration file. • View settings for task logs, system audit log, and notifications.
Manage repositories	Ability to: • Move objects to Quarantine. • Remove objects from Quarantine and Backup. • Restore objects from Quarantine and Backup.
Manage logs	Ability to delete task logs and clear the system audit log.
Read logs	Ability to view Anti-Virus events in task logs and the system audit log.
Read statistics	Ability to view statistics for each Kaspersky Industrial CyberSecurity for Nodes task.
Application licensing	Ability to activate Kaspersky Industrial CyberSecurity for Nodes.
Uninstalling the application	Ability to uninstall Kaspersky Industrial CyberSecurity for Nodes.
Read permissions	Ability to view the list of Kaspersky Industrial CyberSecurity for Nodes users and user access privileges.
Edit permissions	Ability to: • Edit the list of users with access to application management. • Edit user access permissions for Kaspersky Industrial CyberSecurity for Nodes functions.

About permissions to manage registered services

During installation, Kaspersky Industrial CyberSecurity for Nodes registers in Windows the Kaspersky Security Service (KAVFS), the Kaspersky Security Management Service (KAVFSGT) and Kaspersky Security Exploit Prevention (KAVFSSLP).

The Kaspersky Security Service can be registered as a Protected Process Light using the ELAM driver on Microsoft Windows 10 and higher operating systems. When a process is started as a PPL, it cannot be managed by a user regardless of the assigned user permissions. If you install Kaspersky Industrial CyberSecurity for Nodes on a protected device running an operating system that supports PPL, permission management will not be available for the Kaspersky Security Service (KAVFS).

Kaspersky Security Service

By default, access permissions for managing the Kaspersky Security Service are granted to users in the Administrators group on the protected device, as well as to the SERVICE and INTERACTIVE groups with read permissions and to the SYSTEM group with read and execute permissions.

Users who have the Edit permissions level access can grant access permissions for managing Kaspersky Security Service to other users registered on the protected device or included in the domain.

Kaspersky Security Management Service

To manage the application via the Application Console installed on a different protected device, the account whose permissions are used to connect to Kaspersky Industrial CyberSecurity for Nodes must have full access to the Kaspersky Security Management Service on the protected device.

By default, access to the Kaspersky Security Management Service is granted to users of the Administrators group on the protected device and users of the KICS Administrators group created on the protected device during Kaspersky Industrial CyberSecurity for Nodes installation.

You can only manage the Kaspersky Security Management Service via the Microsoft Windows Services snap-in.

Kaspersky Security Exploit Prevention

By default, access permissions for managing the Kaspersky Security Exploit Prevention service are granted to users in the Administrators group on the protected device, as well as to the SYSTEM group with read and execute permissions.

About access permissions for the Kaspersky Security Management Service

You can review the list of Kaspersky Industrial CyberSecurity for Nodes services.

During installation, Kaspersky Industrial CyberSecurity for Nodes registers the Kaspersky Security Management Service (KAVFSGT). To manage the application via the Application Console installed on a different protected device, the account used to connect to Kaspersky Industrial CyberSecurity for Nodes must have full access to the Kaspersky Security Management Service on the protected device.

By default, access to the Kaspersky Security Management Service is granted to users of the Administrators group on the protected device and users of the KICS Administrators group created on the protected device during installation of Kaspersky Industrial CyberSecurity for Nodes.

You can manage the Kaspersky Security Management Service only via the Microsoft Windows Services snap-in.

You cannot allow or block user access to the Kaspersky Security Management Service by configuring Kaspersky Industrial CyberSecurity for Nodes.

You can connect to Kaspersky Industrial CyberSecurity for Nodes from a local account if an account with the same user name and password is registered on the protected device.

About permissions to manage the Kaspersky Security Service

During installation, Kaspersky Industrial CyberSecurity for Nodes registers Kaspersky Security Service (KAVFS) in Windows, and internally enables functional components started at operating system startup. To reduce the risk of third-party access to application functions and security settings on the protected device through management of the Kaspersky Security Service, you can restrict permissions for managing the Kaspersky Security Service from the Application Console or the Administration Plug-in.

By default, access permissions for managing the Kaspersky Security Service are granted to users in the "Administrators" group on the protected device as well as to the SERVICE and INTERACTIVE groups with read permissions and to the SYSTEM group with read and execute permissions.

You cannot delete the SYSTEM account or edit permissions for this account. If the SYSTEM account permissions are edited, the maximum privileges are restored for this account when you save the changes.

Users who have access to functions of the Edit permissions level can grant access permissions for managing Kaspersky Security Service to other users registered on the protected device or included in the domain.

You can choose one of the following preset levels of access permissions for a user or group of users of Kaspersky Industrial CyberSecurity for Nodes for managing the Kaspersky Security Service:

- **Full control**: ability to view and edit general settings and user permissions for the Kaspersky Security Service, and to start and stop the Kaspersky Security Service.
- **Read**: ability to view Kaspersky Security Service general settings and user permissions.
- **Modification**: ability to view and edit Kaspersky Security Service general settings and user permissions.
- **Execution**: ability to start and stop the Kaspersky Security Service.

You can also configure advanced access permissions: allow or deny access to specific Kaspersky Industrial CyberSecurity for Nodes functions (see the table below).

If you have manually configured access permissions for a user or group, then the **Special permissions** access level is set for this user or group.

Delimitation of access permissions for Kaspersky Industrial CyberSecurity for Nodes functions

Feature	Description
View service configurations	Ability to view Kaspersky Security Service general settings and user permissions.
Request service status from Service Control Manager	Ability to request the execution status of the Kaspersky Security Service from the Microsoft Windows Service Control Manager.
Request status from service	Ability to request the service status from the Kaspersky Security Service.
Read list of dependent services	Ability to view a list of services which the Kaspersky Security Service depends on and which depend on the Kaspersky Security Service.
Editing service settings	Ability to view and edit Kaspersky Security Service general settings and user permissions.
Start the service	Ability to start the Kaspersky Security Service.
Stop the service	Ability to stop the Kaspersky Security Service.

Pause / Resume the service	Ability to pause and resume the Kaspersky Security Service.
Read permissions	Ability to view the list of Kaspersky Security Service users and each user's access privileges.
Edit permissions	Ability to: • Add and remove Kaspersky Security Service users. • Edit user access permissions for the Kaspersky Security Service.
Delete the service	Ability to unregister the Kaspersky Security Service in the Microsoft Windows Service Control Manager.
User defined requests to service	Ability to create and send user requests to the Kaspersky Security Service.

Managing access permissions via the Administration Plug-in

In this section, learn how to navigate the Administration Plug-In interface and configure access permissions for one or all protected devices on the network.

Configuring access permissions for Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service

You can edit the list of users and user groups allowed to access Kaspersky Industrial CyberSecurity for Nodes functions and manage the Kaspersky Security Service. You can also edit the access permissions of those users and user groups.

To add or remove a user or group from the list:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:
   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.
4. In the **Supplementary** section, perform one of the following steps:
   - Click **Settings** in the **User access permissions for application management** subsection if you want to edit the list of users who have access permissions for managing Kaspersky Industrial CyberSecurity for Nodes functions.

- Click **Settings** in the **User access permissions for Kaspersky Security Service management** subsection if you want to edit the list of users who have access permissions for managing the Kaspersky Security Service.

  The **Permissions for Kaspersky Industrial CyberSecurity for Nodes 3.0** group window opens.

5. In the window that opens, perform the following operations:

   - In order to add a user or group to the list, click the **Add** button and select the user or group that you want to grant privileges to.
   - To remove a user or group from the list, select the user or group whose access you want to restrict, and click the **Remove** button.

6. Click the **Apply** button.

The selected users (groups) are added or removed.

To edit the permissions of a user or group to manage Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Security Service:

1. Expand the **Managed devices** node in the Kaspersky Security Center Administration Console tree.
2. Select the administration group for which you want to configure application settings.
3. Perform one of the following actions in the details pane of the selected administration group:

   - To configure application settings for a group of protected devices, select the **Policies** tab and open the **Properties: <Policy name>** window.
   - To configure the application for a single protected device, select the **Devices** tab and open the **Application settings** window.

     If an active Kaspersky Security Center policy is applied to a device and blocks changes to application settings, then these settings cannot be edited in the **Application settings** window.

4. In the **Supplementary** section, perform one of the following steps:

   - Click **Settings** in the **User access permissions for application management** subsection if you want to edit the list of users who have access permissions for managing Kaspersky Industrial CyberSecurity for Nodes functions.
   - Click **Settings** in the **User access permissions for Kaspersky Security Service management** subsection if you want to edit the list of users who have access permissions for managing the application via the Kaspersky Security Service.

     The **Permissions for Kaspersky Industrial CyberSecurity for Nodes** group window opens.

5. In the window that opens, in the **Group or user names** list, select the user or group of users whose permissions you want to change.
6. In the **Permissions for <User (Group)>** section, select the **Allow** or **Deny** check boxes for the following access levels:

   - **Full control**: full set of permissions to manage Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Security Service.

- **Read**:
  - The following permissions to manage Kaspersky Industrial CyberSecurity for Nodes: **Retrieve statistics**, **Read settings**, **Read logs** and **Read permissions**.
  - The following permissions to manage the Kaspersky Security Service: **Read service settings**, **Request status from Service Control Manager**, **Request status from service**, **Read list of dependent services**, **Read permissions**.
- **Modification**:
  - All permissions to manage Kaspersky Industrial CyberSecurity for Nodes, except **Edit permissions**.
  - The following permissions to manage the Kaspersky Security Service: **Modify service settings**, **Read permissions**.
- **Special permissions**: the following permissions to manage the Kaspersky Security Service: **Starting service**, **Stop service**, **Pause / Resume service**, **Read permissions**, **User defined requests to service**.

7. To configure advanced permissions for a user or group (**Special permissions**), click the **Advanced** button.
   a. In the **Advanced security settings for Kaspersky Industrial CyberSecurity for Nodes** window that opens, select the desired user or group.
   b. Click the **Edit** button.
   c. In the drop-down list in the top part of the window, select the type of access control (**Allow** or **Block**).
   d. Select the check boxes next to the functions that you want to allow or block for the selected user or group.
   e. Click **OK**.
   f. In the **Advanced security settings for Kaspersky Industrial CyberSecurity for Nodes** window, click **OK**.
8. In the **Permissions for Kaspersky Industrial CyberSecurity for Nodes** window, click the **Apply** button.

The configured permissions for managing Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Security Service are saved.

Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions

You can restrict access to application management and registered services by configuring user permissions. You can also set password protection in the Kaspersky Industrial CyberSecurity for Nodes settings for additional protection of critical operations.

Kaspersky Industrial CyberSecurity for Nodes requests a password when you attempt to access the following application functions:

- connect to the Application Console;
- uninstall Kaspersky Industrial CyberSecurity for Nodes;
- modify Kaspersky Industrial CyberSecurity for Nodes components;

- execute command-line commands.

The Kaspersky Industrial CyberSecurity for Nodes interface disguises the specified password on screen. Kaspersky Industrial CyberSecurity for Nodes stores the password as a checksum calculated when the password is entered.

Kaspersky Industrial CyberSecurity for Nodes doesn't check password strength and doesn't block password entry after a number of failed attempts.

When creating a password, you are recommended to meet the following conditions:

- The password doesn't contain the account name or computer name.
- The password is at least 8 characters long.
- The password contains characters that match at least three of the following categories:
  - uppercase latin letters (A-Z);
  - lowercase latin letters (a-z);
  - numbers (0-9);
  - symbols of exclamation point (!), dollar sign ($), pound sign (#) and percent sign (%).

You can export and import a password-protected application configuration. A configuration file created by exporting a protected application configuration contains the password checksum and the value of the modifier used to pad the password string.

Do not change the checksum or modifier in the configuration file. Importing a password-protected configuration that has been changed manually may cause access to the application to be entirely blocked.

To protect access to Kaspersky Industrial CyberSecurity for Nodes functions:

1. In the tree of Kaspersky Security Center Administration Console, expand the **Managed devices** node. Select the administration group with the protected devices whose application settings you want to configure.
2. Perform one of the following actions in the details pane of the selected administration group:
   - To configure policy settings for a group of protected devices, select the **Policies** tab and open the properties of the **<Policy name>** by means of the context menu.
   - If you want to configure application settings for a single protected device, open the required settings in the Application settings window in the Kaspersky Security Center.
3. In the **Security and reliability** section of the **Application settings** tab, click the **Settings** button.

   The **Security settings** window opens.
4. In the **Self-defense** section, select the **Apply password protection** check box.

   The **Password** and **Confirm password** fields become active.
5. In the **Password** field, enter the password you want to use to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.

6. In the **Confirm password** field, enter your password again.

7. Click **OK**.

The specified settings are saved. Kaspersky Industrial CyberSecurity for Nodes will request the specified password to access protected functions.

This password cannot be recovered. Losing your password will result in the complete loss of control of the application. Additionally, it will be impossible to uninstall the application from the protected device.

You can reset the password at any time. To do that, clear the **Apply password protection** check box and save changes. Password protection will be disabled and the old password checksum will be removed. Repeat the password creation process with a new password.

Managing access permissions via the Application Console

In this section, learn how to navigate the Application Console interface and configure access permissions on a protected device.

Configuring access permissions for managing Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service

You can edit the list of users and user groups allowed to access Kaspersky Industrial CyberSecurity for Nodes functions and manage Kaspersky Security Service, and also edit the access permissions of those users and user groups.

To add or remove a user or group from the list:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node and do one of the following:

   - Select **Modify user rights of application management** if you want to edit the list of users who have access permissions for managing Kaspersky Industrial CyberSecurity for Nodes functions.

   - Select **Modify user rights of Kaspersky Security Service management** if you want to edit the list of users who have access permissions for managing the Kaspersky Security Service.

     The **Permissions for Kaspersky Industrial CyberSecurity for Nodes** window opens.

2. In the window that opens, perform the following operations:

   - In order to add a user or group to the list, click the **Add** button and select the user or group.

   - To remove a user or group from the list, select the user or group and click the **Remove** button.

3. Click the **Apply** button.

The selected users (groups) are added or removed.

To edit a user's or group's permissions to manage Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Industrial CyberSecurity for Nodes Service:

1. In the Application Console tree, open the context menu of the **Kaspersky Industrial CyberSecurity for Nodes** node and do one of the following:

   - Select **Modify user rights of application management** if you want to configure access permissions for Kaspersky Industrial CyberSecurity for Nodes functions.

   - Select **Modify user rights of Kaspersky Security Service management** if you want to configure access permissions for the Kaspersky Security Service.

     The **Permissions for Kaspersky Industrial CyberSecurity for Nodes** window opens.

2. In the window that opens, in the **Group or user names** list, select the user or group of users whose permissions you want to change.

3. In the **Permissions for group "<User (Group)>"** section, select the **Allow** or **Deny** check boxes for the following access levels:

   - Click **Settings** in the **User access permissions for application management** subsection if you want to edit the list of users who have access permissions for managing Kaspersky Industrial CyberSecurity for Nodes functions.

   - Click **Settings** in the **User access permissions for Kaspersky Security Service management** subsection if you want to edit the list of users who have access permissions for managing the application via the Kaspersky Security Service.

     The **Permissions for Kaspersky Industrial CyberSecurity for Nodes** group window opens.

4. In the window that opens, in the **Group or user names** list, select the user or group of users whose permissions you want to change.

5. In the **Permissions for <User (Group)>** section, select the **Allow** or **Deny** check boxes for the following access levels:

   - **Full control**: full set of permissions to manage Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Security Service.

   - **Read**:

     - The following permissions to manage Kaspersky Industrial CyberSecurity for Nodes: **Retrieve statistics**, **Read settings**, **Read logs** and **Read permissions**.

     - The following permissions to manage the Kaspersky Security Service: **Read service settings**, **Request status from Service Control Manager**, **Request status from service**, **Read list of dependent services**, **Read permissions**.

   - **Modification**:

     - All permissions to manage Kaspersky Industrial CyberSecurity for Nodes, except **Edit permissions**.

     - The following permissions to manage the Kaspersky Security Service: **Modify service settings**, **Read permissions**.

   - **Special permissions**: the following permissions to manage the Kaspersky Security Service: **Starting service**, **Stop service**, **Pause / Resume service**, **Read permissions**, **User defined requests to service**.

6. To configure advanced permissions for a user or group (**Special permissions**), click the **Advanced** button.

    a. In the **Advanced security settings for Kaspersky Industrial CyberSecurity for Nodes** window that opens, select the desired user or group.

    b. Click the **Edit** button.

    c. In the drop-down list in the top part of the window, select the type of access control (**Allow** or **Block**).

    d. Select the check boxes next to the functions that you want to allow or block for the selected user or group.

    e. Click **OK**.

    f. In the **Advanced security settings for Kaspersky Industrial CyberSecurity for Nodes** window, click **OK**.

7. In the **Permissions for Kaspersky Industrial CyberSecurity for Nodes** window, click the **Apply** button.

The configured permissions for managing Kaspersky Industrial CyberSecurity for Nodes or the Kaspersky Security Service are saved.

Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions

You can restrict access to application management and registered services by configuring user permissions. You can also set password protection in the Kaspersky Industrial CyberSecurity for Nodes settings for additional protection of critical operations.

Kaspersky Industrial CyberSecurity for Nodes requests a password when you attempt to access the following application functions:

- connect to the Application Console;
- uninstall Kaspersky Industrial CyberSecurity for Nodes;
- modify Kaspersky Industrial CyberSecurity for Nodes components;
- execute command-line commands.

The Kaspersky Industrial CyberSecurity for Nodes interface disguises the specified password on screen. Kaspersky Industrial CyberSecurity for Nodes stores the password as a checksum calculated when the password is entered.

You can export and import a password-protected application configuration. A configuration file created by exporting a protected application configuration contains the password checksum and the value of the modifier used to pad the password string.

Do not change the checksum or modifier in the configuration file. Importing a password-protected configuration that has been changed manually may cause access to the application to be entirely blocked.

To protect access to Kaspersky Industrial CyberSecurity for Nodes functions:

1. In the Application Console tree, select the **Kaspersky Industrial CyberSecurity for Nodes** node and do one of the following:

- Click the **Application properties** link in the results pane of the node.
- Select **Properties** in the node's context menu.

The **Application settings** window opens.

2. On the **Security and reliability** tab in the **Self-defense** section, select the **Apply password protection** check box.

   The **Password** and **Confirm password** fields become active.

3. In the **Password** field, enter the password you want to use to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.

4. In the **Confirm password** field, enter the password again.

5. Click **OK**.

This password cannot be recovered. Losing your password results in complete loss of control of the application. Additionally, it will be impossible to uninstall the application from the protected device.

You can reset the password at any time. To do that, clear the **Apply password protection** check box and save changes. Password protection will be disabled and the old password checksum will be removed. Repeat the password creation process with a new password.

Managing access permissions via the Web Plug-in

In this section, learn how to navigate the Web Plug-In interface and configure access permissions for one or all protected devices on the network.

Configuring access permissions for Kaspersky Industrial CyberSecurity for Nodes and the Kaspersky Security Service

To configure the access permissions for a user or group you need to specify the security descriptor string using the security descriptor definition language (SDDL). For detailed information about the security descriptor string, please visit the Microsoft website.

To configure the access permissions for a user or group:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.

2. Click the policy name you want to configure.

3. In the **<Policy name>** window that opens select the **Application settings** tab.

4. Select the **Supplementary** section.

5. Perform one of the following steps:

   - Click **Settings** in the **User access permissions for application management** subsection if you want to edit the list of users who have access permissions for managing Kaspersky Industrial CyberSecurity for Nodes

functions.

- Click **Settings** in the **User access permissions for Kaspersky Security Service management** subsection if you want to edit the list of users who have access permissions for managing the Kaspersky Security Service.

6. Add a user or group by specifying the security descriptor string in the **User access permissions for application management** or **User access permissions for Kaspersky Security Service management** window.
7. Click **OK**.

Password-protected access to Kaspersky Industrial CyberSecurity for Nodes functions

You can restrict access to application management and registered services by configuring user permissions. You can also set password protection in the Kaspersky Industrial CyberSecurity for Nodes settings for additional protection of critical operations.

Kaspersky Industrial CyberSecurity for Nodes requests a password when you attempt to access the following application functions:

- connect to the Application Console;
- uninstall Kaspersky Industrial CyberSecurity for Nodes;
- modify Kaspersky Industrial CyberSecurity for Nodes components;
- execute command-line commands.

The Kaspersky Industrial CyberSecurity for Nodes interface disguises the specified password on screen. Kaspersky Industrial CyberSecurity for Nodes stores the password as a checksum calculated when the password is entered.

You can export and import a password-protected application configuration. A configuration file created by exporting a protected application configuration contains the password checksum and the value of the modifier used to pad the password string.

Do not change the checksum or modifier in the configuration file. Importing a password-protected configuration that has been changed manually may cause access to the application to be entirely blocked.

To protect access to Kaspersky Industrial CyberSecurity for Nodes functions:

1. In the main window of the Web Console, select **Devices** → **Policies & profiles**.
2. Click the policy name you want to configure.
3. In the **<Policy name>** window that opens select the **Application settings** tab.
4. Select the **Application settings** section.
5. In the **Security and reliability** section, click the **Settings** button.

6. In the **Password protection settings** section, select the **Apply password protection** check box.

7. In the **Password** field, enter the password you want to use to protect access to Kaspersky Industrial CyberSecurity for Nodes functions.

8. Click **OK**.

The specified settings are saved. Kaspersky Industrial CyberSecurity for Nodes will request the specified password to access protected functions.

This password cannot be recovered. Losing your password will result in the complete loss of control of the application. Additionally, it will be impossible to uninstall the application from the protected device.

You can reset the password at any time. To do that, clear the **Apply password protection** check box and save changes. Password protection will be disabled and the old password checksum will be removed. Repeat the password creation process with a new password.

Working with Kaspersky Industrial CyberSecurity for Nodes from the command line

This section describes working with Kaspersky Industrial CyberSecurity for Nodes from the command line.

Commands

You can perform basic Kaspersky Industrial CyberSecurity for Nodes management commands from the command line of the protected device using the Command Line utility component, which is included in the Kaspersky Industrial CyberSecurity for Nodes software components group.

You can use commands to manage only those functions accessible to you based on the permissions assigned to you in Kaspersky Industrial CyberSecurity for Nodes.

Certain Kaspersky Industrial CyberSecurity for Nodes commands are executed in the following modes:

- Synchronous mode: control returns to the Console only after the command is complete.
- Asynchronous mode: control returns to the Console immediately after the command is started.

To interrupt a command being executed in synchronous mode,

press the **Ctrl+C** keyboard shortcut.

Follow these rules when entering Kaspersky Industrial CyberSecurity for Nodes commands:

- Enter modifiers and commands using upper and lower case.
- Separate modifiers with a space.
- If the path of a file/folder specified as a value includes a space, enclose the path in quotes, for example: `"C:\TEST\test cpp.exe"`.
- If necessary, you can use wildcards in the filename or path, for example: `"C:\Temp\Temp*\"`, `"C:\Temp\Temp???.doc"`, `"C:\Temp\Temp*.doc"`.

You can use the command line to perform every operation required for management and administration of Kaspersky Industrial CyberSecurity for Nodes (see the table below).

Kaspersky Industrial CyberSecurity for Nodes commands

Command	Description
KAVSHELL APPCONTROL	Update the rule list according to the selected import rule.
KAVSHELL APPCONTROL /CONFIG	Set the operating mode of the Applications Launch Control task
KAVSHELL APPCONTROL /GENERATE	Start the Rule Generator for Applications Launch Control task.
KAVSHELL VACUUM	Defragment Kaspersky Industrial CyberSecurity for Nodes log files.

KAVSHELL PASSWORD	Manage password protection settings.
KAVSHELL HELP	Display Kaspersky Industrial CyberSecurity for Nodes command help.
KAVSHELL START	Start the Kaspersky Security Service.
KAVSHELL STOP	Stop the Kaspersky Security Service.
KAVSHELL SCAN	Create and start a temporary On-Demand Scan task with the scan scope and security settings specified by the command-line options.
KAVSHELL SCANCRITICAL	Start the Critical Areas Scan local system task.
KAVSHELL TASK	Start, pause / resume, stop the specified task asynchronously, returns the current task status / statistics.
KAVSHELL RTP	Start or stop all Real-Time Computer Protection tasks.
KAVSHELL UPDATE	Start the Database Update task with the settings specified by the command-line options.
KAVSHELL ROLLBACK	Roll back the databases to the previous version.
KAVSHELL LICENSE	Add or delete the keys. Display information about the added keys.
KAVSHELL TRACE	Enable or disable tracing. Manage tracing settings.
KAVSHELL DUMP	Enable or disable creation of dump files when Kaspersky Industrial CyberSecurity for Nodes processes terminate abnormally.
KAVSHELL IMPORT	Import general Kaspersky Industrial CyberSecurity for Nodes settings, functions, and tasks from a configuration file.
KAVSHELL EXPORT	Export all Kaspersky Industrial CyberSecurity for Nodes settings and existing tasks to a configuration file.
KAVSHELL DEVCONTROL	Add to the list of generated device control rules according to selected method.

Displaying Kaspersky Industrial CyberSecurity for Nodes command help: KAVSHELL HELP

To view the list of all Kaspersky Industrial CyberSecurity for Nodes commands, run one of the following commands:

```
KAVSHELL

KAVSHELL HELP

KAVSHELL /?
```

To view a description of a command and its syntax, run one of the following commands:

```
KAVSHELL HELP <command>

KAVSHELL <command> /?
```

KAVSHELL HELP examples

To view detailed information about the KAVSHELL SCAN command, execute the following command:

```
KAVSHELL HELP SCAN
```

Starting and stopping the Kaspersky Security Service KAVSHELL START: KAVSHELL STOP

To run the Kaspersky Security Service, execute the following command:

```
KAVSHELL START
```

By default, when the Kaspersky Security Service is started, Real-Time File Protection and Scan at Operating System Startup, as well as other tasks scheduled to start **At application launch**, will be started.

To stop the Kaspersky Security Service, execute the following command:

```
KAVSHELL STOP
```

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

Scanning a selected area: KAVSHELL SCAN

To start a task to scan specific areas of the protected device, use `KAVSHELL SCAN`. The command-line options specify the scan scope and security settings of the selected node.

An On-Demand Scan task started using the `KAVSHELL SCAN` command is a temporary task. It is displayed in the Application Console only while being executed (you cannot view its task settings in the Application Console). However, a task performance log is generated and displayed under the **Task logs** node in the Application Console.

When specifying paths in scan tasks for specific areas, you can use environment variables. If you use a user environment variable, execute the `KAVSHELL SCAN` command as the corresponding user.

The `KAVSHELL SCAN` command is executed in synchronous mode.

To start an existing On-Demand Scan task from the command line, use the KAVSHELL TASK command.

KAVSHELL SCAN command syntax

```
KAVSHELL SCAN <scan scope> [/MEMORY|/SHARED|/STARTUP|/REMDRIVES|/FIXDRIVES|/MYCOMP] [/L:<
path to file with the list of scan scopes >] [/F<A|C|E>] [/NEWONLY] [/AI:
<DISINFECT|DISINFDEL|DELETE|REPORT|AUTO>] [/AS:<QUARANTINE|DELETE|REPORT|AUTO>]
[/DISINFECT|/DELETE] [/E:<ABMSPO>] [/EM:<"masks">] [/ES:<size>] [/ET:<number of seconds>]
[/TZOFF] [/OF:<SKIP|RESIDENT|SCAN[=<days>] [NORECALL]>] [/NOICHECKER][/NOISWIFT]
[/ANALYZERLEVEL][/NOCHECKMSSIGN][/W:<path to task log file>] [/ANSI] [/ALIAS:<task
alias>]
```

The KAVSHELL SCAN command has both mandatory and optional parameters/options (see the table below).

KAVSHELL SCAN command examples

```
KAVSHELL SCAN Folder56 D:\Folder1\Folder2\Folder3\ C:\Folder1\ C:\Folder2\3.exe
"\\another server\Shared\" F:\123\*.fgb /SHARED /AI:DISINFDEL /AS:QUARANTINE /FA /E:ABM
/EM:"*.xtx;*.fff;*.ggg;*.bbb;*.info" /NOICHECKER /ANALYZERLEVEL:1 /NOISWIFT /W:log.log

KAVSHELL SCAN /L:scan_objects.lst /W:c:\log.log
```

KAVSHELL SCAN command-line parameters/options

Parameter/option	Description
Scan scope. Mandatory parameter.	
<files> <folders> <network path>	Specifies the scan scope - list of files, folders, network paths and predefined areas. Specify network paths in Universal Naming Convention (UNC) format. In the following example, the Folder4 folder is specified without a path, which implies that it is located in the folder from which the KAVSHELL command is run: KAVSHELL SCAN Folder4 If the name of the object to be scanned has spaces, it must be wrapped in quotation marks. If a folder is specified, Kaspersky Industrial CyberSecurity for Nodes will also scan all its subfolders. The symbols * or ? can be used to scan a group of files.
/MEMORY	Scan objects in RAM
/SHARED	Scan shared folders on the protected device
/STARTUP	Scan autorun objects
/REMDRIVES	Scan removable drives
/FIXDRIVES	Scan hard drives
/MYCOMP	Scan all areas of the protected device
/L:<path to file with a list of scan scopes>	Full path to file with a list of scan scopes. Use line breaks to separate the scan scopes in the file. You can specify predefined scan areas as shown in the following example of the content of a file with a list of scan scopes: C:\ D:\Docs*.doc E:\My Documents /STARTUP /SHARED

Scan objects (File types). If you do not specify this option, Kaspersky Industrial CyberSecurity for Nodes will scan objects by their format.	
/FA	Scan all objects
/FC	Scan objects by format (default). Kaspersky Industrial CyberSecurity for Nodes scans only objects whose formats are included in the list of formats of infectable objects.
/FE	Scan objects by extension. Kaspersky Industrial CyberSecurity for Nodes scans only objects with extensions included into the list of extensions of infectable objects.
/NEWONLY	Scan only new and modified files. If you do not specify this option, Kaspersky Industrial CyberSecurity for Nodes will scan all objects.
Action to perform on infected and other objects. If you do not specify values for this modifier, Kaspersky Industrial CyberSecurity for Nodes will perform the **Skip** action.	
DISINFECT	Disinfect, skip if disinfection is not possible The DISINFECT and DELETE options are preserved in the current version Kaspersky Industrial CyberSecurity for Nodes in order to ensure compatibility with previous versions. These options can be used instead of the /AI and /AS options. In this case, Kaspersky Industrial CyberSecurity for Nodes will not process probably infected objects.
DISINFDEL	Disinfect, delete if disinfection is not possible
DELETE	Delete The DISINFECT and DELETE options are saved in the current version of Kaspersky Industrial CyberSecurity for Nodes in order to ensure compatibility with previous versions. These options can be used instead of the /AI and /AS options. In this case, Kaspersky Industrial CyberSecurity for Nodes will not process probably infected objects.
REPORT	Send report (default)
AUTO	Perform recommended action
/AS: **Action to perform on probably infected objects**. If you do not specify this option, Kaspersky Industrial CyberSecurity for Nodes will perform the **Skip** action.	
QUARANTINE	Quarantine
DELETE	Delete
REPORT	Send report (default)
AUTO	Perform recommended action
Exclusions	
/E:ABMSPO	Exclude the following types of compound objects: A – archives (scan SFX archives only) B – email databases M – plain mail S – archives and SFX-archives P – packed objects O – embedded OLE objects
/EM:<"masks">	Exclude files by mask

	You can specify several masks, for example: `EM:"*.txt; *.png; C\Videos\*.avi"`.
/ET:<number of seconds>	Stop processing an object if it takes longer than the number of seconds specified by <number of seconds>. By default, there is no time restriction.
/ES:<size>	Do not scan compound objects larger than the size (in MB) specified by the value <size>. By default, Kaspersky Industrial CyberSecurity for Nodes scans objects of all sizes.
/TZOFF	Disable Trusted Zone exclusions
Advanced settings (Options)	
/NOICHECKER	Disable the use of iChecker (enabled by default)
/NOISWIFT	Disable the use of iSwift (enabled by default)
/ANALYZERLEVEL: <heuristic analysis level>	Enable Heuristic Analyzer, configure analysis level. The following heuristic analysis levels are available: 1 – light 2 – medium 3 – deep If you omit this option, Kaspersky Industrial CyberSecurity for Nodes will not use Heuristic Analyzer.
/ALIAS:<task alias>	Assigns a temporary name to an On-Demand Scan task, allowing you to reference it while it runs, for example, in order to view its statistics using the TASK command. The task alias must be unique among the task aliases of all Kaspersky Industrial CyberSecurity for Nodes components. If this option is not specified, a temporary name in the form of scan_<kavshell_pid> is assigned, for example, scan_1234. In the Application Console, the task is assigned the name "Scan objects <date and time>", for example, Scan objects 8/16/2007 5:13:14 PM.
Task log settings (Report settings)	
/W:<path to task log file>	If this parameter is specified, Kaspersky Industrial CyberSecurity for Nodes will save the task log file using the name specified by the parameter value. The log file contains task execution statistics, the time when the task was started and completed (stopped), and information about events that occurred during the task. The log is used to register events defined by the task log settings and the Kaspersky Industrial CyberSecurity for Nodes event log settings in Event Viewer. You can specify either the absolute or relative path to the log file. If you specify only a filename without a path, the log file will be created in the current folder. Restarting the command with the same log settings will overwrite the existing log file. The log file can be viewed while a task is running. The log appears in the Task logs node of the Application Console. If Kaspersky Industrial CyberSecurity for Nodes fails to create the log file, it will display an error message but will still execute the command.
/ANSI	This option uses ANSI encoding to record events to the task log. The ANSI option will not be applied if the W parameter is not specified. If the ANSI option is not specified, UNICODE is used to generate the task log.

Starting the Critical Areas Scan task: KAVSHELL SCANCRITICAL

Use the `KAVSHELL SCANCRITICAL` command to start the Critical Areas Scan task with the settings defined in the Application Console.

KAVSHELL SCANCRITICAL command syntax

```
KAVSHELL SCANCRITICAL [/W:<path to task log file>]
```

KAVSHELL SCANCRITICAL command examples

To run the Critical Areas Scan task and save a task log named scancritical.log in the current folder, execute the following command:

```
KAVSHELL SCANCRITICAL /W:scancritical.log
```

You can use the /W parameter to configure the location of the task log (see the table below).

Syntax of the `/W` parameter for the `KAVSHELL SCANCRITICAL` command

Parameter/option	Description
/W:<path to task log file>	If this parameter is specified, Kaspersky Industrial CyberSecurity for Nodes will save the task log file using the name specified by the parameter value. The log file contains task execution statistics, the time when the task was started and completed (stopped), and information about events that occurred during the task. The log is used to register events defined by the task log settings and the Kaspersky Industrial CyberSecurity for Nodes event log settings in Event Viewer. You can specify either the absolute or relative path to the log file. If you specify only a filename without a path, the log file will be created in the current folder. Restarting the command with the same log settings will overwrite the existing log file. The log file can be viewed while a task is running. The log appears in the **Task logs** node of the Application Console. If Kaspersky Industrial CyberSecurity for Nodes fails to create the log file, it will display an error message but will still execute the command.

Managing tasks asynchronously: KAVSHELL TASK

You can use the `KAVSHELL TASK` command to manage the specified task: run, pause, resume and stop the task and view the current task status and statistics. The command is performed in asynchronous mode.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

KAVSHELL TASK command syntax

```
KAVSHELL TASK [<task name alias> </START | /STOP | /PAUSE | /RESUME | /STATE |
/STATISTICS >]
```

KAVSHELL TASK command examples

```
KAVSHELL TASK

KAVSHELL TASK on-access /START

KAVSHELL TASK user-task_1 /STOP

KAVSHELL TASK scan-computer /STATE

KAVSHELL TASK network-attack-blocker /START
```

The `KAVSHELL TASK` command can run without parameters/options or with one or more parameters/options (see the table below).

KAVSHELL TASK command-line parameters/options

Parameter/option	Description
No parameters	Return the list of all existing Kaspersky Industrial CyberSecurity for Nodes tasks. The list includes the following fields: task alias, task category (system or custom) and current task status.
<task alias>	Instead of the task name, in the SCAN TASK command, use its task alias, an additional abbreviated name that Kaspersky Industrial CyberSecurity for Nodes assigns to tasks. To view Kaspersky Industrial CyberSecurity for Nodes task aliases, enter the KAVSHELL TASK command without any parameters.
/START	Start the specified task in asynchronous mode.
/STOP	Stop the specified task.
/PAUSE	Pause the specified task.
/RESUME	Resume the specified task in asynchronous mode.
/STATE	Return the current task status (for example, *Running*, *Completed*, *Paused*, *Stopped*, *Failed*, *Starting*, *Resuming*).
/STATISTICS	Retrieve task statistics - Information about the number of objects processed from the time the task started

Note that not all Kaspersky Industrial CyberSecurity for Nodes tasks fully support /PAUSE, /RESUME and /STATE keys.

Return codes for the KAVSHELL TASK command.

Removing the PPL attribute: KAVSHELL CONFIG

The `KAVSHELL CONFIG` command lets you remove the PPL (Protected Process Light) attribute for the Kaspersky Security Service using the ELAM driver installed during installation of the application.

KAVSHELL CONFIG command syntax

```
KAVSHELL CONFIG /PPL:<OFF>
```

KAVSHELL CONFIG command-line parameters/options

Parameter/option	Description
/PPL:OFF	Remove the PPL attribute for the Kaspersky Security Service.

Starting and stopping Real-Time Computer Protection tasks: KAVSHELL RTP

You can use the `KAVSHELL RTP` command to start or stop all the Real-Time Computer Protection tasks.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

KAVSHELL RTP command syntax

```
KAVSHELL RTP {/START | /STOP}
```

KAVSHELL RTP command examples

To start all the Real-Time Computer Protection tasks, execute the following command:

```
KAVSHELL RTP /START
```

The `KAVSHELL RTP` command must include one of two options (see the table below).

KAVSHELL RTP command-line options

Parameter/options	Description
/START	Start all the Real-Time Computer Protection tasks: Real-Time File Protection and KSN Usage.
/STOP	Stop all the Real-Time Computer Protection tasks.

Managing the Applications Launch Control task: KAVSHELL APPCONTROL /CONFIG

You can use the `KAVSHELL APPCONTROL /CONFIG` command to configure the mode in which the Applications Launch Control task runs and monitors the loading of DLL modules.

KAVSHELL APPCONTROL /CONFIG command syntax

```
/config /mode:<applyrules|statistics> [/dll:<no|yes>] | /config /savetofile:<full path to XML file>
```

KAVSHELL APPCONTROL /CONFIG command examples

*To run the Applications Launch Control task in **Active** mode without monitoring DLL loading save the task settings upon completion, run the following command:*

```
KAVSHELL APPCONTROL /CONFIG /mode:applyrules /dll:<no>
/savetofile:c:\appcontrol\config.xml
```

You can configure Applications Launch Control task settings using the command-line parameters (see the table below).

`KAVSHELL APPCONTROL /CONFIG` command-line parameters/options

Parameter/option	Description
`/mode:<applyrules|statistics>`	Operating mode of the Applications Launch Control task. You can select one of the following modes: • active - Apply Applications Launch Control rules; • statistics - Only generate statistics.
`/dll:<no|yes>`	Enable or disable monitoring of DLL loading.
`/savetofile: <path to XML file>`	Export the specified rules to the indicated file in XML format.
`/savetofile: <the fullname to xml file>`	Save the list of rules to file.
`/savetofile: <the fullname to xml file> /sdc`	Save the list of Software Distribution Control rules to file.
`/clearsdc`	Delete all Software Distribution Control rules from the list.

Rule Generator for Applications Launch Control: KAVSHELL APPCONTROL /GENERATE

You can use the `KAVSHELL APPCONTROL /GENERATE` command to generate Applications Launch Control rule lists.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

KAVSHELL APPCONTROL /GENERATE command syntax

```
KAVSHELL APPCONTROL /GENERATE <path to folder> | /source:<path to file with folders list>
[/masks:<edms>] [/runapp] [/rules:<ch|cp|h>] [/strong] [/user:<user or group of users>]
[/export:<path to XML file>] [/import:<a|r|m>] [/prefix:<prefix for rules names>]
[/unique]
```

KAVSHELL APPCONTROL /GENERATE command examples

To generate rules for files from specified folders, execute the following command:

```
KAVSHELL APPCONTROL /GENERATE /source:c\folderslist.txt
/export:c:\rules\appctrlrules.xml
```

To generate rules for executable files with any extension in the specified folder and, upon the task completion, save the generated rules in the specified file XML file, execute the following command:

```
KAVSHELL APPCONTROL /GENERATE c:\folder /masks:edms /export:c\rules\appctrlrules.xml
```

You can use command-line parameters/options to configure automatic rule generation settings for the Applications Launch Control task (see the table below).

`KAVSHELL APPCONTROL /GENERATE` command-line parameters/options

Parameter/option	Description
Allowing rules scope	
<path to folder>	Specify the path to the folder with executable files for which allowing rules will be automatically generated.
/source: <path to file with folders list>	Specify the path to a TXT file with a list of folders with executable files for which allowing rules will be automatically generated.
/masks: <edms>	Specify the extensions of executable files for which allowing rules will be automatically generated. You can include files with the following extensions in the rules scope: • e - EXE files • d - DLL files • m - MSI files • s - scripts
/runapp	When generating allowing rules, account for applications currently running on the protected device.
Actions when automatically generating allowing rules	
/rules: <ch|cp|h>	Specify actions to perform while generating allowing rules for the Applications Launch Control task: • ch – Use the digital certificate. If the certificate is missing, use the SHA256 hash. • cp – Use the digital certificate. If the certificate is missing, use the path to the executable file.

	• h - Use the SHA256 hash.
/strong	Use the digital certificate's subject and thumbprint while automatically generating allowing rules for the Applications Launch Control task. The command is executed if the /rules: <ch|cp> parameter is specified.
/user: <user or group of users>	Specify the user or group of users for which the rules will be applied. The application will monitor any applications run by the specified user and / or group of users.
Actions on completion of the Rule Generator for Applications Launch Control task	
/export: <path to XML file>	Save the generated rules to an XML file.
/unique	Add information about the protected device with installed applications that are the basis for generating the Applications Launch Control allowing rules.
/prefix: <prefix for rule names>	Specify a prefix for the names of Applications Launch Control allowing rules.
/import: <a|r|m>	Import the generated rules into the specified list of Applications Launch Control rules according to the selected import rule: • a - **Add to existing rules** (rules with identical settings are duplicated) • r - **Replace existing rules** (rules with identical settings are not added; a rule is added if at least one rule setting is unique) • m - **Merge with existing rules** (rules with identical settings are not added; a rule is added if at least one rule setting is unique)

Filling the list of Applications Launch Control rules: KAVSHELL APPCONTROL

You can use the `KAVSHELL APPCONTROL` command to add rules from an XML file to the Applications Launch Control task's rule list according to the selected import rule and to delete all existing rules from the list.

A password might be required to execute the command. To enter the current password, use `[/pwd: <password>]`.

KAVSHELL APPCONTROL command syntax

```
KAVSHELL APPCONTROL /append <path to XML file> | /replace <path to XML file> | /merge <path to XML file> | /clear
```

KAVSHELL APPCONTROL command examples

To add rules from an XML file to existing Applications Launch Control rules according to the Add to existing rules import rule, execute the following command:

```
KAVSHELL APPCONTROL /append c:\rules\appctrlrules.xml
```

You can use command-line parameters to select principle to add new rules from the specified XML file to the defined list of Applications Launch Control rules (see the table below).

KAVSHELL APPCONTROL command-line parameters/options

Parameter/option	Description
/append <path to XML file>	Update the list of Applications Launch Control rules based on the specified XML file. Import rule - **Add to existing rules** (rules with identical settings are duplicated).
/replace <path to XML file>	Update the list of Applications Launch Control rules based on the specified XML file. Import rule - **Replace existing rules** (rules with identical settings are not added; a rule is added if at least one rule setting is unique).
/merge <path to XML file>	Update the list of Applications Launches Control rules based on the specified XML file. Import rule - **Merge with existing rules** (new rules do not duplicate existing rules).
/clear	Clear the list of Applications Launch Control rules.

Filling the list of Device Control rules: KAVSHELL DEVCONTROL

You can use the `KAVSHELL DEVCONTROL` command to add rules from an XML file to the Device Control task's rule list according to the selected import rule and to delete all existing rules from the list.

A password might be required to execute the command. To enter the current password, use `[/pwd: <password>]`.

KAVSHELL DEVCONTROL command syntax

```
KAVSHELL DEVCONTROL /append <path to XML file> | /replace <path to XML file> | /merge <path to XML file> | /clear
```

KAVSHELL DEVCONTROL command examples

To add rules from an XML file to the Device Control task's existing rules according to Add to existing rules import rule, execute the following command:

```
KAVSHELL DEVCONTROL /append :c:\rules\devctrlrules.xml
```

You can use command-line parameters to select the import rule used to add new rules from the specified XML file to the defined list of Device Control rules (see the table below).

KAVSHELL DEVCONTROL command-line parameters/options

Key	Description
/append <path to XML file>	Update the list of Device Control rules based on the specified XML file. Import rule - **Add to existing rules** (rules with identical settings are duplicated).
/replace <path to XML file>	Update the list of Device Control rules based on the specified XML file. Import rule - **Replace existing rules** (rules with identical parameters are not added; the rule is added if at least one rule setting is unique).

/merge <path to XML file>	Update the list of Device Control rules based on the specified XML file. Import rule - **Merge with existing rules** (new rules do not duplicate existing rules).
/clear	Clear the list of Device Control rules.

Starting the Database Update task: KAVSHELL UPDATE

The `KAVSHELL UPDATE` command can be used to start the Kaspersky Industrial CyberSecurity for Nodes Database Update task in synchronous mode.

A Database Update task started using the `KAVSHELL UPDATE` command is a temporary task. It is only displayed in the Application Console while being executed. However, a task log is generated and displayed in the **Task logs** in the Application Console. Kaspersky Security Center policies may apply to update tasks created and started using the `KAVSHELL UPDATE` command and update tasks created in the Application Console. For information about using Kaspersky Security Center to manage Kaspersky Industrial CyberSecurity for Nodes on protected devices, see Section "Managing Kaspersky Industrial CyberSecurity for Nodes using Kaspersky Security Center".

Environment variables can be used when specifying the path to an update source in this task. If a user environment variable is used, run the `KAVSHELL UPDATE` command as the corresponding user.

KAVSHELL UPDATE command syntax

```
KAVSHELL UPDATE < Path to update source | /AK | /KL> [/NOUSEKL] [/PROXY:<address>:<port>]
[/AUTHTYPE:<0-2>] [/PROXYUSER:<user name>] [/PROXYPWD:<password>] [/NOPROXYFORKL]
[/USEPROXYFORCUSTOM] [/NOFTPPASSIVE] [/REG:<iso3166 code>] [/W:<path to task log file>]
[/ALIAS:<task alias>]
```

The KAVSHELL UPDATE command has both mandatory and optional parameters/options (see the following table).

KAVSHELL UPDATE command examples

To start a custom Database Update task, execute the following command:

```
KAVSHELL UPDATE
```

To run the Database Update task using update files in the \\server\databases network folder, run the following command:

```
KAVSHELL UPDATE \\server\databases
```

To start a Database Update from the FTP server ftp://dnl-ru1.kaspersky-labs.com/ and write all task events to a file named c:\update_report.log, execute the following command:

```
KAVSHELL UPDATE ftp://dnl-ru1.kaspersky-labs.com /W:c:\update_report.log
```

To download Kaspersky Industrial CyberSecurity for Nodes database updates from Kaspersky's update server, connect to the updates source through a proxy server (proxy server address: proxy.company.com, port: 8080). To access the protected device using the in-built Microsoft Windows NTLM authentication with user name "inetuser" and password "123456" execute the following command:

```
KAVSHELL UPDATE /KL /PROXY:proxy.company.com:8080 /AUTHTYPE:1 /PROXYUSER:inetuser
/PROXYPWD:123456
```

KAVSHELL UPDATE command-line parameters/options

Parameter/option	Description
Update source (mandatory parameter). Specify one or more sources. Kaspersky Industrial CyberSecurity for Nodes will access the sources in the order in which they are listed. Separate sources with a space.	
<path in UNC format>	User-defined update source. Path to network update folder in the UNC format.
<URL>	User-defined update source. HTTP or FTP server address where the update folder is located.
<Local folder>	User-defined update source. Folder on the protected device.
/AK	Use the Kaspersky Security Center Administration server as the updates source.
/KL	Use the Kaspersky's update Servers as the update source.
/NOUSEKL	Do not use Kaspersky's update servers if other update sources are not available (used by default).
Proxy server settings	
/PROXY:<address>:<port>	Network name or IP address of the proxy server and its port. If this parameter is not specified, Kaspersky Industrial CyberSecurity for Nodes will automatically detect the proxy server settings used in the local area network.
/AUTHTYPE:<0-2>	This parameter specifies the authentication method used to access the proxy server. It can have the following values: **0** – Microsoft Windows NTLM authentication; Kaspersky Industrial CyberSecurity for Nodes will contact the proxy server using the **Local system** (**SYSTEM**) account **1** – Microsoft Windows NTLM authentication; Kaspersky Industrial CyberSecurity for Nodes will contact the proxy server using the user name and password specified by the /PROXYUSER and /PROXYPWD parameters **2** – Authentication using the user name and password specified by the /PROXYUSER and /PROXYPWD parameters (basic authentication) If the proxy server does not require authentication, there is no need to specify this parameter.
/PROXYUSER:<user name>	User name that will be used to access the proxy server. If /AUTHTYPE:0 is specified, then the /PROXYUSER:<user name> and /PROXYPWD:<password> parameters will be ignored.
/PROXYPWD:<password>	User password that will be used to access the proxy server. If /AUTHTYPE:0 is specified, then the /PROXYUSER:<user name> and /PROXYPWD:<password> parameters will be ignored. If the /PROXYUSER parameter is specified and the /PROXYPWD parameter is omitted, the password will be considered an empty string.
/NOPROXYFORKL	Do not use proxy server settings to connect to Kaspersky's update servers (used by default).
/USEPROXYFORCUSTOM	Use proxy server settings to connect to user-defined update sources (not used by default).
/USEPROXYFORLOCAL	Use proxy server settings to connect to local update sources. If not specified, the **Do not use proxy server for local addresses** setting will apply.
General FTP and HTTP server settings	

/NOFTPPASSIVE	If this key is specified, Kaspersky Industrial CyberSecurity for Nodes will use active FTP server mode to connect to the protected device. If this key is not specified, Kaspersky Industrial CyberSecurity for Nodes will use the passive FTP server mode, if possible.
/TIMEOUT:<number of seconds>	FTP or HTTP server connection timeout. If you do not specify this parameter, Kaspersky Industrial CyberSecurity for Nodes will use the default value of 10 seconds. The value must be a whole number.
/REG:<iso3166 code>	Regional settings. This parameter is used when receiving updates from Kaspersky's update servers. Kaspersky Industrial CyberSecurity for Nodes minimizes the load on the protected device by selecting the closest update server. The value of this parameter should be the ISO 3166-1 alpha-2 code of the country where the protected device is located, for example /REG: gr or /REG:US. If this key is omitted or an invalid country code is specified, Kaspersky Industrial CyberSecurity for Nodes will detect the location of the protected device based on the regional settings of the protected device where the Application Console is installed.
/ALIAS:<task alias>	This parameter lets you assign a temporary name to the task, allowing you to reference the task while it runs. For example, task statistics can be viewed using the TASK command. The task alias must be unique among the task aliases of all Kaspersky Industrial CyberSecurity for Nodes components. If this key is not specified, a temporary name in the form update_<kavshell_pid> is used; for example, update_1234. In the Application Console, the task is assigned the name "Update-databases <date time>"; for example, Update-databases 8/16/2007 5:41:02 PM.
/W:<path to task log file>	If this parameter is specified, Kaspersky Industrial CyberSecurity for Nodes will save the task log file using the name specified by the parameter value. The log file contains task execution statistics, the time when the task was started and completed (stopped), and information about events that occurred during the task. The log is used to register events defined by the task log settings and the Kaspersky Industrial CyberSecurity for Nodes event log settings in Event Viewer. You can specify either the absolute or relative path to the log file. If you specify only a filename without a path, the log file will be created in the current folder. Restarting the command with the same log settings will overwrite the existing log file. The log file can be viewed while a task is running. The log appears in the **Task logs** node of the Application Console. If Kaspersky Industrial CyberSecurity for Nodes fails to create the log file, it will display an error message but will still execute the command.

Return codes for the KAVSHELL UPDATE command.

Rolling back Kaspersky Industrial CyberSecurity for Nodes database updates: KAVSHELL ROLLBACK

The `KAVSHELL ROLLBACK` command can be used to perform a Rollback of Database Update local system task (rolls back Kaspersky Industrial CyberSecurity for Nodes databases to the previously installed version). The command is performed synchronously.

Command syntax:

```
KAVSHELL ROLLBACK
```

Return codes for the KAVSHELL ROLLBACK command.

Managing log inspection: KAVSHELL TASK LOG-INSPECTOR

The `KAVSHELL TASK LOG-INSPECTOR` command can be used to monitor the integrity of the environment based on an analysis of the Windows Event Log.

Command syntax

```
KAVSHELL TASK LOG-INSPECTOR
```

Command examples

```
KAVSHELL TASK LOG-INSPECTOR /stop
```

KAVSHELL TASK LOG-INSPECTOR command-line options

Option	Description
/START	Start the specified task in asynchronous mode.
/STOP	Stop the specified task.
/STATE	Return the current task status (for example, *Running*, *Completed*, *Paused*, *Stopped*, *Failed*, *Starting*, *Resuming*)
/STATISTICS	Retrieve task statistics - Information about the number of objects processed from the time the task started.

Return codes for the KAVSHELL TASK LOG-INSPECTOR command.

Activating the application: KAVSHELL LICENSE

Kaspersky Industrial CyberSecurity for Nodes keys and activation codes can be managed using the `KAVSHELL LICENSE` command.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

KAVSHELL LICENSE command syntax

```
KAVSHELL LICENSE [/ADD:<key file | activation code> [/R] | /DEL:<key | activation code number>]
```

KAVSHELL LICENSE command examples

To activate the application, execute the command:

```
KAVSHELL.EXE LICENSE / ADD: <activation code or key>
```

To view information on added keys, execute the command:

```
KAVSHELL LICENSE
```

To remove an added key with number 0000-000000-00000001, execute the command:

```
KAVSHELL LICENSE /DEL:0000-000000-00000001
```

The `KAVSHELL LICENSE` command can run with or without keys (see the table below).

KAVSHELL LICENSE command-line parameters/options

Parameter	Description
Without keys	The command returns the following information about added keys: • Key. • License type (commercial). • Duration of the license associated with the key. • Key status (active or additional). If the status is *, the key was added as an additional key.
/ADD:<key file name or activation code>	Add a key via the specified file or an activation code. System environment variables can be used when specifying the path to a key file; user environment variables are not allowed.
/R	The /R activation code or key is in addition to the /ADD activation code or key and indicates that the activation code or key being added is an additional activation code or key.
/DEL:<key or activation code>	Deletes the key with the specified number or activation code.

Return codes for the KAVSHELL LICENSE command.

Enabling, configuring and disabling trace logs: KAVSHELL TRACE

The `KAVSHELL TRACE` command can be used to enable and disable the trace log for all Kaspersky Industrial CyberSecurity for Nodes subsystems and to set the log detail level.

Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump file in unencrypted form.

KAVSHELL TRACE command syntax

```
KAVSHELL TRACE </ON /F:<path to trace log file folder> [/S:<maximum log size in
megabytes>] [/LVL:debug|info|warning|error|critical] | /OFF>
```

If the trace log is enabled and you wish to change its settings, enter the `KAVSHELL TRACE` command with the /ON option and use the /S and /LVL parameters to specify the trace log settings (see the table below).

KAVSHELL TRACE command keys

Key	Description
/ON	Enables the trace log.
/F:<folder with trace log files>	This parameter specifies the full path to the folder where trace log files will be saved (required). If a path to a non-existent folder is specified, no trace log will be created. Paths to folders on the network drives of other protected devices cannot be specified. If the path specified by the parameter has a space, it needs to be enclosed in quotes, for example, /F:"C:\Trace Folder". System environment variables can be used when specifying the path to the trace log files; user environment variables are not allowed.
/S: <maximum log file size in megabytes>	This key sets the maximum size of a single trace log file. As soon as the log file reaches the maximum size, Kaspersky Industrial CyberSecurity for Nodes will start recording information in a new file; the previous log file will be saved. If the value of this parameter is not specified, the maximum size of one log file will be 50 MB.
/LVL:debug|info|warning|error|critical	This parameter sets the log detail level from maximum (**All debug information**), in which all events are recorded in the log, to minimum (**Critical events**), in which only critical events are recorded. If this parameter is not specified, all events included in the **All debug information** level of detail will be recorded in the trace log.
/OFF	This option disables the trace log.

KAVSHELL TRACE command examples

*To enable the trace log using the **All debug information** level of detail and a maximum log size of 200MB, saving the log file to the "C:\Trace Folder" folder, execute the command:*

```
KAVSHELL TRACE /ON /F:"C:\Trace Folder" /S:200
```

*To enable the trace log using the **Important events** level of detail, saving the log file to the "C:\Trace Folder" folder, execute the command:*

```
KAVSHELL TRACE /ON /F:"C:\Trace Folder" /LVL:warning
```

To disable the trace log, execute the command:

```
KAVSHELL TRACE /OFF
```

Return codes for the KAVSHELL TRACE command.

Defragmenting Kaspersky Industrial CyberSecurity for Nodes log files: KAVSHELL VACUUM

You can use the `KAVSHELL VACUUM` command to defragment the application's log files. This helps avoid system and application errors due to storing a large number of log files containing application events.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

We recommend that you apply the `KAVSHELL VACUUM` command to optimize log file storage in case On-Demand Scan and update tasks are run frequently. This command causes Kaspersky Industrial CyberSecurity for Nodes update the logical structure of the application's log files stored on a protected device at the specified path.

By default, the application's log files are stored at "C:\ProgramData\Kaspersky Lab\Kaspersky Industrial CyberSecurity for Nodes\3.0\Reports". If you have manually specified another path for storing logs, the `KAVSHELL VACUUM` command defragments the files in the folder specified in the Kaspersky Industrial CyberSecurity for Nodes log settings.

Large file sizes increase the time required for the `KAVSHELL VACUUM` command to complete the defragment operation.

The Real-Time Protection and Computer Control tasks are not available while the `KAVSHELL VACUUM` command is executed. The defragmentation process restricts access to the Kaspersky Industrial CyberSecurity for Nodes log and prevents event logging. To avoid a reduction in protection, we recommend that you plan when you will run the `KAVSHELL VACUUM` command.

To defragment the Kaspersky Industrial CyberSecurity for Nodes log files, execute the following command:

```
KAVSHELL VACUUM
```

This command requires Local System account rights.

Cleaning iSwift base: KAVSHELL FBRESET

Kaspersky Industrial CyberSecurity for Nodes uses iSwift technology, which lets the application avoid rescanning files that have not been modified since the last scan (**Use iSwift technology**).

Kaspersky Industrial CyberSecurity for Nodes creates klamfb.dat and klamfb2.dat files in the "%SYSTEMDRIVE%\System Volume Information" folder. These files contain information about clean objects that have already been scanned. The klamfb.dat (klamfb2.dat) file grows with the number of files scanned by Kaspersky Industrial CyberSecurity for Nodes. It only contains current information about files in the system: if a file is removed, Kaspersky Industrial CyberSecurity for Nodes purges the corresponding information from klamfb.dat.

To clear a file, use the `KAVSHELL FBRESET` command.

Please keep in mind the following specifics when using the `KAVSHELL FBRESET` command:

- When using the KAVSHELL FBRESET command to clear the klamfb.dat file, Kaspersky Industrial CyberSecurity for Nodes does not pause the protection (unlike what happens if klamfb.dat is deleted manually).

- Kaspersky Industrial CyberSecurity for Nodes may increase the protected device workload after the data in klamfb.dat is cleared. In this case, Kaspersky Industrial CyberSecurity for Nodes scans all files accessed for the first time after klamfb.dat is cleared. After the scan, Kaspersky Industrial CyberSecurity for Nodes puts information about each scanned object back into klamfb.dat. If there are new attempts to access an object, iSwift technology prevents rescanning of the file if it has not been changed.

The `KAVSHELL FBRESET` command is available only if the command-line interpreter is started under the SYSTEM account.

Enabling and disabling dump file creation: KAVSHELL DUMP

You can use the `KAVSHELL DUMP` command to enable or disable creation of snapshots (dump files) of Kaspersky Industrial CyberSecurity for Nodes processes if they terminate abnormally (see the following table). Additionally, you can create a dump file of running Kaspersky Industrial CyberSecurity for Nodes processes at any time.

To create a dump file successfully, the `KAVSHELL DUMP` command must be executed under the local system account (SYSTEM).

Kaspersky Industrial CyberSecurity for Nodes writes information to trace files and the dump file in unencrypted form.

The KAVSHELL DUMP command can not be used for x64 processes.

KAVSHELL DUMP command syntax

```
KAVSHELL DUMP </ON /F:<folder with the dump file>|/SNAPSHOT /F:< folder with the dump file> / P:<pid> | /OFF>
```

KAVSHELL DUMP command-line parameters/options

Key	Description
/ON	Enables creation of a dump file if a process terminates abnormally.
/F:<path to folder with dump files>	This is a mandatory parameter. It specifies the path to the folder where the dump file will be saved. Paths to folders on the network drives of other unprotected devices are not allowed. System environment variables can be used when specifying the path to the folder for the dump file; user environment variables are not allowed.
/SNAPSHOT	Takes a snapshot of the memory of the running process with the specified PID and saves the dump file in the folder specified by the /F parameter.
/P	The process identifier (PID) is displayed in the Microsoft Windows Task Manager.
/OFF	Disables the creation of a dump file if a process terminates abnormally.

Return codes for the KAVSHELL DUMP command.

KAVSHELL DUMP command examples

To enable creation of a dump file; saving the dump file to the "C:\Dump Folder" folder, execute the command:

```
KAVSHELL DUMP /ON /F:"C:\Dump Folder"
```

To make a dump for the process with ID 1234 in the "C:/Dumps" folder, execute the command:

```
KAVSHELL DUMP /SNAPSHOT /F:C:\dumps /P:1234
```

To disable creation of dump files, execute the command:

```
KAVSHELL DUMP /OFF
```

Importing settings: KAVSHELL IMPORT

The `KAVSHELL IMPORT` command lets you import the settings of Kaspersky Industrial CyberSecurity for Nodes and its current tasks from a configuration file to a copy of Kaspersky Industrial CyberSecurity for Nodes on the protected device. A configuration file can be created using the `KAVSHELL EXPORT` command.

A password might be required to execute the command. To enter the current password, use `[/pwd:<password>]`.

KAVSHELL IMPORT command syntax

```
KAVSHELL IMPORT <name of configuration file and path to file>
```

KAVSHELL IMPORT command examples

```
KAVSHELL IMPORT Host1.xml
```

KAVSHELL IMPORT command-line parameter

Parameter	Description
<name of configuration file and path to file>	Name of configuration file used as the import source for settings. System environment variables can be used when specifying the path to the file; user environment variables are not allowed.

Return codes for the KAVSHELL IMPORT command.

Exporting settings: KAVSHELL EXPORT

The `KAVSHELL EXPORT` command lets you export all of the settings of Kaspersky Industrial CyberSecurity for Nodes and its current tasks to a configuration file in order to import them later into copies of Kaspersky Industrial CyberSecurity for Nodes installed on another protected device.

KAVSHELL EXPORT command syntax

```
KAVSHELL EXPORT <name of configuration file and path to file>
```

KAVSHELL EXPORT command examples

```
KAVSHELL EXPORT Host1.xml
```

KAVSHELL EXPORT command-line parameters

Parameter	Description
<name of configuration file and path to file>	Name of the configuration file that will contain the settings. Any file extension can be assigned to the configuration file. System environment variables can be used when specifying the path to the file; user environment variables are not allowed.

Return codes for the KAVSHELL EXPORT command.

Integration with Microsoft Operations Management Suite: KAVSHELL OMSINFO

You can use the KAVSHELL OMSINFO command to review the status of the application and information about threats detected by anti-virus databases and the KSN service. The information about threats is taken from the available event logs.

KAVSHELL OMSINFO command syntax

```
KAVSHELL OMSINFO <full path to generated file with file name>
```

KAVSHELL OMSINFO command examples

```
KAVSHELL OMSINFO C:\Users\Admin\Desktop\omsinfo.json
```

KAVSHELL OMSINFO command-line parameter

Parameter	Description
<path to generated file with file name>	Name of the generated file that will contain information about the application status and any detected threats.

Managing the Baseline File Integrity Monitor task: KAVSHELL FIM /BASELINE

You can use the `KAVSHELL FIM /BASELINE` command to configure the mode in which the Baseline File Integrity Monitor task runs and monitors the loading of DLL modules.

A password might be required to execute the command. To enter the current password, use `[/pwd: <password>]`.

KAVSHELL FIM /BASELINE command syntax

```
KAVSHELL FIM /BASELINE [/CREATE: [<monitoring scope> | /L:<path to TXT file containing the list of monitoring areas>] [/MD5 | /SHA256] [/SF]] | [/CLEAR [/BL:<baseline id> | /ALIAS:<existing alias>]] | [/EXPORT:<path to TXT file> [/BL:<baseline id> | /ALIAS:<existing alias>]] | [/SHOW [/BL:<baseline id> | /ALIAS:<existing alias>]] | [/SCAN [/BL:<baseline id> | /ALIAS:<existing alias>]] | [/PWD:<password>]
```

KAVSHELL FIM /BASELINE command examples

To delete a baseline, run the following command:

```
KAVSHELL FIM /BASELINE /CLEAR /BL:<baseline id>
```

You can configure Baseline File Integrity Monitor task settings using the command-line parameters (see the table below).

KAVSHELL FIM/ BASELINE command-line parameters/options

Parameter/option	Description
/CREATE	Create a new Baseline File Integrity Monitor task. Kaspersky Industrial CyberSecurity for Nodes will start the new Baseline File Integrity Monitor task in order to create a baseline.
/L	Specify the path to the TXT file containing the list of monitoring areas.
/MD5	Specify the MD5 algorithm for calculating a checksum (optional parameter). /MD5 parameter can not be used together with /SHA256. MD5 algorithm is used by default.
/SHA256	Specify the SHA256 algorithm for calculating a checksum (optional parameter). /SHA256 parameter can not be used together with /MD5. MD5 algorithm is used by default.
/SF	Includes all subfolders in the Baseline File Integrity Monitor task scope (optional parameter). By default all subfolders are excluded from the Baseline File Integrity Monitor task scope.
/CLEAR	Delete the baseline with specified <baseline id> or the baseline for the task with specified <existing alias>. Delete all baselines if neither <baseline id> nor <existing alias> was specified. Optional parameter.
/BL	Specify the unique ID of a baseline (optional parameter).
/EXPORT	Export the data about all baselines in a TXT file.
/SHOW	Show data about all baselines.
/SCAN	Start the new Baseline File Integrity Monitor task with specified

	<baseline id> or specified <existing alias>.
/ALIAS	Specify the name of an existing task or the name for a new task.
<monitoring scope>	Specify the file or folder that you want to include in the Baseline File Integrity Monitor task scope. This parameter allows to specify only one area.
<path to TXT file containing the list of monitoring areas>	Specify the path to the TXT file containing the list of monitoring areas. The file must be UTF-8 encoded, and each path to a monitoring area must be specified in a separate row.
<path to TXT file>	Specify the path to the file to which you want to export the data about all baselines.
<baseline id>	Specify the unique ID of a baseline. You can use the /SHOW parameter to learn the ID of a baseline.
<existing alias>	Specify the name of an existing task.
<new alias>	Specify the name of a new task.

Command return codes

Return codes for the KAVSHELL START and KAVSHELL STOP commands

Return code for the KAVSHELL START and KAVSHELL STOP commands

Return code	Description
0	Operation completed successfully
-3	Permission error
-5	Invalid command syntax
-6	Invalid operation (for example, the Kaspersky Security Service is already running or already stopped)
-7	Service not registered
-8	Automatic Service startup is disabled.
-9	Attempt to start the protected device under another user account failed (by default, the Kaspersky Security Service runs under the Local system user account)
-99	Unknown error

Return code for KAVSHELL SCAN and KAVSHELL SCANCRITICAL commands

Return code for the KAVSHELL SCAN and KAVSHELL SCANCRITICAL commands

Return code	Description
0	Operation completed successfully (no threats detected)
1	Operation canceled
-2	Service not running
-3	Permission error
-4	Object not found (file with the list of scan scopes not found)
-5	Invalid command syntax or scan scope not defined
-80	Infected and other objects detected
-81	Probably infected objects detected
-82	Processing errors detected
-83	Unscanned objects found
-84	Corrupted objects detected
-85	Failed to create task log
-99	Unknown error
-301	Invalid key

Return codes for the KAVSHELL TASK LOG-INSPECTOR command

Return code for the KAVSHELL TASK LOG-INSPECTOR command

Return code	Description
0	Operation completed successfully
-6	Invalid operation (for example, the Kaspersky Security Service is already running or already stopped)
402	Task is already running (for the /STATE option)

Return codes for the KAVSHELL TASK command

Return codes for the KAVSHELL TASK command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (task not found)
-5	Invalid command syntax
-6	Invalid operation (for example, task not running, already running, or cannot be paused)
-99	Unknown error

-301	Invalid key
401	Task not running (for the /STATE option)
402	Task already running (for the /STATE option)
403	Task already paused (for the /STATE option)
-404	Operation failed (a change in task status resulted in a crash)

Return codes for the KAVSHELL RTP command

Return codes for the KAVSHELL RTP command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (one or all of the Real-Time Computer Protection tasks not found)
-5	Invalid command syntax
-6	Invalid operation (for example, the task is already running or already stopped)
-99	Unknown error
-301	Invalid key

Return codes for the KAVSHELL UPDATE command

Return codes for the KAVSHELL UPDATE command

Return code	Description
0	Operation completed successfully
200	All objects are up-to-date (database or program components are current)
-2	Service not running
-3	Permission error
-5	Invalid command syntax
-99	Unknown error
-206	Extension files are missing in the specified source or have unknown format
-209	Error while connecting to the update source
-232	Authentication error while connecting to proxy server
-234	Error while connecting to Kaspersky Security Center
-235	Kaspersky Industrial CyberSecurity for Nodes was not authenticated when connecting to the update source
-236	Application database is corrupted

-301	Invalid key

Return codes for the KAVSHELL ROLLBACK command

Return codes for the KAVSHELL ROLLBACK command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-99	Unknown error
-221	Backup copy of database not found or corrupted
-222	Backup copy of database corrupted

Return codes for the KAVSHELL LICENSE command

Return codes for the KAVSHELL LICENSE command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Insufficient privileges to manage keys
-4	Key with specified number not found
-5	Invalid command syntax
-6	Invalid operation (key already added)
-99	Unknown error
-301	Invalid key
-303	License applies to a different application

Return codes for the KAVSHELL TRACE command

Return codes for the KAVSHELL TRACE command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (path specified for the trace log folder not found)
-5	Invalid command syntax

-6	Invalid operation (attempt to execute the KAVSHELL TRACE /OFF command when trace logs are already disabled)
-99	Unknown error

Return codes for the KAVSHELL FBRESET command

Return codes for the KAVSHELL FBRESET command

Return code	Description
0	Operation completed successfully
-99	Unknown error

Return codes for the KAVSHELL DUMP command

Return codes for the KAVSHELL DUMP command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (path specified for dump file folder not found; process with specified PID not found)
-5	Invalid command syntax
-6	Invalid operation (attempt of KAVSHELL DUMP/OFF command execution if dump file creation is already disabled)
-99	Unknown error

Return codes for the KAVSHELL IMPORT command

Return codes for the KAVSHELL IMPORT command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (unable to find a configuration file that can be imported)
-5	Invalid syntax
-99	Unknown error
501	Operation completed successfully with an error/comment, for example, Kaspersky Industrial CyberSecurity for Nodes did not import parameters for some functional component

-502	Import file is missing or has an unrecognized format
-503	Incompatible settings (configuration file exported from a different program or a later and incompatible version of Kaspersky Industrial CyberSecurity for Nodes)

Return codes for the KAVSHELL EXPORT command

Return codes for the KAVSHELL EXPORT command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-5	Invalid syntax
-10	Unable to create a configuration file (for example no access to the folder specified in the path to the file)
-99	Unknown error
501	Operation completed successfully with an error/comment, for example, Kaspersky Industrial CyberSecurity for Nodes did not export parameters for some functional component

Return codes for the KAVSHELL FIM /BASELINE command

Return codes for the KAVSHELL FIM /BASELINE command

Return code	Description
0	Operation completed successfully
-2	Service not running
-3	Permission error
-4	Object not found (task not found)
-5	Invalid command syntax
-6	Invalid operation (for example, the baseline already was deleted)
-10	Unable to create a configuration file (for example no access to the folder specified in the path to the file)
-12	Invalid password
-80	Inconsistent with the baseline objects detected
-85	Failed to create task log
-99	Internal error
-303	Invalid license key
-502	Task not running
200	All objects are consistent with the baseline

501	Task completed successfully with an error/comment

Contacting Technical Support

This section describes the ways to receive technical support and the conditions on which it is available.

How to get technical support

If you cannot find a solution to your problem in the application documentation or in one of the sources of information about the application, we recommend that you contact Technical Support. Technical Support specialists will answer your questions about installing and using the application.

Technical support is available only to users who have purchased a commercial license for the application. Technical support is not available to users who have a trial license.

Application support is provided according to the application lifecycle (see the application lifecycle page).

Before contacting Technical Support, please read through the Technical Support rules.

You can contact Technical Support by sending a request to Kaspersky Technical Support through the Kaspersky CompanyAccount portal.

Technical Support via Kaspersky CompanyAccount

Kaspersky CompanyAccount is a portal for companies that use Kaspersky applications. Kaspersky CompanyAccount is designed to facilitate interaction between users and Kaspersky specialists via online requests. Kaspersky CompanyAccount lets you monitor the progress of electronic request processing by Kaspersky specialists and store a history of electronic requests.

You can register all of your organization's employees under a single user account on Kaspersky CompanyAccount. A single account lets you centrally manage electronic requests from registered employees to Kaspersky and also manage the privileges of these employees via Kaspersky CompanyAccount.

Kaspersky CompanyAccount is available in the following languages:

- English
- Spanish
- Italian
- German
- Polish
- Portuguese
- Russian
- French

- Japanese

To learn more about Kaspersky CompanyAccount, visit the Technical Support website.

Using trace files and AVZ scripts

After you report a problem to Kaspersky Technical Support specialists, they may ask you to generate a report with information about the operation of Kaspersky Industrial CyberSecurity for Nodes and to send it to Kaspersky Technical Support. Kaspersky Technical Support specialists may also ask you to create a trace file. The trace file allows following the process of how application commands are performed, step by step, in order to determine the stage of application operation at which an error occurs.

After analyzing the data you send, Kaspersky Technical Support specialists can create an AVZ script and send it to you. With AVZ scripts, it is possible to analyze active processes for threats, scan the protected device for threats, disinfect or delete infected files, and create system scan reports.

Providing extended diagnostic information to the Technical Support specialists

For more effective support and troubleshooting of application problems, Technical Support specialists may ask you to change application settings temporarily for purposes of debugging during diagnostics. This may require doing the following:

- Activating the functionality that processes and stores extended diagnostic information.
- Fine-tuning the settings of individual software components, which are not available via standard user interface elements.
- Changing the settings of storage and transmission of diagnostic information that was processed.
- Configuring the interception and logging of network traffic.

All information required to perform the listed actions (description of the sequence of steps, changeable settings, configuration files, scripts, additional command line features, debugging modules, specialized utilities, etc.), as well as the composition of data analyzed for debugging purposes, will be announced by the Technical Support specialists. The advanced diagnostic information is stored on the user computer. Automatic transfer of the stored data to Kaspersky is not performed.

The actions listed above can only be performed under the guidance of the Technical Support specialists following the instructions received from them. Unassisted modification of the application settings in the ways not described in the application documentation or in the recommendations from the Technical Support specialists can lead to slowdowns and malfunctions of the operating system, decrease of the computer protection level, as well as to a violation of the availability and integrity of the processed information.

Sources of information about Kaspersky Industrial CyberSecurity for Nodes

This section lists sources of information about the application.

You can select the most suitable information source, depending on the importance level and urgency of the issue.

Sources for independent retrieval of information

You can use the following sources to find information about Kaspersky Industrial CyberSecurity for Nodes:

- Kaspersky Industrial CyberSecurity for Nodes page on the Kaspersky website.
- Kaspersky Industrial CyberSecurity for Nodes page on the Technical Support website (Knowledge Base).

If you did not find a solution to your problem, contact Kaspersky Technical Support.

An Internet connection is required to use online information sources.

Kaspersky Industrial CyberSecurity for Nodes page on the Kaspersky website

On the Kaspersky Industrial CyberSecurity for Nodes page, you can view general information about the application and its functions and features.

You can address our partners and representatives to purchase the application or renew your license.

Kaspersky Industrial CyberSecurity for Nodes page in the Knowledge Base

The Knowledge Base is a section of the Technical Support website.

The Kaspersky Industrial CyberSecurity for Nodes page in the Knowledge Base features articles that provide useful information, recommendations, and answers to frequently asked questions about how to purchase, install, and use the application.

Knowledge Base articles can answer questions relating to not only Kaspersky Industrial CyberSecurity for Nodes but also other Kaspersky applications. Knowledge Base articles can also include news form Technical Support.

Discussing Kaspersky applications on the Forum

You can discuss questions related to Kaspersky applications with other users and Kaspersky experts on our Forum.

On the Forum, you can view existing topics, leave comments, and create new discussion topics.

Glossary

Active key

A key that is currently used by the application.

Administration Server

A component of Kaspersky Security Center that centrally stores information about all Kaspersky applications that are installed on the corporate network. It can also be used to manage these applications.

Anti-virus databases

Databases that contain information about computer security threats known to Kaspersky as of when the anti-virus databases are released. Entries in anti-virus databases allow malicious code to be detected in scanned objects. Anti-virus databases are created by Kaspersky specialists and updated hourly.

Archive

One or more file(s) packaged into a single file through compression. A dedicated application, called an archiver, is required for packing and unpacking the data.

Backup

A special storage for backup copies of files, which are created before disinfection or deletion is attempted.

Disinfection

A method of processing infected objects that results in full or partial recovery of data. Not all infected objects can be disinfected.

Event severity

Property of an event encountered during the operation of a Kaspersky application. There are the following severity levels:

- Critical event
- Functional failure
- Warning

- Info

Events of the same type can have different severity levels depending on the situation in which the event occurred.

False positive

A situation when a Kaspersky application considers a non-infected object to be infected because the object's code is similar to that of a virus.

File mask

Representation of a file name using wildcards. The standard wildcards used in file masks are * and ?, where * represents any number of any characters and ? stands for any single character.

Heuristic analyzer

A technology for detecting threats about which information has not yet been added to Kaspersky databases. The heuristic analyzer detects objects whose behavior in the operating system may pose a security threat. Objects detected by the heuristic analyzer are considered to be probably infected. For example, an object may be considered probably infected if it contains sequences of commands that are typical of malicious objects (open file, write to file).

Infectable file

A file that, due to its structure or format, can be used by criminals as a "container" to store and spread malicious code. As a rule, these are executable files, with such file extensions as .com, .exe, and .dll. The risk of penetration of malicious code into such files is quite high.

Infected object

An object of which a portion of code completely matches part of the code of known malware. Kaspersky does not recommend accessing such objects.

Kaspersky Security Network (KSN)

An infrastructure of cloud services that provides access to the Kaspersky database with constantly updated information about the reputation of files, web resources, and software. Kaspersky Security Network ensures faster responses by Kaspersky applications to threats, improves the performance of some protection components, and reduces the likelihood of false positives.

License term

A time period during which you have access to the application features and rights to use additional services. The services you can use depend on the type of the license.

Local task

A task defined and running on a single client computer.

OLE object

An object attached to another file or embedded into another file through the use of the Object Linking and Embedding (OLE) technology. An example of an OLE object is a Microsoft Office Excel® spreadsheet embedded into a Microsoft Office Word document.

Policy

A policy determines an application's settings and manages the ability to configure that application on computers within an administration group. An individual policy must be created for each application. You can create multiple policies for applications installed on computers in each administration group, but only one policy can be applied at a time to each application within an administration group.

Protection status

Current protection status, which reflects the level of computer security.

Quarantine

The folder to which the Kaspersky application moves probably infected objects that have been detected. Objects are stored in Quarantine in encrypted form in order to avoid any impact on the computer.

Real-time protection

The application's operating mode under which objects are scanned for the presence of malicious code in real time.

The application intercepts all attempts to open any object (read, write, or execute) and scans the object for threats. Uninfected objects are passed on to the user; objects containing threats or probably infected objects are processed according to the task settings (disinfected, deleted or quarantined).

Security level

The security level is defined as a pre-configured set of application component settings.

SIEM

A technology that analyzes security events originating from various network devices and applications.

Startup objects

A set of applications needed for the operating system and software that is installed on the computer to start and operate correctly. These objects are executed every time the operating system is started. There are viruses capable of infecting such objects specifically, which may lead, for example, to blocking of operating system startup.

Task

Functions performed by the Kaspersky application are implemented as tasks, such as: Real-time file protection, Full computer scan, and Database update.

Task settings

Application settings that are specific for each task type.

Update

The procedure of replacing or adding new files (databases or application modules) retrieved from the Kaspersky update servers.

Vulnerability

A flaw in an operating system or an application that may be exploited by malware makers to penetrate the operating system or application, and corrupt its integrity. The presence of a large number of vulnerabilities in an operating system makes it unreliable, because viruses that penetrate the operating system may cause disruptions in the operating system itself and in installed applications.

Information about third-party code

Information about third-party code is contained in the file legal_notices.txt, in the application installation folder.

Trademark notices

Registered trademarks and service marks are the property of their respective owners.

CVE is a registered trademark of The MITRE Corporation.

Intel and Pentium are trademarks of Intel Corporation in the U.S. and/or other countries.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft, Active Directory, Excel, Outlook, Internet Explorer, Windows, Windows Server, and Windows Vista are trademarks of the Microsoft group of companies.

NetAppNetApp is the trademark or the registered trademark of NetApp, Inc. in the United States and/or other countries.

Schneider Electric is a trademark of Schneider Electric.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Limited.